MATERIAL SAFETY DATA SHEET STAN-TONE VCP-17599 VIOLET

Version Number 1.2 Revision Date 04/05/2004

Page 1 of 6 Print Date *11/14/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE VCP-17599 VIOLET
Product code	:	CC00039142
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET STAN-TONE VCP-17599 VIOLET

doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Flash point : Not applicable Flammable Limits Upper explosion limit : Lower explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOX), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions :	ion Number 1.2 sion Date 04/05/2004	Page 2 Print Date 11/14/2
overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Flash point : Not applicable Flash point : Not applicable Flammable Limits : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HC) or Carbon Monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of mitrogen (NOX), other hazardous materials, and smoke are all possible. Personal precautions : Wear appropriate personal protection d		
Eyes : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Skin : Not applicable Flash point : Not applicable Planmable Limits : Not applicable Upper explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal con	Inhalation	overheating or combustion. When symptoms persist or in all cases of
least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Flash point : Not applicable Flash point : Not applicable Flammable Limits : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOX), other hazardous materials, and smoke are all possible. Derivonmental precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS f	Ingestion	
medical attention. structure S. FIRE-FIGHTING MEASURES Flash point : Not applicable Flammable Limits Upper explosion limit : Not applicable Autoignition temperature Suitable extinguishing media Suitable extinguishing media Special Fire Fighting Procedures Procedures Unusual Fire/Explosion Hard medical extensions. Carbon dioxide (CO2), carbon Monoxide (CO) undt fire conditions. Carbon dioxide (CO2), carbon Monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. Dersonal precautions Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Personal precautions Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Take measures to prevent the build up	Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Flash point : Not applicable Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6 ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to miniminze accumulation of <	Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
Flammable Limits Upper explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6 ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 7 HANDLING AND STORAGE : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of the surfa		5. FIRE-FIGHTING MEASURES
Flammable Limits Upper explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6 ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 7 HANDLING AND STORAGE : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing furme condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of the surfaces to minimize accumulatin on processing furme condensates may contain combustib		
Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of this may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of this may contain combustible or toxic residue. <	Flash point	: Not applicable
Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion Hay emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of	Upper explosion limit Lower explosion limit Autoignition temperature	Not applicableNot relevant
Hazards fire conditions. Čarbon dioxide (CO2), carbon monoxide (CO), oxid of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of		
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of		: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all
impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of		6. ACCIDENTAL RELEASE MEASURES
Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of	Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of	Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of	Methods for cleaning up	plastic, cardboard or metal containers for disposal. Refer to Section 1
only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of		7. HANDLING AND STORAGE
	Handling	only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of
		condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-17599 VIOLET

Version Number 1.2 Revision Date 04/05/2004 Page 3 of 6 Print Date 11/14/2011

		y and tightly closed to avoid moisture absorpti Keep in a dry, cool place.	on
8. EXI	POSURE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection		tory protective equipment normally required. cur wear appropriate respiratory protection.	If
Eye/Face Protection	: Safety glasses with	side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and safety prac breaks and at the end of workday.	ctice
Engineering measures		with appropriate exhaust ventilation. Provide t ventilation at machinery.	
Exposure limit(s)			
There are no known hazardo	us components above regula	atory thresholds in this product.	
There are no known hazardo			ed ed le le
There are no known hazardon 9 Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid powder, granular PURPLE Very faint Not determined Not applicable 	MCAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determin Bulk density : Not determin Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	ed ed le le
There are no known hazardon 9 Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid powder, granular PURPLE Very faint Not determined Not applicable Insoluble 	MCAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determin Bulk density : Not determin Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	ed ed le le
There are no known hazardon 9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Solid powder, granular PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY ANI	MCAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determin Bulk density : Not determin Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	ed ed le le
There are no known hazardon 9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM Solid powder, granular PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	MCAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determin Bulk density : Not determin Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable D REACTIVITY ecomposition, do not overheat. Keep away from	ed ed le le

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-17599 VIOLET**

Version Number 1.2 Revision Date 04/05/2004 Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), hydrogen chloride (HCl), other hazardous materials, and
smoke are all possible. Prolonged heating (approximately 30 minutes
or more) above 392 °F (200 °C) or short term heating at 482 °F (250
°C) may result in product decomposition and evolution of carbon
monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-17599 VIOLET

Version Number 1.2 Revision Date 04/05/2004 Page 5 of 6 Print Date 11/14/2011

US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	WARNING! This pr California to cause ca		hemical know	on to the State of
SARA Title III Section 302 Ext	rem	ely Hazardous Substar	ce		
Not applicable					
SARA Title III Section 313 Tox	cic (Chemicals:			
Not applicable Canadian Regulations: National Pollutant Releas	se Iı	nventory (NPRI)			
Chemical Name		, (= := = = =)	CAS-No.	Weight %	NPRI ID#
Misc00005- Misc Zinc Cpc	d's		Not Available	0.12	241
WHMIS Classification	:	All components of the		the Canadian	Domestic
DSL				the Canadian	Domestic
DSL		All components of the		the Canadian	Domestic
DSL National Inventories:	:	All components of the Substances List (DSI		the Canadian	Domestic
DSL National Inventories: Australia AICS	:	All components of the Substances List (DSI		the Canadian	Domestic
DSL National Inventories: Australia AICS China IECS	: :	All components of th Substances List (DSI Not determined Not determined		the Canadian	Domestic
DSL National Inventories: Australia AICS China IECS Europe EINECS	::	All components of th Substances List (DSI Not determined Not determined Not determined		the Canadian	Domestic
DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	::	All components of th Substances List (DSI Not determined Not determined Not determined Not determined		the Canadian	Domestic
DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS Korea KECI	::	All components of th Substances List (DSI Not determined Not determined Not determined Not determined Not determined	.) or are exempt.	the Canadian	Domestic
DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS Korea KECI	::	All components of th Substances List (DSI Not determined Not determined Not determined Not determined Not determined Not determined Not determined	.) or are exempt.	the Canadian	Domestic



MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-17599 VIOLET**

Version Number 1.2 Revision Date 04/05/2004 Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.