PolvOne

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-24845 BEIGE**

Version Number 1.0 Revision Date 10/26/2006 Page 1 of 7 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE VCP-24845 BEIGE
Product code	:	CC00039221
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Stearic acid	57-11-4	1 - 5
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-24845 BEIGE**

Version Number 1.0 Revision Date 10/26/2006 Page 2 of 7 Print Date 11/25/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-24845 BEIGE**

Version Number 1.0 Revision Date 10/26/2006		Page 3 of 7 Print Date 11/25/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUR	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Stearic acid	10 mg/m3	Time Weighted Average (TWA):	Total dust. as stearates	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Evaporation rate

: Not applicable

olyOne

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-24845 BEIGE

Version Number 1.0 Revision Date 10/26/2006 Page 4 of 7 Print Date 11/25/2011

Appearance		powder, granular	Specific Gravity:	:		
Color	-	ΓΑΝ	Bulk density	:	Not determined	
Odor		Very faint	Vapor pressure	:	Not applicable	
Melting point/range	: 1	Not determined	Vapour density	:	Not applicable	
Boiling Point:	: 1	Not applicable	pH	:	Not applicable	
Water solubility	:]	Insoluble				
		10. STABILITY AND RE	CACTIVITY			
Stability	:	Stable.				
Hazardous Polymerization	:	Will not occur.				
Conditions to avoid	:	To avoid thermal decom oxidizing agents and ope	▲	eat.	Keep away from	
Incompatible Materials	:	Incompatible with strong with acetal homopolyme	6	<u> </u>		
Hazardous decomposition	:	Carbon dioxide (CO2), o	carbon monoxide (CO)), ox	ides of nitrogen	

:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
	(NOx), hydrogen chloride (HCl), other hazardous materials, and
	smoke are all possible. Prolonged heating (approximately 30 minutes
	or more) above 392 °F (200 °C) or short term heating at 482 °F (250
	°C) may result in product decomposition and evolution of carbon
	monoxide and hydrogen chloride.
	:

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
57-11-4	Stearic acid	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57-11-4	Stearic acid			
		Dermal LD50	> 5 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-24845 BEIGE**

Version Number 1.0

Revision Date 10/26/2006

Page 5 of 7 Print Date 11/25/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Fitanium dioxide	no	2B	no
2B - The component is po NTP Carcinogen Classifi 1 - The component is know	cinogenic to humans. robably carcinogenic to h ossibly carcinogenic to hu	ımans. ogen.		
	12. ECOLOGIO	CAL INFORMATION		
Persistence and degradab	ility : Not readily b	iodegradable.		
Environmental Toxicity	: Adverse ecol	ogical impact is not know	wn or expected une	der normal use
Bioaccumulation Potentia	al : No data avail	able		
Additional advice	: No data avail	able		
	13. DISPOSAL	CONSIDERATIONS		
Product	generator of classification	ble recycling is preferred waste material has the re , transportation and disp deral, state/provincial ar	esponsibility for prosal in accordance	oper waste with
Contaminated packaging	has the respon	preferred when possible nsibility for proper wast in accordance with appl ulations.	e classification, tra	ansportation
	14. TRANSPO	RT INFORMATION		
U.S. DOT Classification		l for transportation.		
ICAO/IATA (air)		l for transportation.		
IMO / IMDG (maritime)	: Not regulated	l for transportation.		
	15. REGULATO	ORY INFORMATION		
US Regulations:				
OSHA Status	: Classified as	hazardous based on con	nponents.	

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-24845 BEIGE

Version Number 1.0 Revision Date 10/26/2006 Page 6 of 7 Print Date 11/25/2011

Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name			CAS-No.	Weight %	NPRI ID#
Miscellaneous Zinc Compounds			Not Available	0.10 - 1.00	241
WHMIS Classification	:	-	of this product are (DSL) or are exem		n Domestic
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
		16. OTHER IN	FORMATION		

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE VCP-24845 BEIGE**

Version Number 1.0 Revision Date 10/26/2006 Page 7 of 7 Print Date 11/25/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.