MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011

Page 1 of 7 Print Date 1/23/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED BATHENE PE-1255
Product code	:	CC00042038
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Rutile, antimony chromium buff	68186-90-3	5 - 10
Calcium carbonate	471-34-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011 Page 2 of 7 Print Date 1/23/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should r be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Sectio 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Hea

PolyOne.

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011

Page 3 of 7 Print Date 1/23/2012

Storage	:	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
 8. EXPOS	SUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011 Page 4 of 7 Print Date 1/23/2012

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A
	15 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: pellets
: RED
: very faint
: Not determined
: not applicable
: insoluble

: solid

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.

skUn<u>e</u>

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011

Page 5 of 7 Print Date 1/23/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory
	chromium buff		system.
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

LC50 / LD50

_

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50Oral LD50Oral LD50	6,450 mg/kg6,450 mg/kg6,450 mg/kg	ratratmouse

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011 Page 6 of 7 Print Date 1/23/2012

	1	4. TRANSPOR	Γ INFOR	MATION	[
U.S. DOT Classification	:	Not regulated for	or transpo	rtation.				
ICAO/IATA	:	Refer to specific	c regulation	on.				
IMO/IMDG (maritime)	:	Refer to specifi	c regulation	on.				
	15	5. REGULATOR	RY INFO	RMATIO	N			
US Regulations:								
OSHA Status	:	Classified as ha	zardous b	ased on co	mponen	s.		
TSCA Status	:	All component TSCA Inventor	s of this p		-		npt from th	e
US. EPA CERCLA Hazardo	us Subs	stances (40 CFR	302)					
not applicable								
California Proposition 65	n :	Not applicable						
SARA Title III Section 302 I	Extrem	ely Hazardous Su	ibstance					
SARA Title III Section 302 I Unless specific chemicals are		-		s product is	s Not Ap	plicable	under this	regul
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name	e identi Гoxic C	fied under this se	ection, this	s product is CAS-No	s Not Ap	plicable Weight	under this percent	-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ZINC COMPOUNDS	e identi Toxic C e identi	fied under this se Chemicals:	ection, this	s product is CAS-No 68187-51	s Not Ap -9	plicable Weight 1.00 - :	under this percent 5.00	-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name	e identi Foxic C e identi UNDS NY	fied under this se Chemicals: fied under this se CHROMIUM III	ection, this	s product is CAS-No	s Not Ap -9	plicable Weight	under this percent 5.00	-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ZINC COMPOUNDS CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU	e identi Foxic C e identi UNDS NY	fied under this se Chemicals: fied under this se CHROMIUM III	ection, this	s product is CAS-No 68187-51	s Not Ap -9	plicable Weight 1.00 - :	under this percent 5.00	-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ZINC COMPOUNDS CHROMIUM III COMPO COMPOUNDSANTIMON	e identi Toxic C e identi UNDS NY UM CO	fied under this se Chemicals: fied under this se CHROMIUM III	ection, this	s product is CAS-No 68187-51	s Not Ap -9	plicable Weight 1.00 - :	under this percent 5.00	-

PolyOne

MATERIAL SAFETY DATA SHEET **RED BATHENE PE-1255**

Version Number 1.0 Revision Date 06/08/2011

Page 7 of 7 Print Date 1/23/2012

Zinc ferrite brown spinel (C.I 119)	[. Pi	gment Yellow	68187-51-9	1.00 - 5.00	
Rutile, antimony chromium b	ouff		68186-90-3	5.00 - 10.00	
WHMIS Classification	:	D2B			
WHMIS Ingredient Disc	losi	re List			
CAS-No. 68186-90-3					
DSL	:	DSL status has restricted by re		ned. Quantity use in G	Canada may
lational Inventories:					
Australia AICS	:	Not determined	1		
China IECS	:	Not determined	1		
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined	1		
Korea KECI	:	Not determined	1		
Philippines PICCS	:	Not determined	1		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.