MATERIAL SAFETY DATA SHEET ADDITIVE BATHENE PE-924

Version Number 1.0 Revision Date 10/31/2006 Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ADDITIVE BATHENE PE-924
Product code	:	CC00042708
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, cristobalite	14464-46-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **ADDITIVE BATHENE PE-924**

Version Number 1.0 Revision Date 10/31/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET ADDITIVE BATHENE PE-924

Version Number 1.0 Revision Date 10/31/2006 Page 3 of 6 Print Date 11/25/2011

0.1	XPOSUR	RE CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	:	No personal respiratory protect	tive equipment normally r	equired.
Eye/Face Protection	:	Safety glasses with side-shield	s.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with goo Wash hands before breaks and		afety practice
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:
Silica, cristobalite	0.05		Respirable fraction.	Z3
	mg/m3		T (11)	72
	0.15 mg/m3		Total dust.	Z3
	0.05	Time Weighted Average	Respirable fraction.	ACGIH
			Respirable fraction.	neom
		(TWA):		
	0.05 mg/m3 0.05	(TWA): Time Weighted Average	Respirable.	Z3
	mg/m3 0.05 mg/m3	Time Weighted Average (TWA):	-	Z3
	mg/m3 0.05 mg/m3 0.15	Time Weighted Average (TWA): Time Weighted Average	Respirable. Total dust.	Z3 Z3
	mg/m3 0.05 mg/m3 0.15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	-	Z3
	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	-	
	mg/m3 0.05 mg/m3 0.15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	-	Z3
	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Total dust.	Z3
	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRO	Total dust.	Z3
Form	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRODUCTION	Total dust. OPERTIES Dration rate : Not	Z3 MX OEL applicable
Appearance	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So : Pe	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRODUCT blid Evapor blid Speci	Total dust. OPERTIES oration rate : Not fic Gravity: : Not	Z3 MX OEL applicable determined
Appearance Color	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So : Pe : No	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRODUCTION Official Evapor Illets Speci O PIGMENT Bulk	Total dust. OPERTIES oration rate : Not fic Gravity: : Not density : Not	Z3 MX OEL applicable determined established
Appearance Color Odor	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So : Pe : No : Ve	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRODUCT blid Evapor Special OPIGMENT Bulk operation ery faint Vapor	Total dust. Total dust. OPERTIES oration rate : Not fic Gravity: : Not density : Not r pressure : Not	Z3 MX OEL applicable determined established applicable
Appearance Color Odor Melting point/range	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So : Pe : No : Ve : No	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PROPERTIES SICAL AND CHEMICAL PROPERTIES SPIGMENT Bulk optimit Vapor Did determined Vapor	Total dust. Total dust. OPERTIES OPERTIES Dration rate : Not fic Gravity: : Not density : Not r pressure : Not ur density : Not	Z3 MX OEL applicable determined established applicable applicable
Appearance Color Odor	mg/m3 0.05 mg/m3 0.15 mg/m3 0.05 mg/m3 9. PHYS : So : Pe : No : Ve : No : No	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): SICAL AND CHEMICAL PRODUCT blid Evapor Special OPIGMENT Bulk operation ery faint Vapor	Total dust. Total dust. OPERTIES OPERTIES Dration rate : Not fic Gravity: : Not density : Not r pressure : Not ur density : Not	Z3 MX OEL applicable determined established applicable

MATERIAL SAFETY DATA SHEET ADDITIVE BATHENE PE-924

Version Number 1.0 Revision Date 10/31/2006 Page 4 of 6 Print Date 11/25/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14464-46-1	Silica, cristobalite	Systemic effects	Respiratory system.
		Irritant	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14464-46-1	Silica, cristobalite	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Silica, cristobalite 14464-46-1 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

Persistence and degradability : Not readily

Environmental Toxicity

: Not readily biodegradable.

: Chemicals are not readily available as they are bound within the

PolyOne.

MATERIAL SAFETY DATA SHEET ADDITIVE BATHENE PE-924

Version Number 1.0 Revision Date 10/31/2006 Page 5 of 6 Print Date 11/25/2011

Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the
Bioaccumulation Potentiai	polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	 WARNING! This product contains a chemical known to the State o California to cause cancer.

MATERIAL SAFETY DATA SHEET ADDITIVE BATHENE PE-924

Version Number 1.0 Revision Date 10/31/2006 Page 6 of 6 Print Date 11/25/2011

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

:

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
14464-46-1	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.