119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 PolyOne.

Page 1 of 17 Print Date 03/27/2019

SAFETY DATA SHEET

119730 ABSC WHITE

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	119730 ABSC WHITE Mixture Mixture CC00080365 solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 <u>PolyOne</u>

Page 2 of 17 Print Date 03/27/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC00080365

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Silica, amorphous	1 - 3	7631-86-9
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

119730 ABSC WHITE



Version Number 1.3	Page 3 of 17
Revision Date 03/26/2019	Print Date 03/27/2019

Eye contact	Immediately flush eyes with plenty of water, occasionally lifti upper and lower eyelids. Check for and remove any contact le Get medical attention if irritation occurs.	
Inhalation	Remove victim to fresh air and keep at rest in a position comf for breathing. Get medical attention if symptoms occur. In cas inhalation of decomposition products in a fire, symptoms may delayed. The exposed person may need to be kept under medi- surveillance for 48 hours.	se of v be
Skin contact	Flush contaminated skin with plenty of water. Remove contan clothing and shoes. Get medical attention if symptoms occur.	ninated
Ingestion	Wash out mouth with water. Remove victim to fresh air and k rest in a position comfortable for breathing. If material has bee swallowed and the exposed person is conscious, give small qu of water to drink. Do not induce vomiting unless directed to de medical personnel. Get medical attention if symptoms occur.	en iantities

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019

Page 4 of 17 Print Date 03/27/2019

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill :	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
---------------	---	---

<u>PolyOne</u>

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019

Page 5 of 17 Print Date 03/27/2019

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Styrene	OSHA PEL 1989 (1989-03-01)
	TWA 215 mg/m3 50 ppm
	STEL 425 mg/m3 100 ppm
	OSHA PEL Z2 (1993-06-30)
	TWA 100 ppm
	CEIL 200 ppm
	CEIL 600 ppm
	NIOSH REL (1994-06-01)
	TWA 215 mg/m3 50 ppm

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019



Page 6 of 17 Print Date 03/27/2019

		STEL 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TWA 85 mg/m3 20 ppm STEL 170 mg/m3 40 ppm
Silica, amorphous		NIOSH REL (1994-06-01) TWA 6 mg/m3
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 Page 7 of 17 Print Date 03/27/2019

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
	:	••
Vapor pressure	:	Not available.
Vapor pressure Vapor density	::	Not available. Not available.
Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not available. Not available. Not available. insoluble in water.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Not available. Not available. Not available. Not available. insoluble in water.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. insoluble in water. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. insoluble in water. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. insoluble in water. Not available. Not available. Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or its ingredients.



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019	Page 8 of 17 Print Date 03/27/2019
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will
	not occur.
Conditions to avoid	: Keep away from extreme heat and oxidizing agents.

Keep away from strong acids.

products should not be produced.

Under normal conditions of storage and use, hazardous decomposition

Incompatible materials Hazardous decomposition

products

Section 11. Toxicological information

:

:

Oxidizer.

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Styrene				
•	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
Remarks - Dermal:	No applicable toxic	city data		
Silica, amorphous				
Remarks - Oral:	No applicable toxic	No applicable toxicity data		
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
Titanium dioxide				
Remarks - Oral:	No applicable toxic	No applicable toxicity data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019

Page 9 of 17 Print Date 03/27/2019

	1	1		
	irritant			
	Eyes - Severe	Rabbit		-
	irritant			
	Eyes -	Rabbit	24 hrs	_
	Moderate	ituoon	21110	
	irritant			
Silica, amorphous	Eyes - Mild	Rabbit	24 hrs	-
Sinca, amorphous	irritant	Rabbit	24 1118	-
Titanium dioxide	Skin - Mild	Human	72 hrs	-
	irritant			
Conclusion/Summary				
Skin		ixture.Not fully		
Eyes	: M	ixture.Not fully	tested.	
Respiratory	: M	ixture.Not fully	tested.	
Sensitization				
Conclusion/Summary				
Skin	: M	ixture.Not fully	tested.	
Respiratory		ixture.Not fully		
icophatory	•			
Mutagenicity				
Conclusion/Summary	: M	ixture.Not fully	tested.	
Carcinogenicity				
Conclusion/Summary	: M	ixture.Not fully	tested.	
Classification		J		
Product/ingredient	OSHA	IARC	NTP	
name	Obini	hine		
Styrene		2B	Reasonably anticipated to	ba a human carcinogan
Silica, amorphous		3	Reasonably anticipated to	be a fiuman carefulogen.
Titanium dioxide			4	
I itanium dioxide		2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	: M	ixture.Not fully	tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	: M	ixture.Not fully	tested.	
Specific target organ toxic Not available.	ity (single exposu	<u>re)</u>		



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 Page 10 of 17 Print Date 03/27/2019

Specific target organ toxicity (repo Not available.	eated (exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as y	vell as	chronic effects from short and long-term exposure
Delayed and immediate effects as v	well as	chronic effects from short and long-term exposure
<u>Delayed and immediate effects as v</u> <u>Short term exposure</u>	<u>well as</u>	chronic effects from short and long-term exposure
	<u>well as</u> :	<u>chronic effects from short and long-term exposure</u> Not available.
Short term exposure		
<u>Short term exposure</u> Potential immediate effects	:	Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	:	Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects	::	Not available. Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	:	Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects	::	Not available. Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects Potential delayed effects	::	Not available. Not available. Not available.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsConclusion/Summary	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested.
Short term exposurePotential immediate effects Potential delayed effectsLong term exposurePotential immediate effects Potential delayed effectsPotential chronic health effects Conclusion/Summary General	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsConclusion/SummaryGeneral Carcinogenicity		Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effectsConclusion/SummaryGeneral Carcinogenicity Mutagenicity		Not available. Not available. Not available. Not available. Mixture.Not fully tested. Mo known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsConclusion/SummaryGeneral Carcinogenicity		Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards.



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019

Page 11 of 17 Print Date 03/27/2019

Fertility effects

No known significant effects or critical hazards. :

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Styrene			
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.0047 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute	· •	
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic plants:	Acute		
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic plants:	Acute		
•	Acute NOEC 0.063 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic plants:	Chronic	·	
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data		
Silica, amorphous			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
	11/17		



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 Page 12 of 17 Print Date 03/27/2019

plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		_
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			-
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
119730 ABSC WHITE			
Remarks - Acute - Aquatic	Chemicals are not readily available a	s they are bound within the	e polymer matrix.
invertebrates.:			
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the
Persistence and degradability	<u>v</u>		
Conclusion/Summary	: Chemicals are not readil	y available as they are bou	nd within the

polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.
		12/17

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019



Page 13 of 17 Print Date 03/27/2019

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

listed

13/17

119730 ABSC WHITE

P c	olyOne	

Version Number 1.3	Page 14 of 17
Revision Date 03/26/2019	Print Date 03/27/2019

		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

Not applicable. :

Composition/information on ingredients



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 Page 15 of 17 Print Date 03/27/2019

No products were found.

Name	%	Classification
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Styrene	100-42-5	0 - 0.3
Supplier notification	Styrene	100-42-5	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Styrene
New Jersey	: The following components are listed: Styrene Titanium dioxide
Pennsylvania	: The following components are listed: Styrene
	Aluminum hydroxide
	Silica, amorphous
	Titanium dioxide

<u>California Prop. 65</u>

WARNING: This product can expose you to chemicals including Styrene, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019 Page 16 of 17 Print Date 03/27/2019

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.
Styrene	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan		All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. All components are listed or exempted. Not determined.
Turkey United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

<u>PolyOne</u>

119730 ABSC WHITE

Version Number 1.3 Revision Date 03/26/2019

Page 17 of 17 Print Date 03/27/2019

Date of printing Date of issue/Date of revision Date of previous issue Version	::	03/27/2019 03/26/2019 11/27/2018 1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.