822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015

Page 1 of 17 Print Date 10/31/2015

SAFETY DATA SHEET

822083 GREY PP

Section 1. Identification		
GHS product identifier	:	822083 GREY PP
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC01020302
Product type	:	solid
	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or : Not classified. **mixture**

GHS label elements

822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015 <u>PolyOne</u>

Page 2 of 17 Print Date 10/31/2015

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.

: None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01020302

CAS number/other identifiers

Hazards not otherwise classified

Ingredient name	%	CAS number
Titanium dioxide	1 - 5	13463-67-7
Di(2-ethylhexyl)phthalate	0.1 - 1	117-81-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the

822083 GREY PP



Version Number 1.3 Revision Date 10/30/2015	Page 3 of 17 Print Date 10/31/2015
Inhalation	 upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	Exposure to decomposition products may cause a health hazard.
Skin contact	:	Serious effects may be delayed following exposure. No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
~		

See toxicological information (Section 11)

822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015

PolyOne

Page 4 of 17 Print Date 10/31/2015

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material an place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	
--	--

822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015

Page 5 of 17 Print Date 10/31/2015

Ine

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3

822083 GREY PP

<u>PolyOne</u>

Version Number 1.3 Revision Date 10/30/2015

Page 6 of 17 Print Date 10/31/2015

Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 5 mg/m3 Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 10 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 5 mg/m3 Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 10 mg/m3 ACGIH TLV (1999-03-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m3
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker
Environmental exposure controls	 exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures 6/17



822083 GREY PP

Version Number 1.3	Page 7 of 17
Revision Date 10/30/2015	Print Date 10/31/2015

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
2		Kinematic: Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or



822083 GREY PP

Version Number 1.3	Page 8 of 17
Revision Date 10/30/2015	Print Date 10/31/2015

	its ingredients.
:	Stable under recommended storage and handling conditions (see
	Section 7).
:	Under normal conditions of storage and use, hazardous reactions will
	not occur.
:	Keep away from extreme heat and oxidizing agents.
:	Keep away from strong acids.
	Oxidizer.
:	Under normal conditions of storage and use, hazardous decomposition
	products should not be produced.
	:

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Di(2-ethylhexyl)phthalate		•	· · · ·	•
<u> </u>	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Dermal	Rabbit	25,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.	·	

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Di(2-ethylhexyl)phthalate	Eyes - Mild irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: Mixture.Not fully tested.				
Respiratory	: Mixture.Not fully tested.				

Sensitization

Conclusion/Summary



822083 GREY PP

Version Number 1.3 Revision Date 10/30/20	015				Page 9 of 17 Print Date 10/31/2015
~					
Skin Respiratory			ixture.Not fully ixture.Not fully		
<u>Mutagenicity</u>					
Conclusion/Summary	:	M	ixture.Not fully	tested.	
Carcinogenicity					
Conclusion/Summary Classification	:	M	ixture.Not fully	tested.	
Product/ingredient name	OSHA		IARC	NTP	
Titanium dioxide			2B		
Di(2-ethylhexyl)phthalate			2B		
<u>Reproductive toxicity</u> Conclusion/Summary		М	ixture.Not fully	tested	
-		101	Ixture.Not fully	lested.	
<u>Teratogenicity</u>					
Conclusion/Summary	:	M	ixture.Not fully	tested.	
Specific target organ toxicity Not available.	y (single e	xposu	<u>re)</u>		
Specific target organ toxicity Not available.	y (repeate	ed expo	osure)		
<u>Aspiration hazard</u> Not available.					
Information on the likely rou exposure	ites of	N	ot available.		
Potential acute health effects					
Eve contect		NT.	hour similia	ont offorte on anitical has	zorda
Eye contact Inhalation		Ех	posure to decon	ant effects or critical has aposition products may y be delayed following	cause a health hazard.
Skin contact	:			ant effects or critical has	
Ingestion				ant effects or critical has	

Symptoms related to the physical, chemical and toxicological characteristics

822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015 Page 10 of 17 Print Date 10/31/2015

Eye contact	: 1	No specific data.
Inhalation	: 1	No specific data.
Skin contact	: 1	No specific data.
Ingestion	: 1	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	gredient name Result		Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 µg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	10/17		



822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015

Page 11 of 17
Print Date 10/31/2015

	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustacean Order	48 h
Di(2-ethylhexyl)phthalate			
	Acute LC50 690 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 32,900 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 139,500 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 42,100 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 6,180 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 11,000 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 133 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 31,000,000 µg/l Marine water	Aquatic plants - Algae	96 h
	Chronic No-observable-effect- concentration 598.2 µg/l Fresh water	Fish - Fish	90 d
	Chronic No-observable-effect- concentration 502 µg/l Fresh water	Fish - Fish	49 d
	Chronic No-observable-effect- concentration 502 µg/l Fresh water	Fish - Fish	42 d





822083 GREY PP

Version Number 1.3				
Revision Date	10/30/2015			

Page 12 of 17 Print Date 10/31/2015

	Chronic No-observable-effect-	Fish - Fish	90 d		
	concentration 502 µg/l Fresh water				
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d		
	concentration 77 µg/l Fresh water	Daphnia			
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d		
	concentration 0.64 mg/l Fresh	Daphnia			
	water	1			
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d		
	concentration 0.64 mg/l Fresh	Daphnia			
	water	-			
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d		
	concentration 109 µg/l Fresh water	Crustacean Order			
822083 GREY PP	· · ·				
Remarks - Acute - Aquatic	Chemicals are not readily available a	Chemicals are not readily available as they are bound within the polymer matrix.			
invertebrates.:		2	1 2		
Conclusion/Summary	: Chemicals are not readil	y available as they are bou	nd within the		
·	polymer matrix.				
Persistence and degradabilit	<u>v</u>				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low
Di(2-ethylhexyl)phthalate	7.6	1,380.00	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable
	12/17

822083 GREY PP

Version Number 1.3					
Revision Date	10/30/2015				



products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed

822083 GREY PP



Version Number 1.3 Revision Date 10/30/2015		Page 14 of 17 Print Date 10/31/2015
		United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Di(2-ethylhexyl)phthalate Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Zinc stearate
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s) 45.4 kg

SARA 311/312

Chemicals)

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	1 - 5	СН
Di(2-ethylhexyl)phthalate	0.1 - 1	АН, СН



822083 GREY PP

Version Number 1.3			
Revision Date	10/30/2015		

Page 15 of 17 Print Date 10/31/2015

SARA 313

	Product name	CAS number	%	
Form R - Reporting requirements	Aluminum	7429-90-5	10 - 30	
requirements	White mineral oil	8042-47-5	1 - 5	
	Di(2-ethylhexyl)phthalate	117-81-7	0.1 - 1	
Supplier notification	Aluminum	7429-90-5	10 - 30	
	White mineral oil	8042-47-5	1 - 5	
	Di(2-ethylhexyl)phthalate	117-81-7	0.1 - 1	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Aluminum Mica Titanium dioxide
New York	:	The following components are listed: White mineral oil Di(2-ethylhexyl)phthalate
New Jersey	:	The following components are listed: Aluminum Mica Titanium dioxide White mineral oil Di(2-ethylhexyl)phthalate
Pennsylvania	:	The following components are listed: Aluminum Titanium dioxide
		White mineral oil
		Di(2-ethylhexyl)phthalate

<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer., WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other

822083 GREY PP

<u>PolyOne</u>

Version Number 1.3 Revision Date 10/30/2015 Page 16 of 17 Print Date 10/31/2015

reproductive harm.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals Chemical Weapons Convention List Schedule II Chemicals	:	Not listed Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

<u>History</u>		
Date of printing	:	10/31/2015
Date of issue/Date of revision	:	10/30/2015
Date of previous issue	:	11/16/2012
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL 73/78 = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations

16/17

822083 GREY PP

Version Number 1.3 Revision Date 10/30/2015 <u>PolyOne</u>

Page 17 of 17 Print Date 10/31/2015

References

Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.