BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 1 of 16 Print Date 01/10/2025

SAFETY DATA SHEET

BLAZER BLUE W/ANTISTAT

| Section 1. Identification | | | |
|--|---|---|--|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : | BLAZER BLUE W/ANTISTAT Mixture Mixture CC01053242 liquid | |
| <u>Relevant identified uses of the subs</u> Product use | tance : | e or mixture and uses advised against Industrial applications. Plastics. | |
| Supplier's details | : | AVIENT CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA | |
| | | +1 216 622 0100 | |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|--|
| Classification of the substance or mixture | : | SKIN IRRITATION - Category 2 |

GHS label elements

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 2 of 16 Print Date 01/10/2025

| Hazard pictograms | : | |
|----------------------------------|---|---|
| Signal word | : | Warning |
| Hazard statements | : | Causes skin irritation. |
| Precautionary statements | | |
| Prevention Response | : | Not applicable. Wear protective gloves. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC01053242 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|--|---------------|----------------|
| Miscellaneous Compounds Distillates, petroleum, hydrotreated | >= 10 - <= 25 | Not available. |
| middle | | |
| Titanium dioxide | >= 1 - <= 3 | 13463-67-7 |
| | | |
| Carbon black | >= 1 - <= 3 | 1333-86-4 |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024

ÀVIENT

Page 3 of 16 Print Date 01/10/2025

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | | |
|--|-------------|--|
| Eye contact Inhalation Skin contact Ingestion | : : : | No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : | No specific data. |
| | | 3/16 |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 4 of 16 Print Date 01/10/2025

| Skin contact | : | Adverse symptoms may include the following: irritation redness |
|------------------------------------|--------|--|
| Ingestion | : | No specific data. |
| Indication of immediate medical at | tentio | n and special treatment needed, if necessary |
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known. |
|--|---|---|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without |
|-----------------------------|---|---|
| | | suitable training. Evacuate surrounding areas. Keep unnecessary and |



BLAZER BLUE W/ANTISTAT

| Version Number 1.6 | |
|--------------------------|--|
| Revision Date 12/30/2024 | |

| | Page 5 of 16 |
|-------|-----------------|
| Print | Date 01/10/2025 |

| For emergency responders | : | unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|--------------------------------------|-------|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containmen | it ar | nd cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 6 of 16 Print Date 01/10/2025

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

•

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|---|
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | None. |
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles |
| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction |

| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|---|--|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, |
| | | 6/16 |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 7 of 16 Print Date 01/10/2025

| | | filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|---|---|--|
| Individual protection measures | | |
| Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used |
| Eyenace protection | : | when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : liquid [liquid] |
|----------------|-------------------|
| Color | : BLUE |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024

ÀVIENT

Page 8 of 16 Print Date 01/10/2025

| Odor | : | Faint odor. |
|--------------------------------|---|---------------------------|
| Odor threshold | : | Not available. |
| pH | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- | : | Not applicable. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | Kinematic: Not available. |
| Aerosol product | | |
| Heat of combustion | : | Not available. |
| Ignition distance | : | Not available. |
| Enclosed space ignition - Time | : | Not available. |
| equivalent | | |
| Enclosed space ignition - | : | Not available. |
| Deflagration density | | |
| Flame height | : | Not available. |
| Flame duration | : | Not available. |
| | | |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. | | |
|------------------------------------|---|--|--|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). | | |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. | | |
| | | | | |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 9 of 16 Print Date 01/10/2025

| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
|-------------------------|---|---|
| Incompatible materials | : | Keep away from strong acids. |
| _ | | Oxidizer. |
| Hazardous decomposition | : | Under normal conditions of storage and use, hazardous decomposition |
| products | | products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredient name | Result | Species |] | Dose | Exposure | |
|-------------------------|-----------------------------|----------------|--------|---------------|----------|--|
| Titanium oxide (TiO2) | | | | | | |
| | LC50 Inhalation | Rat - Male | . (| 5.82 Mg/l | 4 h | |
| | Dusts and mists | | | | | |
| | LD50 Dermal | Rabbit | > | > 5,000 mg/kg | - | |
| Carbon black | | | | | | |
| | LD50 Oral | Rat | 1 | 5,400 mg/kg | - | |
| Conclusion/Summary | : Mixtur | e.Not fully te | ested. | | | |
| Irritation/Corrosion | | | | | | |
| Conclusion/Summary | | | | | | |
| Skin | | re.Not fully t | | | | |
| Eyes | | re.Not fully t | | | | |
| Respiratory | : Mixture.Not fully tested. | | | | | |
| <u>Sensitization</u> | | | | | | |
| Conclusion/Summary | | | | | | |
| Skin | : Mixtu | re.Not fully t | ested. | | | |
| Respiratory | : Mixtu | re.Not fully t | ested. | | | |
| Mutagenicity | | | | | | |
| Conclusion/Summary | : Mixture.Not fully tested. | | | | | |
| Carcinogenicity | | | | | | |
| Conclusion/Summary | : Mixtu | re.Not fully t | ested. | | | |
| Classification | | | | | | |
| Product/ingredient name | OSHA IA | RC | NTP | | | |
| Titanium oxide (TiO2) | - 2B | | - | | | |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 10 of 16 Print Date 01/10/2025

| Carbon black | - | 2B | - | |
|--|----------------|-----------------------------|---|--|
| Reproductive toxicity | | | | |
| | | | | |
| Conclusion/Summary | : | Mixture.No | ot fully tested. | |
| Teratogenicity | | | | |
| Conclusion/Summary | : | Mixture.No | ot fully tested. | |
| Specific target organ toxicity (Not available. | (single expo | <u>sure)</u> | | |
| Specific target organ toxicity (Not available. | (repeated ex | <u>kposure)</u> | | |
| Aspiration hazard | | | | |
| Name | | | Result | |
| Miscellaneous Compounds Dist hydrotreated middle | illates, petro | oleum, | ASPIRATION HAZARD - Category 1 | |
| Information on the likely rout exposure | es of : | Not availab | ble. | |
| Potential acute health effects | | | | |
| Eye contact | : | No known s | significant effects or critical hazards. | |
| Inhalation | : | No known s | significant effects or critical hazards. | |
| Skin contact | : | : Causes skin irritation. | | |
| Ingestion | : | No known s | significant effects or critical hazards. | |
| Symptoms related to the physical, chemical and toxicological characteristics | | | | |
| Eye contact | : | Adverse syn watering, re | mptoms may include the following: pain or irritation, | |
| Inhalation | | No specific | | |
| Skin contact | | - | mptoms may include the following: irritation, redness | |
| Ingestion | : | No specific | | |
| Delayed and immediate effects | s and also c | hronic effect | ets from short and long term exposure | |
| Short term exposure | | | | |
| Potential immediate effects | : | Not availab | ble. | |
| Potential delayed effects | : | Not availab | ble. | |
| | | 1 | 10/16 | |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024

ÀVIENT

Page 11 of 16 Print Date 01/10/2025

Long term exposure

| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
|--|---|---|
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|---|-------------|--------|-----------------------|------------------------|------------------------------------|
| BLAZER BLUE W/ANTISTAT | N/A | N/A | N/A | 53.4 Mg/l | N/A |
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | N/A | N/A | N/A | 11 Mg/l | N/A |
| Titanium oxide (TiO2) | N/A | N/A | N/A | N/A | 6.82 Mg/l |
| Carbon black | 15400 mg/kg | N/A | N/A | N/A | N/A |

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024

ÀVIENT

Page 12 of 16 Print Date 01/10/2025

| Product/ingredient name | Result | Species | Exposure |
|----------------------------------|-------------------------------|----------------------------------|------------|
| Titanium oxide (TiO2) | | | |
| | Acute LC50 > 1,000 Mg/l | Fish - Fundulus heteroclitus | 96 h |
| | Marine water | | |
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia | 48 h |
| | | dubia | _ |
| | Acute LC50 6.5 Mg/l Fresh | Daphnia - Daphnia pulex | 48 h |
| | water | | |
| Carbon black | | F | |
| | Acute EC50 37.563 Mg/l Fresh | Daphnia - Daphnia magna | 48 h |
| | water | | |
| | | | |
| Conclusion/Summary | : Not available. | | |
| Persistence and degradabilit | ** | | |
| r ersistence and degradabilit | | | |
| Conclusion/Summary | Not available. | | |
| Conclusion/Summary | | | |
| | | | |
| | | | |
| Bioaccumulative potential | | | |
| Not available. | | | |
| | | | |
| | | | |
| Mobility in soil | | | |
| | | | |
| Soil/water partition coeffic | ient : Not available. | | |
| (KOC) | | | |
| | No la como di 10 di | - CC | |
| Other adverse effects | : No known significant | effects or critical hazards. | |
| | 1 • 1 4• | | |
| Section 13. Dispos | sal considerations | | |
| | | | |
| Disposal methods | : The generation of was | te should be avoided or minimize | d wherever |

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal

12/16

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 13 of 16 Print Date 01/10/2025

of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|--|
| International Air ICAO/IATA | : | Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : | Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None |
|--------------------------|---|---|
| C.S. Federal regulations | • | of the components are listed. |
| | | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | | United States - TSCA 4(f) - Priority risk review: Not listed |
| | | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | | listed |
| | | United States - TSCA 5(e) - Substances consent order: Not listed |
| | | United States - TSCA 6 - Proposed risk management: Not listed |
| | | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not |
| | | determined |
| | | United States - TSCA 8(a) - Preliminary assessment report |
| | | (PAIR): Not listed |
| | | United States - TSCA 8(c) - Significant adverse reaction (SAR): |
| | | Not listed |
| | | United States - TSCA 8(d) - Health and safety studies: Not listed |
| | | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | | United States - TSCA 5(a)2 - Proposed significant new use rules: |
| | | Not listed |
| | | United States - TSCA 6 - Final risk management: Not listed |
| | | United States - EPA Clean water act (CWA) section 307 - Priority |
| | | pollutants: Not listed |
| | | 13/16 |

BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024



Page 14 of 16 Print Date 01/10/2025

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Not listed |
|--|---|------------|
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Not listed |
| Substances Clean Air Act Section 602 Class II | | Not listed |
| Substances | | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | |
| DEA List II Chemicals (Essential Chemicals) | : | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2

Composition/information on ingredients

| Name | % | Classification |
|---|---------------|--|
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | >= 10 - <= 25 | ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 ASPIRATION HAZARD - Category 1 |
| Titanium oxide (TiO2) | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |
| Carbon black | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |

Not applicable.

 State regulations
 The following components are listed:

 Massachusetts
 : The following components are listed:

14/16



BLAZER BLUE W/ANTISTAT

Version Number 1.6 Revision Date 12/30/2024

Page 15 of 16 Print Date 01/10/2025

| | Carbon black |
|--------------|--|
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: |
| | Titanium dioxide |
| | Carbon black |
| Pennsylvania | : The following components are listed: |
| - | Titanium dioxide |
| | |

Carbon black

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|------------------|---------------------------|------------------------------------|
| Titanium dioxide | - | - |
| Carbon black | - | - |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|---|---|---|
| Canada inventory | : | All components are listed or exempted. |
| International regulations Inventory list | | |
| Australia | : | All components are listed or exempted. |
| Canada | : | All components are listed or exempted. |
| China | : | All components are listed or exempted. |
| Eurasian Economic Union | : | Russian Federation inventory: Not determined. |
| Japan | : | Japan inventory (CSCL): Not determined. |
| | | Japan inventory (ISHL): Not determined. |
| New Zealand | : | All components are listed or exempted. |
| Philippines | : | All components are listed or exempted. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | Not determined.Not determined. |
| Thailand | : | Not determined. |
| Turkey | : | Not determined. |
| United States | : | All components are active or exempted. |
| Viet Nam | : | Not determined. |
| | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

BLAZER BLUE W/ANTISTAT



Version Number 1.6 Revision Date 12/30/2024 Page 16 of 16 Print Date 01/10/2025

| Health | / | 2 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| <u>IIIStol y</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 01/10/2025 |
| Date of issue/Date of revision | : | 12/30/2024 |
| Date of previous issue | : | 12/08/2022 |
| Version | : | 1.6 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| • | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.