EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 1 of 18 Print Date 01/08/2025

SAFETY DATA SHEET

EXCELITE PF-1

| Section 1. Identification | n | |
|--|------------|---|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : | EXCELITE PF-1 Mixture Mixture CC01053625 liquid |
| | tance : | e or mixture and uses advised against Industrial applications. Plastics. |
| Supplier's details | : | AVIENT CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA |
| | | +1 216 622 0100 |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|--|
| Classification of the substance or mixture | : | EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2 |

GHS label elements

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 2 of 18 Print Date 01/08/2025

| Hazard pictograms | : | |
|----------------------------------|---|--|
| Signal word Hazard statements | : | Danger May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. |
| Precautionary statements | | |
| Prevention | : | Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Wear respiratory protection. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : | IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. |
| Storage | : | Store locked up. |
| Disposal | : | Dispose of contents and container in accordance with all local, |
| | | regional, national and international regulations. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC01053625 |

CAS number/other identifiers

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



| | Page 3 of 18 |
|-------|-----------------|
| Print | Date 01/08/2025 |

| Ingredient name | % | CAS number |
|--|---------------|----------------|
| Sodium bicarbonate | >= 25 - <= 50 | 144-55-8 |
| Misc. Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | >= 10 - <= 25 | Not available. |
| Azodicarbonamide | >= 10 - <= 25 | 123-77-3 |
| Diphenyloxide-4,4'-disulfohydrazide | >= 1 - <= 3 | 80-51-3 |
| Zinc oxide | >= 1 - <= 3 | 1314-13-2 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|--|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 4 of 18 Print Date 01/08/2025

| | | avoid further exposure. Wash clothing before reuse. Clean shoes |
|-----------|---|---|
| | | thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. If material has |
| - | | been swallowed and the exposed person is conscious, give small |
| | | quantities of water to drink. Stop if the exposed person feels sick as |
| | | vomiting may be dangerous. Do not induce vomiting unless directed |
| | | to do so by medical personnel. If vomiting occurs, the head should be |
| | | kept low so that vomit does not enter the lungs. Get medical attention. |
| | | Never give anything by mouth to an unconscious person. If |
| | | unconscious, place in recovery position and get medical attention |
| | | immediately. Maintain an open airway. Loosen tight clothing such as |
| | | a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact Inhalation | : | Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if |
|-----------------------------------|----------|---|
| Skin contact Ingestion | : | inhaled. May cause an allergic skin reaction. No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : | Adverse symptoms may include the following: wheezing and breathing difficulties asthma |
| Skin contact | : | Adverse symptoms may include the following: irritation redness |
| Ingestion | : | No specific data. |
| Indication of immediate medical a | ittentio | n and special treatment needed, if necessary |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing |
| | | 4/18 |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 5 of 18 Print Date 01/08/2025

apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known. |
|--|---|--|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|---|--|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 6 of 18 Print Date 01/08/2025

| | or air). |
|---------------------------|---|
| Methods and materials for | containment and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 7 of 18 Print Date 01/08/2025

and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|--|--|
| Sodium bicarbonate | None. |
| Misc. Lubricating oils (petroleum), C15- 30, hydrotreated neutral oil-based | None. |
| Azodicarbonamide | None. |
| Diphenyloxide-4,4'-disulfohydrazide | None. |
| Zinc oxide | OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Dust and fumes STEL 10 mg/m3 Form: Fume CEIL 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TWA 2 mg/m3 Form: Respirable fraction STEL 10 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) TWA 5 mg/m3 Form: Fume OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 Form: Fume STEL 10 mg/m3 Form: Fume TWA 10 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction |

| Appropriate engineering controls | : | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust |
|----------------------------------|---|--|
| | | ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

XAVIENT

Page 8 of 18 Print Date 01/08/2025

| | | checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|--------------------------------|---|--|
| Individual protection measures | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 9 of 18 Print Date 01/08/2025

| Physical state | : | liquid [liquid] |
|--|---|---------------------------|
| Color | : | COLORLESS |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- octanol/water | : | Not applicable. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| ÷ | | Kinematic: Not available. |
| Aerosol product | | |
| Heat of combustion | : | Not available. |
| Ignition distance | : | Not available. |
| Enclosed space ignition - Time | : | Not available. |
| equivalent | | |
| Enclosed space ignition - | : | Not available. |
| Deflagration density | | |
| Flame height | : | Not available. |
| Flame duration | : | Not available. |
| | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|--------------------|--|
| Chemical stability | : Stable under recommended storage and handling conditions (see |
| | 9/18 |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 10 of 18 Print Date 01/08/2025

| Possibility of hazardous reactions | : | Section 7). Under normal conditions of storage and use, hazardous reactions will not occur. |
|---|---|--|
| Conditions to avoid Incompatible materials | : | Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Acute toxicity | | | | |
|--------------------------------|----------------------|---------|-------------|----------|
| Product/ingredient name | Result | Species | Dose | Exposure |
| Carbonic acid sodium salt (1:2 | l) | | | |
| | LD50 Oral | Rat | 4,220 mg/kg | - |
| 1,2-Diazenedicarboxamide | | | | |
| | LD50 Oral | Rat | 6,400 mg/kg | - |
| Benzenesulfonic acid, 4,4'-oxy | ybis-, 1,1'-dihydraz | ide | | |
| | LD50 Oral | Rat | 2,300 mg/kg | - |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---------------------------------|----------------------|---------|-------|-----------|-------------|
| Carbonic acid sodium salt (1:1) | Eyes - Mild irritant | Rabbit | - | 0.008 hrs | - |
| | Skin - Mild irritant | Human | - | 72 hrs | - |
| Zinc oxide | Eyes - Mild irritant | Rabbit | - | 24 hrs | - |
| | Skin - Mild irritant | Rabbit | - | 24 hrs | - |

| Conclusion/Summary | | |
|----------------------|---|---------------------------|
| Skin | : | Mixture.Not fully tested. |
| Eyes | : | Mixture.Not fully tested. |
| Respiratory | : | Mixture.Not fully tested. |
| <u>Sensitization</u> | | |
| Conclusion/Summary | | |
| Skin | : | Mixture.Not fully tested. |
| Respiratory | : | Mixture.Not fully tested. |
| <u>Mutagenicity</u> | | |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

| Page 11 of 18 |
|-----------------------|
| Print Date 01/08/2025 |

| Conclusion/Summary | : | Mixture.Not fully tested. |
|------------------------|---|---------------------------|
| Carcinogenicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Reproductive toxicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| <u>Teratogenicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | | | Result | |
|--|------|---|---|--|
| Misc. Lubricating oils (petroleum), C1 hydrotreated neutral oil-based | 5-30 | , | ASPIRATION HAZARD - Category 1 | |
| Information on the likely routes of exposure | : | Not available. | | |
| Potential acute health effects | | | | |
| Eye contact Inhalation | : | Causes serious May cause alle inhaled. | s eye irritation. ergy or asthma symptoms or breathing difficulties if | |
| Skin contact Ingestion | : | May cause an allergic skin reaction. No known significant effects or critical hazards. | | |
| Symptoms related to the physical, ch | nemi | cal and toxicolo | gical characteristics | |
| Eye contact | : | Adverse sympt watering, redn | toms may include the following: pain or irritation, | |
| Inhalation | : | 0 | toms may include the following: wheezing and | |
| Skin contact Ingestion | : | Adverse symptoms may include the following: irritation, redness No specific data. | | |
| | | 11/ | 18 | |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

AVIENT

Page 12 of 18 Print Date 01/08/2025

Delayed and immediate effects and also chronic effects from short and long term exposure

| Short term exposure | | |
|--|---|---|
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | Suspected of causing genetic defects. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|--|--------------|--------|-----------------------|------------------------|------------------------------------|
| EXCELITE PF-1 | 5830.9 mg/kg | N/A | N/A | N/A | N/A |
| Carbonic acid sodium salt (1:1) | 4220 mg/kg | N/A | N/A | N/A | N/A |
| 1,2-Diazenedicarboxamide | 6400 mg/kg | N/A | N/A | N/A | N/A |
| Benzenesulfonic acid, 4,4'- oxybis-, 1,1'-dihydrazide | 500 mg/kg | N/A | N/A | N/A | N/A |

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

:

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 13 of 18 Print Date 01/08/2025

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---------------------------------|--|---------------------------------------|---------------|
| Carbonic acid sodium salt (1:1) | | | |
| | Acute LC50 7,550 Mg/l Fresh | Fish - Gambusia affinis | 96 h |
| | water | | |
| | Acute LC50 767.87 Mg/l Marine | Crustaceans - Americamysis | 48 h |
| | water | bahia | |
| | Acute EC50 650 Mg/l Fresh | Algae - Navicula seminulum | 96 h |
| | water | - | |
| | Chronic NOEC 576 Mg/l Fresh | Daphnia - Daphnia magna | 21 d |
| | water | | |
| Zinc oxide | | • | • |
| | Acute LC50 1.1 Mg/l Fresh | Fish - Oncorhynchus mykiss | 96 h |
| | water | | |
| | Acute LC50 0.098 Mg/l Fresh | Daphnia - Daphnia magna | 48 h |
| | water | | |
| | Acute IC50 1.85 Mg/l Marine | Algae - Skeletonema costatum | 96 h |
| | water | - | |
| EXCELITE PF-1 | | | |
| Remarks - Acute - Aquatic | Dangerous for the environment: M | ay cause long term adverse effects | s in the aqua |
| invertebrates.: | environment. | | |
| Conclusion/Summary | : Dangerous for the envir the aquatic environment | onment: May cause long term adv t. | verse effects |
| Persistence and degradability | | | |
| Conclusion/Summary | : Not available. | | |
| Conclusion/Summary | : Dangerous for the envi in the aquatic environm | ronment: May cause long term adv | verse effects |

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential | |
|--|--------|------|-----------|--|
| 1,2-Diazenedicarboxamide | 1 | - | low | |
| Benzenesulfonic acid, 4,4'-oxybis-, 1,1'-dihydrazide | - | 3.00 | low | |

EXCELITE PF-1

ÀVIENT

Version Number 1.5 Revision Date 12/05/2024

Page 14 of 18 Print Date 01/08/2025

| Zinc oxide | - | | 28,960.00 | high |
|--|---|---------------------|----------------------------|-------|
| | | | | |
| <u>Mobility in soil</u> | | | | |
| Soil/water partition coefficient (KOC) | : | Not available. | | |
| Other adverse effects | : | No known significan | t effects or critical haza | ards. |

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---|
| International Air ICAO/IATA | : | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant |
| International Water IMO/IMDG | : | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

ÀVIENT

Page 15 of 18 Print Date 01/08/2025

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed |
|---|---|--|
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Not listed |
| Clean Air Act Section 602 Class I Substances | : | Not listed |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed |
| DEA List II Chemicals (Essential | : | Not listed |

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 16 of 18 Print Date 01/08/2025

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2

Composition/information on ingredients

| Name | % | Classification |
|-----------------------------|---------------|--|
| Carbonic acid sodium salt | >= 25 - <= 50 | EYE IRRITATION - Category 2B |
| (1:1) | | |
| Misc. Lubricating oils | >= 10 - <= 25 | ASPIRATION HAZARD - Category 1 |
| (petroleum), C15-30, | | |
| hydrotreated neutral oil- | | |
| based | | |
| 1,2-Diazenedicarboxamide | >= 10 - <= 25 | RESPIRATORY SENSITIZATION - Category 1 |
| | | |
| Benzenesulfonic acid, 4,4'- | >= 1 - <= 3 | COMBUSTIBLE DUSTS |
| oxybis-, 1,1'-dihydrazide | | ACUTE TOXICITY - oral - Category 4 |
| | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1 |
| | | GERM CELL MUTAGENICITY - Category 2 |
| | | |
| Zinc oxide | >= 1 - <= 3 | EYE IRRITATION - Category 2B |
| | | |

<u>SARA 313</u>

Form R - Reporting requirements

| Product name | CAS number | % |
|--------------|------------|------------|
| Zinc oxide | 1314-13-2 | >= 1 - < 5 |
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024

AVIENT

Page 17 of 18 Print Date 01/08/2025

| <u>State regulations</u> Massachusetts | : | The following components are listed: |
|---|---|--|
| New York | | Zinc oxide None of the components are listed. |
| New Jersey | : | The following components are listed: |
| · | • | Diphenyloxide-4,4'-disulfohydrazide Zinc oxide |
| Pennsylvania | : | The following components are listed: Zinc oxide |
| <u>California Prop. 65</u> | | |
| This product does not require a Safe H | | |
| United States inventory (TSCA 8b) | : | All components are active or exempted. |
| Canada inventory | : | All components are listed or exempted. |
| International regulations Inventory list | | |
| Australia | : | Not determined. |
| Canada | : | All components are listed or exempted. |
| China | : | All components are listed or exempted. |
| Eurasian Economic Union | : | Russian Federation inventory: Not determined. |
| Japan | : | Japan inventory (CSCL): Not determined. |
| | | Japan inventory (ISHL): Not determined. |
| New Zealand | : | All components are listed or exempted. |
| Philippines | : | All components are listed or exempted. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | Not determined.Not determined. |
| Thailand | : | Not determined. |
| Turkey | : | Not determined. |
| United States | : | All components are active or exempted. |
| Viet Nam | : | Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | * | 2 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required

EXCELITE PF-1

Version Number 1.5 Revision Date 12/05/2024



Page 18 of 18 Print Date 01/08/2025

on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| <u>IIIStol y</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 01/08/2025 |
| Date of issue/Date of revision | : | 12/05/2024 |
| Date of previous issue | : | 12/08/2022 |
| Version | : | 1.5 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| U C | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.