#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019

ne

Page 1 of 19 Print Date 06/01/2019

## SAFETY DATA SHEET

#### LT TAN W/UV

Section 1. Identification				
GHS product identifier Chemical name CAS number Other means of identification Product type	:	LT TAN W/UV Mixture Mixture CC01054021 liquid		
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.				
Supplier's details	:	<b>POLYONE CORPORATION</b> ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA		
		+1 216 622 0100		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

#### **GHS label elements**

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019



#### Page 2 of 19 Print Date 06/01/2019

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be
D		allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01054021

#### CAS number/other identifiers

Ingredient name	%	CAS number
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 25	Not available.
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	10 - 25	41556-26-7
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester	3 - 5	82919-37-7



#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 3 of 19 Print Date 06/01/2019

Rutile (TiO2)	1 - 3	1317-80-2
Titanium dioxide	1 - 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019



Page 4 of 19 Print Date 06/01/2019

medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical atten	<u>ntio</u>	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Firefighting measures

#### Extinguishing media

## LT TAN W/UV



Version Number 1.2	Page 5 of 19
Revision Date 05/31/2019	Print Date 06/01/2019

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### LT TAN W/UV

Large spill

Version Number 1.2 Revision Date 05/31/2019

# PolyOne

Page 6	of 19
•	
Print Date 06/01/	2019

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 7 of 19 Print Date 06/01/2019

Exposure limits
None.
OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
None.
None.
None.
Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products



## LT TAN W/UV



Version Number 1.2	Page 8 of 19
Revision Date 05/31/2019	Print Date 06/01/2019

		if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	BROWN
Odor	:	Faint odor.
	:	Not available.
Odor threshold	:	
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 9 of 19 Print Date 06/01/2019

vOne

Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
SADT	: Not available.	
Viscosity	<b>Dynamic:</b> Not available.	
·	Kinematic: Not available.	

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Result	Species	Dose	Exposure		
No applicable toxicity data					
No applicable toxic	city data				
No applicable toxic	city data				
No applicable toxic	city data				
LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester					
No applicable toxicity data					
No applicable toxicity data					
No applicable toxicity data					
laneous Compounds Distillates, petroleum, hydrotreated middle					
No applicable toxicity data					
	No applicable toxic No applicable toxic No applicable toxic LC50 Inhalation LD50 Dermal .,6,6-pentamethyl-4- No applicable toxic No applicable toxic No applicable toxic stillates, petroleum, h	No applicable toxicity data No applicable toxicity data No applicable toxicity data No applicable toxicity data LC50 Inhalation Rat - Male LD50 Dermal Rabbit ,6,6-pentamethyl-4-piperidinyl ester No applicable toxicity data No applicable toxicity data No applicable toxicity data stillates, petroleum, hydrotreated middle	No applicable toxicity data         No applicable toxicity data         No applicable toxicity data         No applicable toxicity data         LC50 Inhalation       Rat - Male         6.82 Mg/l         LD50 Dermal       Rabbit         > 5,000 mg/kg         c,6,6-pentamethyl-4-piperidinyl ester         No applicable toxicity data         No applicable toxicity data         No applicable toxicity data         No applicable toxicity data         stillates, petroleum, hydrotreated middle		



## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 10 of 19 Print Date 06/01/2019

Remarks - Inhalation:	No applicable toxicity data
Remarks - Dermal:	No applicable toxicity data
Bis (1,2,2,6,6-pentamethyl-4-p	iperidinyl) sebacate
Remarks - Oral:	No applicable toxicity data
Remarks - Inhalation:	No applicable toxicity data
Remarks - Dermal:	No applicable toxicity data
Conclusion/Summary	: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	Aixture.Not fu	Illy tested.		
Eyes	: N	Aixture.Not fu	illy tested.		
Respiratory	: N	Aixture.Not fu	Illy tested.		
<b>Sensitization</b>					
Conclusion/Summary					
Skin		Aixture.Not fu			
Respiratory	: N	Aixture.Not fu	Illy tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: N	Aixture.Not fu	Illy tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: N	Aixture.Not fu	illy tested.		
Classification			<b>J</b>		
Product/ingredient	OSHA	IARC	NTP		
name Rutile (TiO2)		2B2B			
Titanium dioxide		2B2B			
Reproductive toxicity		20			
Conclusion/Summary	: N	Aixture.Not fu	illy tested.		
<b>Teratogenicity</b>					

10/19



## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019

Page 11 of 19 Print Date 06/01/2019

#### Specific target organ toxicity (single exposure) Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard Product/ingredient name

Product/ingredient name			Result
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle		oleum,	ASPIRATION HAZARD - Category 1
Information on likely routes of exposure	:	Not available	
Potential acute health effects			
Eye contact	:		gnificant effects or critical hazards.
Inhalation	:		gnificant effects or critical hazards.
Skin contact	:		rritation. May cause an allergic skin reaction.
Ingestion	:	No known sig	gnificant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and toxicol	logical characteristics
Eye contact	:	Adverse symp pain or irritat: watering redness	ptoms may include the following: ion
Inhalation	:	No specific d	ata
Skin contact	:	-	ptoms may include the following:
Skii contact	•	irritation	promo may mondo die ronowing.
		redness	
Ingestion	:	No specific d	ata.
Delayed and immediate effects as v	well as	chronic effect	ts from short and long-term exposure
Short term exposure			
Potential immediate effects	:	Not available	
Potential delayed effects	:	Not available	
Long term exposure			
Potential immediate effects		Not available	
Potential delayed effects	:	Not available	-
Potential chronic health effects			

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019



Page 12 of 19 Print Date 06/01/2019

Conclusion/Summary	: Mixture.Not fully tested.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	12.42 mg/l

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Rutile (TiO2)		· -	
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	10/40		



## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 13 of 19 Print Date 06/01/2019

Remarks - Acute - Aquatic	Acute
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
<b>Remarks - Chronic -</b>	No applicable toxicity data
Aquatic invertebrates.:	
	2,6,6-pentamethyl-4-piperidinyl ester
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Miscellaneous Compounds Dis	stillates, petroleum, hydrotreated middle
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Bis (1,2,2,6,6-pentamethyl-4-p	iperidinyl) sebacate
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
LT TAN W/UV	
Remarks - Acute - Aquatic	Dangerous for the environment: May cause long term adverse effects in the aquatic
invertebrates.:	environment.
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects
·	in the aquatic environment.

#### Persistence and degradability

**Conclusion/Summary** 

Not available.

:

#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019

Page 14 of 19 Print Date 06/01/2019

# Bioaccumulative potential<br/>Not available. Not available. Mobility in soil Image: Soil/water partition coefficient<br/>(KOC) : Not available. Soil/water partition coefficient<br/>: : Not available. : Not available. (KOC) : No known significant effects or critical hazards.

## Section 13. Disposal considerations

:

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant
International Water	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019

Clean Air Act Section 602 Class II

**Substances** 

# <u>PolyOne</u>

Page 15 of 19 Print Date 06/01/2019

LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, IMO/IMDG PGIII, Marine Pollutant Section 15. Regulatory information **U.S. Federal regulations** United States - TSCA 12(b) - Chemical export notification: None : of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Clean Air Act Section 112(b) Listed : Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : Substances

:

Not listed

#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 16 of 19 Print Date 06/01/2019

DEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listedChemicals):Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

#### SARA 311/312

Classification

SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

#### **Composition/information on ingredients**

Name	%	Classification
Bis (1,2,2,6,6-pentamethyl-	>= 10 - <= 25	SKIN SENSITIZATION - Category 1
4-piperidinyl) sebacate		
Miscellaneous Compounds	>= 10 - <= 25	ACUTE TOXICITY - inhalation - Category 4
Distillates, petroleum,		SKIN IRRITATION - Category 2
hydrotreated middle		ASPIRATION HAZARD - Category 1
Decanedioic acid, methyl	>= 3 - <= 5	SKIN SENSITIZATION - Category 1
1,2,2,6,6-pentamethyl-4-		
piperidinyl ester		
Titanium dioxide	>= 1 - <= 3	CARCINOGENICITY - Category 2
Rutile (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting	Rutile, antimony chromium	68186-90-3	5 - 10
requirements	buff		
Supplier notification	Rutile, antimony chromium	68186-90-3	5 - 10
	buff		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.

16/19

## LT TAN W/UV

<u>PolyOne</u>

Version Number 1.2 Revision Date 05/31/2019		Page 17 of 19 Print Date 06/01/2019
New Jersey	: The following components are listed: Rutile, antimony chromium buff	
Pennsylvania	Mica Titanium dioxide Iron oxide The following components are listed: Rutile (TiO2)	

Iron oxide

Titanium dioxide

Mica

Rutile, antimony chromium buff

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Rutile (TiO2), Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Rutile (TiO2)	No.	No.
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

17/19



#### LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019 Page 18 of 19 Print Date 06/01/2019

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	06/01/2019
Date of issue/Date of revision	:	05/31/2019
Date of previous issue	:	01/05/2018
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

## LT TAN W/UV

Version Number 1.2 Revision Date 05/31/2019

<u>PolyOne</u>

Page 19 of 19 Print Date 06/01/2019