

MATERIAL SAFETY DATA SHEET YELLOW (DC)

Version Number 1.1 Revision Date 02/02/2004

Page 1 of 5 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Elephone Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW (DC)
Product code	:	CC10000143
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET YELLOW (DC)

sion Date 02/02/2004	Page 2 Print Date 11/13/2			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions Environmental precautions Methods for cleaning up	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. 			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET YELLOW (DC)

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 5 Print Date 11/13/2011

	USUF	KE CONTROLS / PI	ERSONAL PROTECTIO	2 1N		
Respiratory protection	:	: No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	:	Safety glasses with side-shields.				
Hand protection	:	Protective gloves. Refer to equipment supplier to ensure protection.				
Skin and body protection	:	Long sleeved clothing.				
Additional Protective Measures	:	Safety shoes.				
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Exposure mint(s)						
There are no known hazardou	is com	ponents above regula	tory thresholds in this prod	uct.		
		r				
9.	PHY	SICAL AND CHEM				
			IICAL PROPERTIES			
	G			NY / 11 11		
Form		blid	Evaporation rate	: Not applicable		
Form Appearance	: po	olid owder, granular	Evaporation rate Specific Gravity:	: Not applicable		
Form Appearance Color	: po : Y	olid owder, granular ELLOW	Evaporation rate Specific Gravity: Bulk density	Not applicableNot determined		
Form Appearance Color Odor	: po : Y : V	olid owder, granular ELLOW ery faint	Evaporation rate Specific Gravity: Bulk density Vapor pressure	Not applicableNot determinedNot applicable		
Form Appearance Color Odor Melting point/range	: po : Y : V : N	olid owder, granular ELLOW ery faint ot determined	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	Not applicableNot determinedNot applicableNot applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: pc : Y : V : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable	Evaporation rate Specific Gravity: Bulk density Vapor pressure	Not applicableNot determinedNot applicable		
Form Appearance Color Odor Melting point/range	: pc : Y : V : N : N	olid owder, granular ELLOW ery faint ot determined	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	Not applicableNot determinedNot applicableNot applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not applicableNot determinedNot applicableNot applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable soluble	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not applicableNot determinedNot applicableNot applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable soluble D. STABILITY AND	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not applicableNot determinedNot applicableNot applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur.	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not determined Not applicable Not applicable Not applicable 		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not determined Not applicable Not applicable Not applicable 		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: pc : Y : V : N : N : N	olid owder, granular ELLOW ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and Incompatible with s Carbon dioxide (CC	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH DREACTIVITY ecomposition, do not overhed d open flame.	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable 		



MATERIAL SAFETY DATA SHEET YELLOW (DC)

Version Number 1.1 Revision Date 02/02/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the ma of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the ma of the polymer.			
Additional advice	: No data available			
	13. DISPOSAL CONSIDERATIONS			
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				



MATERIAL SAFETY DATA SHEET YELLOW (DC)

Version Number 1.1 Revision Date 02/02/2004				Print Date	Page 5 of 5 11/13/2011	
California Proposition 65	:	This product does not co	ntain a substance	listed by California	a Prop 65.	
SARA Title III Section 302 Ext	rem	ely Hazardous Substance				
Not applicable						
SARA Title III Section 313 To:	xic (Chemicals:				
Chemical Name			CAS-No.	Weight %		
ZINC COMPOUNDS			68187-51-9	51.44		
Canadian Regulations:						
National Pollutant Relea	se Iı	nventory (NPRI)				
WHMIS Classification	:	Not controlled.				
DSL	DSL : All components of th Substances List (DSL			his product are on the Canadian Domestic .) or are exempt.		
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER INFORM	ATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.