

MATERIAL SAFETY DATA SHEET

10099107 SILVER

Version Number 1.1 Revision Date 04/02/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	10099107 SILVER
Product code :	CC10000513
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET 10099107 SILVER

Version Number 1.1 Revision Date 04/02/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET 10099107 SILVER

Version Number 1.1 Revision Date 04/02/2004 Page 3 of 6 Print Date 11/14/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection : No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations				
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
		PEL:	Total dust.	OSHA Z1
	15 mg/m3	FLL.	1 otal dasti	
	-			
	-	CAL AND CHEMICAL PRO		
Form	-	CAL AND CHEMICAL PRO) PERTIES	applicable
	9. PHYSIC	CAL AND CHEMICAL PRO Evapo	DPERTIES	applicable determined
Appearance	9. PHYSIC : Solid : Pelle : GRE	Evapo ts Specif Y Bulk c	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	
Appearance Color	9. PHYSIC : Solid : Pellet : GRE : Very	EXAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	determined established applicable
Appearance Color Odor	9. PHYSIC : Solid : Pellet : GRE : Very	EXAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	determined established
Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Peller : GRE : Very : Not d : Not a	CAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor letermined Vapou .pplicable pH	DPERTIES ration rate : Not Tic Gravity: : Not lensity : Not pressure : Not ur density : Not	determined established applicable
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pellet : GRE : Very : Not d	CAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor letermined Vapou .pplicable pH	DPERTIES ration rate : Not Tic Gravity: : Not lensity : Not pressure : Not ur density : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pellet : GRE : Very : Not d : Not a : Insolu	CAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor letermined Vapou .pplicable pH	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solid : Peller : GRE : Very : Not d : Not a : Insolution	CAL AND CHEMICAL PR(Evapo ts Specif Y Bulk of faint Vapor letermined Vapou .pplicable pH uble	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pellee : GRE : Very : Not d : Not a : Insolution 10. S : St	CAL AND CHEMICAL PRO Evapo ts Specif Y Bulk o faint Vapor letermined Vapou pplicable pH uble TABILITY AND REACTIV	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable



MATERIAL SAFETY DATA SHEET 10099107 SILVER

rsion Number 1.1 vision Date 04/02/20	004		Page 4 of Print Date 11/14/20		
Incompatible Materia Hazardous decompos products	sition : Carbon dioxid		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.		
11. TOXICOLOGICAL INFORMATION					
health data for the inc	been evaluated as a whole for dividual components which co	health effects. Exposi mprise the mixture.	are effects listed are based on existing the state of the		
			-		
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7 12001-26-2	Titanium dioxide Mica	Systemic effects Systemic effects	Respiratory system. Respiratory system.		
12001-20-2	Wilca	Systemic cricets	Respiratory system.		
	12. ECOLOGIC	AL INFORMATION	I		
Environmental Toxic Bioaccumulation Pote Additional advice	of the polymer	not readily available a	s they are bound within the matrix s they are bound within the matrix		
	13. DISPOSAL	CONSIDERATIONS			
Product : Like most the possible recy generator of classification		ling is preferred to disp vaste material has the re	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packag	has the respon and disposal in	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPOR	RT INFORMATION			
U.S. DOT Classificat	tion · Not regulated	for transportation			
0.5. DOT Classificat	. Not regulated	for transportation.			



MATERIAL SAFETY DATA SHEET 10099107 SILVER

Version Number 1.1 Revision Date 04/02/2004 Page 5 of 6 Print Date 11/14/2011

	15	. REGULATORY INFORMA	TION		
US Regulations:					
OSHA Status	:	Classified as hazardous based	on compor	nents.	
TSCA Status	:	All components of this produc Inventory.	t are listed	on or exemp	ot from the TSCA
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not contain a	a substance	e listed by Ca	alifornia Prop 65
SARA Title III Section 302 Ext	treme	ely Hazardous Substance			
Not applicable					
	xic C	Chemicals:			
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea		iventory (NPRI)	10.	Weight %	NPRI ID#
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:				Weight % 0.65	NPRI ID# 12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL	se Ir	iventory (NPRI) CAS-N 7429-9	0-5 ct are on th	0.65	12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Releas</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL National Inventories:	ise Ir	Not controlled. All components of this product Substances List (DSL) or are e	0-5 ct are on th	0.65	12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Aluminum WHMIS Classification DSL National Inventories: Australia AICS	se Ir	Not controlled. All components of this product Substances List (DSL) or are end	0-5 ct are on th	0.65	12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Aluminum WHMIS Classification DSL National Inventories: Australia AICS China IECS	ise Ir	Not controlled. All components of this product Substances List (DSL) or are end Listed	0-5 ct are on th	0.65	12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Aluminum WHMIS Classification DSL National Inventories: Australia AICS	ise Ir	Not controlled. All components of this product Substances List (DSL) or are end	0-5 ct are on th	0.65	12

		PolyOne.
POLYONE CORPORATION	ON	
MATERIAL SAFETY DATA SHEET	.	
10099107 SILVER		
/ersion Number 1.1 Revision Date 04/02/2004		Page 6 of 6 Print Date <i>11/14/2011</i>
Korea KECI :	Listed	
Philippines PICCS :	Listed	
	16. OTHER INFORMATION	
at the date of its publication. The in processing, storage, transportation, specification. The information relat	fety Data Sheet is correct to the best of or aformation given is designed only as a g disposal and release and is not to be co tes only to the specific material designation with any other materials and/or in any	guidance for safe handling, use, onsidered a warranty or quality ited and may not be valid for such