

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/28/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10000538
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

YELLOW

ion Number 1.0 sion Date 02/28/2003	Page 2 Print Date <i>11/10/</i> 2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

YELLOW

sion Date 02/28/2003				F	Print Da	Page 3 te 11/10/2
	aı	nd contamination. K	eep in a d	ry, cool place.		
8. E.	XPOSURE	CONTROLS / PER	SONAL	PROTECTION		
Respiratory protection	: N	lo personal respirator	y protecti	ve equipment nor	nally re	quired.
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		andle in accordance Vash hands before bre				fety practice
Engineering measures		leat only in areas with ppropriate exhaust ve			ation. I	Provide
Exposure limit(s)						
Components	Value	Exposure tim	ie	Exposure typ	be	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	verage	Dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	CAL PRO	PERTIES		
-	: Solid	1	Evapor	ration rate :	Not a	pplicable.
Form				Specific Gravity :		
Appearance	: Pelle	ets				letermined
	: Pelle : YEL	ets	Specifi Bulk d			letermined established
Appearance Color Odor	: YEL : Very	ts LOW faint	Bulk d Vapor	ensity : pressure :	Not e Not a	established applicable
Appearance Color Odor Melting point/range	: YEL : Very : Not c	ts LOW faint determined	Bulk d Vapor	ensity :	Not e Not a Not a	stablished pplicable pplicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not c : Not a	ts LOW faint determined applicable	Bulk d Vapor	ensity : pressure :	Not e Not a Not a	established applicable
Appearance Color Odor Melting point/range	: YEL : Very : Not c	ts LOW faint determined applicable	Bulk d Vapor Vapor	ensity : pressure :	Not e Not a Not a	stablished pplicable pplicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not c : Not a : Insol	ts LOW faint determined applicable	Bulk d Vapor Vapor pH	ensity : pressure : density :	Not e Not a Not a	stablished pplicable pplicable
Appearance Color Odor Melting point/range Boiling Point:	: YEL : Very : Not c : Not a : Insol	ts LOW faint determined applicable uble	Bulk d Vapor Vapor pH	ensity : pressure : density :	Not e Not a Not a	stablished pplicable pplicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: YEL : Very : Not c : Not a : Insol 10. S : So	ts LOW faint determined applicable uble STABILITY AND R	Bulk d Vapor Vapor pH	ensity : pressure : density :	Not e Not a Not a	stablished pplicable pplicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: YEL : Very : Not a : Not a : Insol 10. S : Si : Si : W : W	tts LOW faint determined applicable uble STABILITY AND R table.	Bulk d Vapor Vapor pH EACTIV	ensity : pressure : density : TTY ts and open flame	Not e Not a Not a Not a	established applicable applicable applicable



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/28/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity : Chemicals are not readily available as they are bound within the of the polymer.						
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packagin	g : Recycling is phase the response of the res	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. State/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Refer to spec	ific regulation.				
ICAO/IATA	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG	: Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATION	Ň			

4/6

MATERIAL SAFETY DATA SHEET



YELLOW				
Version Number 1.0 Revision Date 02/28/2003		_	Print Date	Page 5 of 6 11/10/2011
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or Inventory.	exempt from t	he TSCA
US. EPA CERCLA Hazardous S	ub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed	d by California	a Prop 65.
SARA Title III Section 302 Extre	em	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxi	c C	Chemicals:		
	No	ot applicable		
Canadian Regulations:				
WHMIS Classification	:	D2B		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/28/2003 Page 6 of 6 Print Date *11/10/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.