

MATERIAL SAFETY DATA SHEET

### **TRANSL METALLIC RED 193C**

Version Number 1.1 Revision Date 05/01/2002 Page 1 of 6 Print Date 11/4/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSL METALLIC RED 193C
Product code	:	CC10001812
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to avoid</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# TRANSL METALLIC RED 193C

Version Number 1.1 Revision Date 05/01/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards		<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>		
	6. A(	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

## **TRANSL METALLIC RED 193C**

Version Number 1.1 Revision Date 05/01/2002

> Melting point/range Boiling Point:

Hazardous Polymerization

Conditions to avoid

Water solubility

Stability

Page 3 of 6 Print Date 11/4/2011

: Not applicable

	a	nd contamination. Keep in a c	lry, cool place.			
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene:Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.						
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:		
	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust.	List: ACGIH		
Components		Time Weighted Average	- · · ·			
Components	10 mg/m3	Time Weighted Average (TWA): Time Weighted Average	Dust.	ACGIH		
Components Aluminum	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust. Welding fume. as Al	ACGIH ACGIH		
Components Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al	ACGIH ACGIH OSHA Z1		
Components Aluminum Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(	Dust. Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al <b>DPERTIES</b> ration rate : Not	ACGIH ACGIH OSHA Z1		
Components Aluminum Aluminum Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic : Pelle : RED	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapo ets Specific Bulk of the	Dust.         Dust.         Welding fume. as Al         Total dust. as Al         Respirable dust. as Al <b>DPERTIES</b> ration rate       : Not         fic Gravity       : Not         lensity       : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established		
Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very	Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         PEL:         PEL:         CAL AND CHEMICAL PRO         d       Evapo         ets       Specifier         b       Bulk of         b       Vapor	Dust.         Dust.         Welding fume. as Al         Total dust. as Al         Respirable dust. as Al         DPERTIES         ration rate       : Not         Fic Gravity       : Not         ensity       : Not         pressure       : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined		

decomposition, do not overheat.

**10. STABILITY AND REACTIVITY** 

pН

: Keep away from oxidizing agents and open flame. To avoid thermal

: Not applicable

: Insoluble

: Stable.

: Will not occur.



MATERIAL SAFETY DATA SHEET

## TRANSL METALLIC RED 193C

Version Number 1.1 Revision Date 05/01/2002 Page 4 of 6 Print Date 11/4/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
7429-90-5	29-90-5 Aluminum		Skin, Respiratory system.	
		Systemic effects	Eyes, Skin, Respiratory system.	

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



### MATERIAL SAFETY DATA SHEET

# TRANSL METALLIC RED 193C

Version Number 1.1 Revision Date 05/01/2002 Page 5 of 6 Print Date 11/4/2011

IMO / IMDG	:	Not regulated for t	ransportation.		
	15	. REGULATORY	INFORMATION		
US Regulations:					
OSHA Status	:	Classified as hazar	dous based on comp	onents.	
TSCA Status	:	All components of exempt.	this product are liste	d on the TSCA inven	tory or are
California Proposition 65	:	This product does	not contain a substar	ce listed by Californi	a Prop 65.
SARA Title III Section 313 Tox	ic C	Chemicals:			
Chemical Name			CAS-No.	Weight %	
ALUMINUM (F	UM	E OR DUST)	7429-90-5	1.76	
WHMIS Ingredient Discl CAS-No. 7429-90-5 7631-86-9	: osu				
DSL National Inventories:	:	Listed.			
Australia AICS	:	Listed.			
China IECS	:	Listed.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Listed.			
Philippines PICCS	:	Listed.			
		16. OTHER INF	ORMATION		
		5/6			



MATERIAL SAFETY DATA SHEET

### **TRANSL METALLIC RED 193C**

Version Number 1.1 Revision Date 05/01/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.