



MATERIAL SAFETY DATA SHEET UV BLACK

Version Number 1.2 Revision Date 02/17/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	::	UV BLACK CC10002281 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
2-Hydroxy-4-n-octoxybenzophenone	1843-05-6	5 - 10
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth ylpropyl)-	25973-55-1	10 - 30
Carbon black	1333-86-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		



MATERIAL SAFETY DATA SHEET **UV BLACK**

Version Number 1.2 Revision Date 02/17/2004 Page 2 of 6 Print Date 11/13/2011

-	-		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	١t	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.)	
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		



MATERIAL SAFETY DATA SHEET UV BLACK

sion Date 02/17/2004			Print D	Page : ate 11/13/	
Handling		ake measures to prevent the b nly in areas with appropriate e		narge Heat	
Storage	 Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 				
		•			
		CONTROLS / PERSONAL			
Respiratory protection	: N	o personal respiratory protect	ive equipment normally 1	required.	
Eye/Face Protection	: S	afety glasses with side-shields	5.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
	Value 3.5 mg/m3	Time Weighted Average	Total dust. as carbon		
Components			· · · · ·	ACGIH	
Components	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. as carbon black Total dust. as carbon black	ACGIH	
Components Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black OPERTIES	ACGIH OSHA Z	
Components Carbon black Form	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not	ACGIH OSHA Z applicable	
Components Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo Is Specifi CK Bulk of	Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: : Not density : Not	ACGIH OSHA Z applicable	
Components Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor	Total dust. as carbon black Total dust. as carbon black OPERTIES Oration rate : Not fic Gravity: : Not density : Not : pressure : Not	ACGIH OSHA Z applicable determined established applicable	
Components Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor determined Vapor	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: : Not ensity : Not or pressure : Not or density : Not	ACGIH OSHA Z applicable determined established applicable applicable	
Components Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: : Not ensity : Not or pressure : Not or density : Not	ACGIH OSHA Z applicable determined established applicable	
Components Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: : Not ensity : Not or pressure : Not or density : Not	ACGIH OSHA Z applicable determined established applicable applicable	
Components Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not a : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: consity : Not density construction rate : Not density	ACGIH OSHA Z applicable determined established applicable applicable	
Components Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo Is Special CK Bulk of faint Vapor determined Vapor applicable pH uble	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: consity : Not density construction rate : Not density	ACGIH OSHA Z applicable determined established applicable applicable	
Components Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor determined Vapor applicable pH uble	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: consity : Not density construction rate : Not density	ACGIH OSHA Z applicable determined established applicable applicable	
Components Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not c : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specifi CK Bulk of faint Vapor determined Vapor applicable pH uble CTABILITY AND REACTT table.	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not fic Gravity: consity : Not density construction rate : Not density	ACGIH OSHA Z applicable determined established applicable applicable	



MATERIAL SAFETY DATA SHEET UV BLACK

Version Number 1.2 Revision Date 02/17/2004		Page 4 of 6 Print Date 11/13/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1843-05-6	2-Hydroxy-4-n-octoxyben zophenone	sensitizer	Skin.
25973-55-1	Phenol, 2-(2H-benzotriazol-2-yl)-4 ,6-bis(1,1-dimethylpropyl)	Systemic effects	Kidney, Liver, reproductive system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1843-05-6	2-Hydroxy-4-n-octoxyben	Oral LD50	>10 gm/kg	rat
	zophenone	Dermal LD50	> 10 gm/kg	rabbit
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.



MATERIAL SAFETY DATA SHEET **UV BLACK**

isomers)

rsion Number 1.2 wision Date 02/17/2004				Page 5 o Print Date 11/13/20	
Environmental Toxicity	: Chemica of the po	•	y available as they are	bound within the matrix	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data	available			
	13. DISPO	SAL CONSIDI	ERATIONS		
Product Contaminated packaging	possible generato classific applicab : Recyclin	recycling is pre- or of waste mater ation, transporta ele federal, state/ ng is preferred w	ferred to disposal or in ial has the responsibil tion and disposal in ac provincial and local re hen possible. The gen	ity for proper waste cordance with gulations. erator of waste material	
has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION					
	14, 1 KAN	SPOKI INFOR	AMATION		
U.S. DOT Classification	: Not regu	lated for transpo	ortation.		
ICAO/IATA (air)	: Refer to	specific regulati	on.		
IMO / IMDG (maritime) : Refer to specific regulation.					
	15. REGUI	LATORY INFO	RMATION		
US Regulations:					
OSHA Status	: Classifie	ed as hazardous l	based on components.		
TSCA Status	: All com Inventor		product are listed on or	exempt from the TSCA	
US. EPA CERCLA Hazard	lous Substances (4	0 CFR 302)			
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product	
Xylenes (o-, m-, p-	1330-20-7	0.0640	100 lbs	156,250 LB	



MATERIAL SAFETY DATA SHEET **UV BLACK**

Version Number 1.2 Revision Date 02/17/2004

Page 6 of 6 Print Date 11/13/2011

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.