

MATERIAL SAFETY DATA SHEET

TRANSLUSCENT RED

Version Number 1.0 Revision Date 10/09/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSLUSCENT RED
Product code	:	CC10002428
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TRANSLUSCENT RED

Version Number 1.0 Revision Date 10/09/2001 Page 2 of 5 Print Date 11/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

TRANSLUSCENT RED

Version Number 1.0 Revisi

ersion Number 1.0 evision Date 10/09/2001				P	Page 3 of 5 rint Date 11/1/2011
	ar	nd contamination. Kee	ep in a di	ry, cool place.	
8.]	EXPOSURE	CONTROLS / PERS	SONAL I	PROTECTION	
Respiratory protection	: N	o personal respiratory	protectiv	ve equipment norma	ally required.
Eye/Face Protection	: Sa	: Safety glasses with side-shields.			
Hand protection	: P1	: Protective gloves.			
Skin and body protection	: Lo	: Long sleeved clothing.			
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
		Value Exposure time Exposure ty			
Components	Value	Exposure time	;	Exposure type	List:
Components Silica, amorphous	Value 20 mppcf	Exposure time PEL:	2	Exposure type Total dust.	List: OSHA
÷		*	2		
÷	20 mppcf 20 mppcf	PEL: PEL:		Total dust. Total dust.	OSHA
*	20 mppcf 20 mppcf	PEL:	AL PRO	Total dust. Total dust. PERTIES	OSHA
Silica, amorphous	20 mppcf 20 mppcf 9. PHYSIC : Solid	PEL: PEL: CAL AND CHEMIC	AL PRO Evapor	Total dust. Total dust. PERTIES ration rate :	OSHA Z3 Not applicable.
Silica, amorphous Form Appearance	20 mppcf 20 mppcf 9. PHYSIC : Solid : Peller	PEL: PEL: CAL AND CHEMIC	AL PRO Evapor Specifi	Total dust. Total dust. PERTIES ration rate : c Gravity :	OSHA Z3 Not applicable. Not determined.
Silica, amorphous Form Appearance Color	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellet : RED	PEL: PEL: CAL AND CHEMICA	AL PRO Evapor Specifi Bulk de	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity :	OSHA Z3 Not applicable. Not determined. Not established
Silica, amorphous Form Appearance Color Odor	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pelle : RED : Very	PEL: PEL: CAL AND CHEMICA	AL PRO Evapor Specifi Bulk de Vapor	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure :	OSHA Z3 Not applicable. Not determined. Not established Not applicable
Silica, amorphous Form Appearance Color Odor Melting point/range	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellet : RED : Very : Not c	PEL: PEL: CAL AND CHEMICA ts faint letermined.	AL PRO Evapor Specifi Bulk de Vapor	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure : density :	OSHA Z3 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable
Silica, amorphous Form Appearance Color Odor	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellet : RED : Very : Not c	PEL: PEL: CAL AND CHEMICA ts faint letermined. upplicable	AL PRO Evapor Specifi Bulk de Vapor Vapor	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure : density :	OSHA Z3 Not applicable. Not determined. Not established Not applicable
Silica, amorphous Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Not a : Insolu	PEL: PEL: CAL AND CHEMICA ts faint letermined. upplicable	AL PRO Evapor Specifi Bulk de Vapor Vapor pH	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure : density :	OSHA Z3 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable
Silica, amorphous Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insolu	PEL: PEL: CAL AND CHEMICA ts faint letermined. upplicable uble	AL PRO Evapor Specifi Bulk de Vapor Vapor pH	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure : density :	OSHA Z3 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable
Silica, amorphous Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 20 mppcf 9. PHYSIC : Solid : Peller : RED : Very : Not c : Not a : Insolution 10. S	PEL: PEL: CAL AND CHEMICA ts faint letermined. upplicable uble TABILITY AND RE	AL PRO Evapor Specifi Bulk de Vapor Vapor pH	Total dust. Total dust. PERTIES ation rate : c Gravity : ensity : pressure : density :	OSHA Z3 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable
Silica, amorphous Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Insolut 10. S on : W : K	PEL: PEL: CAL AND CHEMICA ts faint letermined. upplicable uble TABILITY AND RH table.	AL PRO Evapor Specifi Bulk de Vapor pH EACTIV	Total dust. Total dust. Total dust. PERTIES ration rate ration rate c Gravity ensity insity insity	OSHA Z3 Not applicable. Not established Not applicable Not applicable Not applicable
Silica, amorphous Silica, amorphous Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatio	20 mppcf 20 mppcf 9. PHYSIC : Solid : Pellee : RED : Very : Not d : Insolut 10. S on : W : K definition	PEL: PEL: PEL: CAL AND CHEMICA ts faint letermined. applicable uble TABILITY AND RH table. 7ill not occur. eep away from oxidiz	AL PRO Evapor Specifi Bulk de Vapor pH EACTIV	Total dust. Total dust. Total dust. PERTIES ation rate : ation rate : c Gravity : ensity : pressure : density : ITTY : ts and open flame. '	OSHA Z3 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable To avoid thermal



MATERIAL SAFETY DATA SHEET

TRANSLUSCENT RED

Version Number 1.0 Revision Date 10/09/2001 Page 4 of 5 Print Date 11/1/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:							
CAS-No.			Effect				
7631-86-9	Chemical Name Silica, amorphous		Irritant	Target OrganEyes, Respiratory system.			
		-	•				
]	12. ECOLOGICA	L INFORMATIO	DN			
Persistence and degrada	ability :	Not readily biodegradable.					
Environmental Toxicity	nvironmental Toxicity :		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten	Bioaccumulation Potential :		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	:	No data available.					
13. DISPOSAL CONSIDERATIONS							
Product	:	recycling is prea waste material l transportation a	ferred to disposal on the responsibilities of the responsibilities of the responsibilities of the responsibilities of the response of the resp	uct can be recycled. Where possible or incineration. The generator of ity for proper waste classification, ordance with applicable federal, ons.			
Contaminated packagin	ıg :	has the responsi	bility for proper w accordance with ap	ble. The generator of waste material raste classification, transportation oplicable federal, state/provincial			
	14. TRANSPORT INFORMATION						
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)		Not regulated fo	or transportation.				

ICAO/IATA : Not regulated for transportation.

IMO / IMDG

15. REGULATORY INFORMATION

: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

TRANSLUSCENT RED

er 1.0 10/09/2001		Page 5 of 5 Print Date 11/1/2011
tions:		
HA Status	:	Classified as hazardous based on components.
CA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
ifornia Proposition	:	This product does not contain a substance listed by California Prop 65.
Regulations:		
IMIS Classification	:	Not controlled.
MIS Ingredient Discl	osu	re List
CAS-No. 7631-86-9		
Ĺ	:	Listed.
ventories:		
stralia AICS	:	Listed.
na IECS	:	Listed.
ope EINECS	:	Not determined.
an ENCS	:	Not determined.
rea KECI	:	Listed.
lippines PICCS	:	Listed.
		16. OTHER INFORMATION
	10/09/2001 tions: HA Status CA Status ifornia Proposition Regulations: IMIS Classification MIS Ingredient Discl CAS-No. 7631-86-9 L ventories: stralia AICS na IECS ope EINECS an ENCS rea KECI	10/09/2001 tions: HA Status : CA Status : ifornia Proposition : tegulations: : MIS Classification : MIS Ingredient Disclosu : CAS-No. : 7631-86-9 : tralia AICS : ope EINECS : an ENCS : rea KECI :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.