

MATERIAL SAFETY DATA SHEET

GREEN 2

Version Number 1.1 Revision Date 10/09/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 2
Product code	:	CC10002438
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Chromium (III) oxide	1308-38-9	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

GREEN 2

ision Date 10/09/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from
Innalation	overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





GREEN 2

			Print	Date 11/1/		
	a	nd contamination. Keep in a c	lry, cool place.			
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		afety practic		
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Chromium (III) oxide	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH		
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES			
Form	9. PHYSIC : Solid			applicable.		
Form Appearance		d Evapo	oration rate : Not	applicable.		
	: Solic : Pelle : GRE	d Evapo ets Specif EEN Bulk c	oration rate : Not fic Gravity : Not lensity : Not	determined.		
Appearance Color Odor	: Solic : Pelle : GRE : Very	d Evapo ets Specif EEN Bulk o 7 faint Vapor	oration rate : Not fic Gravity : Not lensity : Not pressure : Not	determined. established applicable		
Appearance Color Odor Melting point/range	: Solic : Pelle : GRE : Very : Not	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not	determined. established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : GRE : Very : Not o : Not i	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor applicable pH	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not	determined. established applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor applicable pH	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not	determined. established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not : Not : Insol	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor applicable pH	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined. established applicable applicable		
Appearance Color Odor Melting point/range	: Solic : Pelle : GRE : Very : Not : Not : Insol 10. S	d Evapo ets Specif EEN Bulk o 7 faint Vapor determined. Vapor applicable pH luble	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined. established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : GRE : Very : Not (: Not (: Insol	d Evapo ets Specif EEN Bulk o 7 faint Vapor determined. Vapor applicable pH luble	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined. established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : Pelle : GRE : Very : Not (: Not (: Insol 10. \$: S n : V : K	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor applicable pH luble STABILITY AND REACTIV	oration rate : Not fic Gravity : Not density : Not pressure : Not density : Not : Not VITY	determined. established applicable applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatio	: Solic : Pelle : GRE : Very : Not o : Not o : Insol 10. § : S n : V : K d	d Evapo ets Specif EEN Bulk o / faint Vapor determined. Vapor applicable pH luble STABILITY AND REACTIV table. Vill not occur.	oration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not VITY	determined. established applicable applicable applicable		



MATERIAL SAFETY DATA SHEET

GREEN 2

Version Number 1.1 Page 4 of 5 Revision Date 10/09/2001 Print Date 11/1/2011 (NOx), other hazardous materials, and smoke are all possible. products **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Effect Target Organ **Additional Health Hazard Information:** Chromium (III) oxide 1308-38-9 The trivalent form has a low order of toxicity but may causedermatitis, pulmonary sensitization and corrosive effect on eyes. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. **Environmental Toxicity** Chemicals are not readily available as they are bound within the matrix : of the polymer. **Bioaccumulation Potential** : Chemicals are not readily available as they are bound within the matrix of the polymer. No data available. Additional advice ÷ 13. DISPOSAL CONSIDERATIONS Product Like most thermoplastics the product can be recycled. Where possible : recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste material ÷ has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground) ICAO/IATA Not regulated for transportation. : IMO / IMDG Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

GREEN 2

Version Number 1.1 Revision Date 10/09/2001

Page 5 of 5 Print Date 11/1/2011

	15. REGULATORY	INFORMATIC	DN				
US Regulations:							
OSHA Status	: Classified as hazar	Classified as hazardous based on components.					
TSCA Status	: All components of exempt.	this product are	listed on the TSCA inve	ntory or are			
California Proposition 65	: This product does not contain a substance listed by California Prop 65.						
SARA Title III Section 313 Toxic	c Chemicals:						
Chemical Name CHROMIUM III	COMPOUNDS	CAS-No. 1308-38-9	Weight % 14.69				
Canadian Regulations:							
WHMIS Classification	: Not controlled.						
WHMIS Ingredient Disclosure List							
CAS-No. 1308-38-9							
DSL	: Listed.						
National Inventories:							
Australia AICS	: Listed.						
China IECS	: Listed.						
Europe EINECS	: Not determined.						
Japan ENCS	: Listed.						
Korea KECI	: Listed.						
Philippines PICCS	: Listed.						
	16. OTHER INF	ORMATION					
The information provided in this belief at the date of its publication processing, storage, transportation specification. The information rel material used in combination with	n. The information given, disposal and release lates only to the specifi	en is designed of and is not to be ic material desig	nly as a guidance for saf considered a warranty o mated and may not be va	e handling, use, r quality llid for such			