

MATERIAL SAFETY DATA SHEET

## **NITEBRITE PINK**

Version Number 1.0 Revision Date 10/08/2001 Page 1 of 5 Print Date 11/1/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship (770) 271-5902   |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | NITEBRITE PINK   |
| Product code                  | : | CC10002580   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous ingredients in this product.

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Ingestion, Skin contact   |
|---|---|
| Acute exposure                                |   |
| Inhalation<br>Ingestion<br>Eyes               | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul> |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |



MATERIAL SAFETY DATA SHEET

## NITEBRITE PINK

| sion Date 10/08/2001   | Page 2<br>Print Date 11/1/2  |
|--|--|
|  | 4. FIRST AID MEASURES  |
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.                     |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : Not applicable   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>                                     |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion  | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>   |
| Hazards  |  |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |
| Storage  | : Keep containers dry and tightly closed to avoid moisture absorption  |



MATERIAL SAFETY DATA SHEET

# NITEBRITE PINK

|  |   |   |   | Print Date 11/1/  |
|--|---|---|---|---|
|  | and co  | ontamination. K   | eep in a dry, cool place  |   |
| 8. EXP   | OSURE CO  | NTROLS / PEF  | RSONAL PROTECTI   | ON  |
| Respiratory protection   | : No pe   | rsonal respirator   | ry protective equipment   | normally required.  |
| Eye/Face Protection  | : Safety  | glasses with sid  | de-shields.   |   |
| Hand protection  | : Protec  | ctive gloves.   |   |   |
| Skin and body protection   | : Long  | sleeved clothing  |   |   |
| Additional Protective<br>Measures  | : Safety  | y shoes.  |   |   |
| General Hygiene<br>Considerations  |   |   | with good industrial hy<br>eaks and at the end of v                 | giene and safety practic<br>vorkday.  |
| Engineering measures   |   |   | h appropriate exhaust v<br>entilation at machinery.                 |   |
| Exposure limit(s)  |   |   |   |   |
| 9.   | PHYSICAL  | AND CHEMI   | CAL PROPERTIES  |   |
| Form   | : Solid   |   | Evaporation rate  | : Not applicable.   |
|  | • Dollate   |   |   | <ul> <li>Not datarminad</li> </ul>  |
| Appearance   | : Pellets   |   | Specific Gravity  | : Not determined.   |
| Appearance<br>Color  | : PINK  | t   | Bulk density  | : Not established   |
| Appearance<br>Color<br>Odor  | : PINK<br>: Very fain   |   | Bulk density<br>Vapor pressure                                      | <ul><li>Not established</li><li>Not applicable</li></ul>  |
| Appearance<br>Color  | : PINK  | mined.  | Bulk density  | : Not established   |
| Appearance<br>Color<br>Odor<br>Melting point/range   | : PINK<br>: Very fain<br>: Not deter  | mined.<br>cable   | Bulk density<br>Vapor pressure<br>Vapor density                     | <ul><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>   |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:   | : PINK<br>: Very fain<br>: Not deter<br>: Not appli<br>: Insoluble  | mined.<br>cable   | Bulk density<br>Vapor pressure<br>Vapor density<br>pH               | <ul><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>   |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:   | : PINK<br>: Very fain<br>: Not deter<br>: Not appli<br>: Insoluble  | mined.<br>icable<br>BILITY AND F  | Bulk density<br>Vapor pressure<br>Vapor density<br>pH               | <ul><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>   |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility   | : PINK<br>: Very fain<br>: Not deter<br>: Not appli<br>: Insoluble<br><b>10. STA</b><br>: Stable  | mined.<br>icable<br>BILITY AND F  | Bulk density<br>Vapor pressure<br>Vapor density<br>pH               | <ul><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>   |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability  | : PINK<br>: Very fain<br>: Not deter<br>: Not appli<br>: Insoluble<br><b>10. STAI</b><br>: Stable<br>: Will n<br>: Keep   | mined.<br>icable<br>BILITY AND F<br>e.<br>not occur.  | Bulk density<br>Vapor pressure<br>Vapor density<br>pH<br>REACTIVITY | <ul> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>                         |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability<br>Hazardous Polymerization                        | <ul> <li>PINK</li> <li>Very fain</li> <li>Not deter</li> <li>Not appli</li> <li>Insoluble</li> </ul> <b>10. STAI</b> <ul> <li>Stable</li> <li>Will n</li> <li>Keep decomment</li> </ul>                           | mined.<br>icable<br>BILITY AND F<br>e.<br>not occur.<br>away from oxid<br>nposition, do not   | Bulk density<br>Vapor pressure<br>Vapor density<br>pH<br>REACTIVITY | <ul> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>                         |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability<br>Hazardous Polymerization<br>Conditions to avoid | <ul> <li>PINK</li> <li>Very fain</li> <li>Not deter</li> <li>Not appli</li> <li>Insoluble</li> </ul> <b>10. STAI</b> <ul> <li>Stable</li> <li>Will n</li> <li>Keep decon</li> <li>Incom</li> <li>Carbo</li> </ul> | mined.<br>icable<br>BILITY AND F<br>e.<br>not occur.<br>away from oxid<br>nposition, do not<br>npatible with stro<br>on dioxide (CO2) | Bulk density<br>Vapor pressure<br>Vapor density<br>pH<br>REACTIVITY | <ul> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul> |



MATERIAL SAFETY DATA SHEET

## NITEBRITE PINK

Version Number 1.0 Revision Date 10/08/2001 Page 4 of 5 Print Date 11/1/2011

There are no known hazardous ingredients in this product.

|  | 12. ECOLOGICAL INFORMATION  |  |
|--|---|--|
| Persistence and degradability                                  | : Not readily biodegradable.  |  |
| Environmental Toxicity   | onmental Toxicity : Chemicals are not readily available as they are bound within the ma<br>of the polymer.  |  |
| Bioaccumulation Potential                                      | : Chemicals are not readily available as they are bound within the matrix of the polymer.   |  |
| Additional advice  | : No data available.  |  |
|  | 13. DISPOSAL CONSIDERATIONS   |  |
| Product  | : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |  |
| Contaminated packaging   | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |  |
|  | 14. TRANSPORT INFORMATION   |  |
| U.S. D.O.T. / CA T.D.G.<br>Classification (Non-bulk<br>ground) | : Not regulated for transportation.   |  |
| ICAO/IATA  | : Not regulated for transportation.   |  |
| IMO / IMDG   | : Not regulated for transportation.   |  |
|  | 15. REGULATORY INFORMATION  |  |
| US Regulations:  |   |  |
|  | Deschart is non-honordaus   |  |
| OSHA Status  | : Product is non-hazardous  |  |
| OSHA Status<br>TSCA Status                                     | <ul> <li>Product is non-nazardous</li> <li>All components of this product are listed on the TSCA inventory or are exempt.</li> </ul>  |  |



## MATERIAL SAFETY DATA SHEET

## NITEBRITE PINK

Version Number 1.0 Revision Date 10/08/2001 Page 5 of 5 Print Date 11/1/2011

SARA Title III Section 313 Toxic Chemicals:

| Chemical Name                      | CAS-No.    | Weight % |
|------------------------------------|------------|----------|
| COPPER COMPOUNDS<br>ZINC COMPOUNDS | 68611-70-1 | 35.27    |

Canadian Regulations:

WHMIS Classification : Not controlled.

DSL

: Listed.

National Inventories:

| Australia AICS    | : Listed.        |   |
|-------------------|------------------|---|
| China IECS        | : Listed.        |   |
| Europe EINECS     | : Not determined | • |
| Japan ENCS        | : Not determined | • |
| Korea KECI        | : Listed.        |   |
| Philippines PICCS | : Listed.        |   |

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.