

MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.1 Revision Date 08/29/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE
Product code	:	CC10002920
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PURPLE

sion Date 08/29/2002	Page Print Date 11/		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not relevant 		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: None		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

PURPLE

			F	Print Date 11/6/	
	a	nd contamination. Keep in	n a dry, cool place.		
8. H	EXPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	lo personal respiratory pro	tective equipment norm	ally required.	
Eye/Face Protection	: S	afety glasses with side-shi	side-shields.		
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	e List:	
÷	2	Time Weighted Avere	Total dust		
Mica	3 mg/m3	Time Weighted Averag (TWA):		ACGIH	
÷	3 mg/m3 20 mppcf		Total dust.	ACGIH OSHA	
Mica	20 mppcf	(TWA):	Total dust.		
Mica Mica	20 mppcf 9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL	Total dust. PROPERTIES	OSHA	
Mica	20 mppcf	(TWA): PEL: CAL AND CHEMICAL	Total dust.		
Mica Mica Form	20 mppcf 9. PHYSIC : Solid	(TWA): PEL: CAL AND CHEMICAL the Event of the Second Se	Total dust. PROPERTIES vaporation rate :	Not applicable.	
Mica Mica Form Appearance Color Odor	20 mppcf 9. PHYSIC : Solid : Pelle : PUR : Very	(TWA): PEL: CAL AND CHEMICAL t Events Sp PLE Bu t faint Va	Total dust. PROPERTIES vaporation rate : vaporation rate :	Not applicable. Not determined Not established Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range	20 mppcf 9. PHYSIC : Solid : Pelle : PUR : Very : Not of	(TWA): PEL: CAL AND CHEMICAL I Event ets Sp PLE Bu faint Val determined Val	Total dust. PROPERTIES vaporation rate : pecific Gravity : ilk density : apor pressure : apor density :	Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Solid : Pelle : PUR : Very : Not a : Not a	(TWA): PEL: CAL AND CHEMICAL I Events ets Sp PLE Bu r faint Va determined Va applicable pF	Total dust. PROPERTIES vaporation rate : pecific Gravity : ilk density : apor pressure : apor density :	Not applicable. Not determined Not established Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range	20 mppcf 9. PHYSIC : Solid : Pelle : PUR : Very : Not of	(TWA): PEL: CAL AND CHEMICAL I Events ets Sp PLE Bu r faint Va determined Va applicable pF	Total dust. PROPERTIES vaporation rate : pecific Gravity : ilk density : apor pressure : apor density :	Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Solid : Pelle : PUR : Very : Not : Insol	(TWA): PEL: CAL AND CHEMICAL I Events ets Sp PLE Bu r faint Va determined Va applicable pF	Total dust. PROPERTIES vaporation rate : opecific Gravity : ilk density : apor pressure : apor density : I :	Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC 2. Solid 2. Pelle 2. PUR 2. Very 2. Not 2. Not 2. Insol 10. §	(TWA): PEL: CAL AND CHEMICAL t Events ets Sp PLE But r faint Vatage determined Vatage applicable pH	Total dust. PROPERTIES vaporation rate : opecific Gravity : ilk density : apor pressure : apor density : I :	Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 9. PHYSIC : Solid : Pelle : PuR : Very : Not a : Not a : Insol 10. S : S	(TWA): PEL: CAL AND CHEMICAL 1 Event 2 Faint 2 Event 2 Faint 2 Event 2 Event 2 Faint 2 Event 3 Event 4 Event 4 </td <td>Total dust. PROPERTIES vaporation rate : opecific Gravity : ilk density : apor pressure : apor density : I :</td> <td>Not applicable. Not determined Not established Not applicable Not applicable</td>	Total dust. PROPERTIES vaporation rate : opecific Gravity : ilk density : apor pressure : apor density : I :	Not applicable. Not determined Not established Not applicable Not applicable	
Mica Mica Mica Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	20 mppcf 9. PHYSIO : Solid : Pelle : Pelle : PUR : Very : Not : Insol 10. § n : V : K	(TWA): PEL: CAL AND CHEMICAL I Events I Events PLE But I faint Vation Applicable pH Buble STABILITY AND REAC table. Complexity	Total dust. PROPERTIES vaporation rate becific Gravity ilk density apor pressure apor density ilk construction apor the structure aport density ilk constructure aport density ilk constructure interval	Not applicable. Not determined Not established Not applicable Not applicable Not applicable	



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.1 Revision Date 08/29/2002 Page 4 of 6 Print Date 11/6/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
12001-26-2	Mica	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	ability : Not readily b	viodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	lable.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	possible, rec generator of classification applicable fe gg : Recycling is has the respo	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal state/provincial and local regulations. 				
	and local reg		,			
	14. TRANSPO	PRT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	: Not regulated for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15. REGULAT					

MATERIAL SAFETY DATA SHEET



PURPLE Page 5 of 6 Version Number 1.1 Print Date 11/6/2011 Revision Date 08/29/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : Not controlled. DSL : Listed. National Inventories: Australia AICS : Listed. China IECS Listed. ٠ **Europe EINECS** Not determined. Japan ENCS Not determined. : Korea KECI Listed. : **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.1 Revision Date 08/29/2002



Page 6 of 6 Print Date 11/6/2011