MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | YELLOW W/CLEAR MARBLE |
| Product code | : | CC10003026 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|----------------------------|---|
| Acute exposure | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |

PolyOne.

MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| Hazards | |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 3 of 6 Print Date 11/12/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|----------|------------------------------|---------------|---------|
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | OSHA |
| | 20 mppcf | PEL: | Total dust. | Z3 |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |

| Form | : Solid | Evaporation rate | : Not applicable. |
|--------------------------|--------------------|----------------------------|------------------------|
| Appearance | : Pellets | Specific Gravity | : Not determined |
| Color | : YELLOW | Bulk density | : Not established |
| Odor | : Very faint | Vapor pressure | : Not applicable |
| Melting point/range | : Not determined | Vapor density | : Not applicable |
| Boiling Point: | : Not applicable | pН | : Not applicable |
| Water solubility | : Insoluble | | |
| | 10. STABILITY AN | DREACTIVITY | |
| Stability | : Stable. | | |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | : Keep away from o | xidizing agents and open f | lame. To avoid thermal |

PolyOne.

MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 4 of 6 Print Date 11/12/2011

| | | decompositio | n, do not overheat. | | |
|--|---------------|--|--|--|--|
| Incompatible Materials | | : Incompatible with strong acids and oxidizing agents. | | | |
| Hazardous decompos products | ition : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | | |
| | 11. | TOXICOLOG | ICAL INFORMATIO | ON | |
| health data for the inc | lividual comp | onents which co | omprise the mixture. | ure effects listed are based on exis | |
| CAS-No. | | nical Name | Effect | | |
| 7631-86-9 | | | Irritant | Target Organ | |
| 13463-67-7 | Silica, amo | | Systemic effects | Eyes, Respiratory system. Respiratory system. | |
| 13403-07-7 | Thanhum | lloxide | Systemic effects | Respiratory system. | |
| | 1 | 2. ECOLOGIO | CAL INFORMATION | 1 | |
| Environmental Toxic Bioaccumulation Pote Additional advice | ential : | of the polyme Chemicals are of the polyme No data availa | r. e not readily available a r. able. | as they are bound within the matrix | |
| | 1 | 3. DISPOSAL | CONSIDERATIONS | 6 | |
| Product | : | possible, recy generator of v classification, applicable fee | cling is preferred to dia vaste material has the r transportation and dis leral, state/provincial a | - | |
| Contaminated packaging | | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | |
| | | 14. TRANSPO | RT INFORMATION | | |
| | | | | | |
| U.S. DOT Classificat | ion : | Refer to speci | fic regulation. | | |

4/6

PolyOne.

MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 5 of 6 Print Date 11/12/2011

| IMO / IMDG : | Refer to specific regulation. |
|---|---|
| 1 | 5. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status : | Classified as hazardous based on components. |
| TSCA Status : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous Sub | stances (40 CFR 302) |
| Not applicable | |
| California Proposition : 65 | This product does not contain a substance listed by California Prop 65. |
| SARA Title III Section 302 Extrem | ely Hazardous Substance |
| Not applicable | |
| SARA Title III Section 313 Toxic | Chemicals: |
| Not applicable Canadian Regulations: | |
| National Pollutant Release I | nventory (NPRI) |
| Not applicable | |
| WHMIS Classification : | D2B |
| WHMIS Ingredient Disclose | ure List |
| CAS-No. 7631-86-9 | |
| DSL : | All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations. |
| National Inventories: | |
| Australia AICS : | Not determined. |
| | |



MATERIAL SAFETY DATA SHEET YELLOW W/CLEAR MARBLE

Version Number 1.1 Revision Date 09/08/2003 Page 6 of 6 Print Date 11/12/2011

| : Not determined. |
|-------------------|
| : Not determined. |
| : Listed. |
| : Not determined. |
| : Listed. |
| |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.