

MATERIAL SAFETY DATA SHEET WISK GREEN PP

Version Number 1.1 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WISK GREEN PP
Product code	:	CC10003030
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET WISK GREEN PP

Version Number 1.1 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET WISK GREEN PP

Version Number 1.1 Revision Date 09/08/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: GREEN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	IZ C	xidizing agents and open f	



MATERIAL SAFETY DATA SHEET WISK GREEN PP

ision Date 09/08/20	003			Page 4 Print Date 11/12/2
		decompositio	n, do not overheat.	
Incompatible Materi	als	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11	. TOXICOLOG	ICAL INFORMATIO	DN
This mixture has not health data for the in Toxicity Overview				are effects listed are based on exi
	s the following	ng components w	hich in their pure form	have the following characteristic
CAS-No.	Che	emical Name	Effect	Target Organ
7631-86-9	Silica, an		Irritant	Eyes, Respiratory system.
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.
		12 ECOLOCIO	CAL INFORMATION	т
of		 Chemicals are of the polyme No data available 	r.	s they are bound within the matri
		13. DISPOSAL	CONSIDERATIONS	
Product				
		possible, recy generator of v classification,	rmoplastics the produc cling is preferred to dis vaste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with
Contaminated packa	ging	 possible, recy generator of v classification, applicable fec Recycling is p has the respondence 	rmoplastics the produc cling is preferred to dis vaste material has the r transportation and disp leral, state/provincial a preferred when possible nsibility for proper was n accordance with app	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with
Contaminated packa	ging	 possible, recy generator of v classification, applicable fec Recycling is p has the respondent of the second and disposal is and local regular 	rmoplastics the produc cling is preferred to dis vaste material has the r transportation and disp leral, state/provincial a preferred when possible nsibility for proper was n accordance with app	et can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation
Contaminated packa		 possible, recy generator of v classification, applicable fec Recycling is p has the respon and disposal i and local regu 	rmoplastics the produc cling is preferred to dis vaste material has the r transportation and displeral, state/provincial a preferred when possible nsibility for proper was n accordance with apprilations.	et can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation



MATERIAL SAFETY DATA SHEET WISK GREEN PP

Version Number 1.1 Revision Date 09/08/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG	Refer to specific regulation.	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on or exempt from the T Inventory.	`SCA
US. EPA CERCLA Hazardous Su	stances (40 CFR 302)	
Not applicable		
California Proposition 65	This product does not contain a substance listed by California Pro	op 65.
SARA Title III Section 302 Extre	ely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Toxic	Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Release	nventory (NPRI)	
Not applicable		
WHMIS Classification	D2B	
WHMIS Ingredient Disclo	ire List	
CAS-No. 7631-86-9		
DSL	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of t product is on the Canadian Non-Domestic Substances List (NDS Quantity use in Canada is restricted by regulations.	his
National Inventories:		
Australia AICS	Not determined.	



MATERIAL SAFETY DATA SHEET WISK GREEN PP

Version Number 1.1 Revision Date 09/08/2003

Page 6 of 6 Print Date 11/12/2011

: Not determined.
: Not determined.
: Listed.
: Not determined.
: Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.