

MATERIAL SAFETY DATA SHEET

050GN632

Version Number 1.0 Revision Date 10/12/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050GN632
Product code	:	CC10003127
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	5 - 10	
Calcium carbonate	1317-65-3	30 - 60	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	xposure: : Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. 			
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			





ion Number 1.0 sion Date 10/12/2001	Page 2 Print Date 11/1/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



050GN632

Storage		eep containers dry and contamination. Kee				e absorption
8. E	XPOSURE	CONTROLS / PERS	ONAL 1	PROTECTIO	ON	
Respiratory protection	: N	o personal respiratory	protectiv	ve equipment	normally 1	required.
Eye/Face Protection	: S	afety glasses with side	-shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance w ash hands before brea				afety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide		
Exposure limit(s)						
Components	Value	Exposure time	;	Exposur	e type	List:
Calcium carbonate	10 mg/m3	Time Weighted Av (TWA):		Dus		ACGIH
	5 mg/m3	PEL:		Respirable		OSHA Z
Titanium dioxide	15 mg/m3 10 mg/m3	PEL: Time Weighted Av (TWA):	erage	Total d Total d		OSHA Z ACGIH
	15 mg/m3	PEL:		Total c	lust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES		
Form	: Solid	I	Evapor	ation rate		applicable.
Appearance	: Pelle		Specific Gravity		: Not determined.	
Color	: GRE		5			established
Odor	: Very					applicable
Melting point/range	: Not determined.		Vapor density :			applicable
Boiling Point:		applicable	pН		: Not	applicable
Water solubility	: Insol	uble				
	10. 8	TABILITY AND RE	EACTIV	ITY		
Stability	: S	table.				



MATERIAL SAFETY DATA SHEET

050GN632

sion Number 1.0 /ision Date 10/12/2	001			Page 4 Print Date 11/1/2		
Conditions to avoid			rom oxidizing agents an on, do not overheat.	d open flame. To avoid thermal		
Incompatible Mater	ials	: Incompatible	e with strong acids and o	oxidizing agents.		
				oxide (CO), oxides of nitrogen ad smoke are all possible.		
		11. TOXICOLO	GICAL INFORMATIO	DN		
			or health effects. Expose comprise the mixture.	are effects listed are based on exis		
<u>Toxicity Overview</u> This product contain	ns the follo	wing components v	which in their pure form	have the following characteristic		
CAS-No.	(Chemical Name	Effect	Target Organ		
13463-67-7	Titani	um dioxide	Systemic effects	Respiratory system.		
1317-65-3	Calciu	ım carbonate	Irritant	Eyes, Skin.		
			Systemic effects	Eyes, Skin, Respiratory system		
		12 ECOLOGI	CAL INFORMATION	1		
				·		
Persistence and degr	radability	: Not readily b	piodegradable.			
Environmental Toxi	city	: Chemicals an of the polym		s they are bound within the matrix		
Bioaccumulation Potential			: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice		: No data avai	lable.			
		13. DISPOSAI	CONSIDERATIONS			
Product		recycling is waste materi transportatio	preferred to disposal or a lal has the responsibility	t can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, S.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRANSPO	ORT INFORMATION			

MATERIAL SAFETY DATA SHEET



050GN632	
Version Number 1.0 Revision Date 10/12/2001	Page 5 of 5 Print Date 11/1/2011
Classification (Non-bulk ground)	
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.