

MATERIAL SAFETY DATA SHEET

### PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002 Page 1 of 6 Print Date 11/4/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 91954 Pearl BU PE SL
Product code	:	CC10003136
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>



MATERIAL SAFETY DATA SHEET

# PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	:	pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

### PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002 Page 3 of 6 Print Date 11/4/2011

0.5	VDOGUDE		PROTECTION	
8. E	APOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	tive equipment norm	ally required.
Eye/Face Protection	: S	afety glasses with side-shield	S.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		tion. Provide
Exposure limit(s)				
Components	Value			
	value	Exposure time	Exposure type	e List:
Mica	3 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	e List: ACGIH
	3 mg/m3			
Mica		Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust.	ACGIH
Mica Mica	3 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL:	Total dust. Total dust.	ACGIH OSHA
Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA ACGIH
Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. Total dust. OPERTIES	ACGIH OSHA ACGIH OSHA Z1
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evaports Speci	Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       :         fic Gravity       :	ACGIH OSHA ACGIH OSHA Z1 Not applicable. Not determined
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evaports Speci	Total dust. Total dust. Total dust. Total dust. OPERTIES	ACGIH OSHA ACGIH OSHA Z1 Not applicable.
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo Its Speci E Bulk of faint Vapo	Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate         fic Gravity         density         r pressure	ACGIH OSHA ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not of	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Speci E Bulk faint Vapor determined Vapor	Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate       :         fic Gravity       :         density       :	ACGIH OSHA ACGIH OSHA Z1 OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very : Not c : Not a	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO LE Evapor ts Speci E Bulk faint Vapor determined Vapor applicable pH	Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate         fic Gravity         density         r pressure	ACGIH OSHA ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not of	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO LE Evapor ts Speci E Bulk faint Vapor determined Vapor applicable pH	Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate         fic Gravity         density         r pressure	ACGIH OSHA ACGIH OSHA Z1 OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very : Not a : Insol	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO LE Evapor ts Speci E Bulk faint Vapor determined Vapor applicable pH	Total dust.         Total dust.         Total dust.         Total dust.         Total dust.         OPERTIES         oration rate         fic Gravity         density         r pressure         r density         :	ACGIH OSHA ACGIH OSHA Z1 OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable



MATERIAL SAFETY DATA SHEET

# PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002

Page 4 of 6 Print Date 11/4/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

### PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002 Page 5 of 6 Print Date 11/4/2011

	IMO / IMDG	:	Not regulated for transportation.		
		15	. REGULATORY INFORMATION	]	
	US Regulations:				
	OSHA Status	:	Classified as hazardous based on components.		
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
	Canadian Regulations:				
	WHMIS Classification	:	D2B		
WHMIS Ingredient Disclosure List					
	CAS-No. 12001-26-2 18282-10-5				
	DSL	:	Listed.		
	National Inventories:				
	Australia AICS	:	Listed.		
	China IECS	:	Listed.		
	Europe EINECS	:	Not determined.		
	Japan ENCS	:	Not determined.		
	Korea KECI	:	Listed.		
	Philippines PICCS	:	Listed.		
			16 OTHER INFORMATION	1	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

## PG 91954 Pearl BU PE SL

Version Number 1.1 Revision Date 05/22/2002 Page 6 of 6 Print Date 11/4/2011