

MATERIAL SAFETY DATA SHEET

LIPTON GREEN PP

Version Number 1.2 Revision Date 02/02/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIPTON GREEN PP
Product code	:	CC10003165
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET LIPTON GREEN PP

Version Number 1.2 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET LIPTON GREEN PP

Version Number 1.2 Revision Date 02/02/2004 Page 3 of 6 Print Date 11/13/2011

8.1	EXPOSURE	CONTROLS / PERSONAI	L PROTECTION		
Respiratory protection		o personal respiratory protection		required.	
Eye/Face Protection		afety glasses with side-shield		1	
Hand protection		rotective gloves.			
Skin and body protection		ong sleeved clothing.			
• •					
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		safety practice.	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point:		ts Spec EN Bulk faint Vapo	ific Gravity::Nodensity:Noor pressure:Noour density:No	t applicable t determined t established t applicable t applicable t applicable	
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REACTI	VITY		
Stability	: S	table.			
Stability Hazardous Polymerizatio		table. Vill not occur.			
-	n : W : K			avoid thermal	



MATERIAL SAFETY DATA SHEET

LIPTON GREEN PP

Version Number 1.2 Revision Date 02/02/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition : Ca products (N

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	I
Persistence and degrada	ability : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals ar of the polyme		s they are bound within the matri
Bioaccumulation Poten	tial : Chemicals ar of the polyme		s they are bound within the matri
Additional advice	: No data avail	lable	
	13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r the transportation and disp deral, state/provincial and preferred when possible nsibility for proper was in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
U.S. DOT Classificatio	n : Not regulated	l for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULAT	ORY INFORMATION	J



MATERIAL SAFETY DATA SHEET LIPTON GREEN PP

IPTON GREEN PP					
ersion Number 1.2 evision Date 02/02/2004		Page Print Date <i>11/13/</i>			
US Regulations:					
OSHA Status	: Classified as hazardous base	sed on components.			
TSCA Status	: All components of this proc Inventory.	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					
California Proposition 65	: This product does not conta	ain a substance listed by California Prop 6	55.		
SARA Title III Section 302 Extr	emely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Tox	ic Chemicals:				
Chemical Name	(CAS-No. Weight %			
ZINC COMPOUNDS		58187-51-9 2.09			
Canadian Regulations:					
National Pollutant Release	e Inventory (NPRI)				
WHMIS Classification	: D2B				
DSL	: All components of this prod Substances List (DSL) or an	oduct are on the Canadian Domestic are exempt.			
National Inventories:					
Australia AICS	: Listed				
China IECS	: Listed				
Europe EINECS	: Listed				
Japan ENCS	: Not determined				
Korea KECI	: Listed				
Philippines PICCS	: Listed				



MATERIAL SAFETY DATA SHEET LIPTON GREEN PP

Version Number 1.2 Revision Date 02/02/2004

Page 6 of 6 Print Date 11/13/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.