

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 10/24/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10003465
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 10/24/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u> <u>Components V</u>	OSURE : N : S : P : L : S : H W : H	afety glasses with sid rotective gloves. ong sleeved clothing afety shoes. landle in accordance Vash hands before br	RSONAL I ry protectiv de-shields. g. with good reaks and a th appropri	PROTECTION ve equipment normal industrial hygiene ar it the end of workday	nd safety practice
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: N : S : P : L : S : H W : H	lo personal respirato afety glasses with si- rotective gloves. ong sleeved clothing afety shoes. landle in accordance Vash hands before br leat only in areas wit	ry protectiv de-shields. g. with good reaks and a th appropri	ve equipment normal industrial hygiene ar at the end of workday	nd safety practice
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: S : P : L : S : H W : H	afety glasses with sid rotective gloves. ong sleeved clothing afety shoes. landle in accordance Vash hands before br leat only in areas wit	de-shields. g. with good reaks and a th appropri	industrial hygiene ar it the end of workday	nd safety practice
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u> Components V	: P : L : S : H W : H	rotective gloves. ong sleeved clothing afety shoes. landle in accordance Vash hands before br leat only in areas wit	g. with good reaks and a th appropri	industrial hygiene ar it the end of workday iate exhaust ventilatio	·.
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: L : S : H W : H	ong sleeved clothing afety shoes. landle in accordance Vash hands before br leat only in areas wit	with good reaks and a th appropri	tt the end of workday	·.
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: S : H W : H	afety shoes. landle in accordance Vash hands before br leat only in areas wit	with good reaks and a th appropri	tt the end of workday	·.
Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u> Components V	: H W : H	landle in accordance Vash hands before br leat only in areas wit	eaks and a th appropri	tt the end of workday	·.
Considerations Engineering measures Exposure limit(s) Components V	W : H	Vash hands before br leat only in areas wit	eaks and a th appropri	tt the end of workday	·.
Exposure limit(s) Components V					on. Provide
Components V					
I futilituili dioxide 10	/alue mg/m3	Exposure tir Time Weighted A		Exposure type Total dust.	List: ACGIH
	mg/m3	(TWA): PEL:		Total dust.	OSHA Z1
					USHA ZI
9.]	PHYSIC	CAL AND CHEMI	CAL PRO	DPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility		ets TE faint determined. applicable	Specifi Bulk de Vapor	c Gravity:ensity:pressure:density:	Not applicable. Not determined. Not established Not applicable Not applicable Not applicable
	10. S	STABILITY AND F	REACTIV	TTY	
Stability	: S	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		Leep away from oxid ecomposition, do no		ts and open flame. T	o avoid thermal
Incompatible Materials	: Ir	ncompatible with stre	ong acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 10/24/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrad	ability : Not readily b	iodegradable.				
Environmental Toxicit	y : Chemicals ar of the polyme		s they are bound within the matri			
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	lable.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagi	recycling is p waste materia transportation state/provinci ng : Recycling is p has the respo	preferred to disposal or a al has the responsibility in and disposal in accordial and local regulations preferred when possible nsibility for proper was	e. The generator of waste materia te classification, transportation			
		and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	e	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15 REGULAT	ORY INFORMATION	J			

MATERIAL SAFETY DATA SHEET



WHITE		
Version Number 1.0 Revision Date 10/24/2001		Page 5 of 5 Print Date <i>11/1/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.