

### MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0 Revision Date 10/15/2001 Page 1 of 5 Print Date 11/1/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10003533
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# RED

sion Date 10/15/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	<ul> <li>Not applicable</li> <li>Not applicable</li> </ul>
Autoignition temperature Suitable extinguishing media	<ul><li>Not relevant</li><li>Carbon dioxide blanket, water spray, dry powder, foam.</li></ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# RED

sion Date 10/15/2001			Prin	t Date 11/1/2
	a	nd contamination. Keep i	n a dry, cool place.	
8. H	EXPOSURE	CONTROLS / PERSON	NAL PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	otective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			good industrial hygiene and and at the end of workday.	safety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES	
Form	: Solid	4 E	vaporation rate : No	ot applicable.
Appearance	: Pelle			ot determined.
Color	: RED			ot established
Odor	: Very			ot applicable
Melting point/range				ot applicable
Boiling Point:		applicable pl	H : No	ot applicable
Water solubility	: Insol	ludie		
	10. 9	STABILITY AND REA	CTIVITY	
Stability	: S	table.		
Hazardous Polymerization	n : V	Vill not occur.		
Conditions to avoid		Keep away from oxidizing ecomposition, do not over	agents and open flame. To rheat.	avoid thermal
Incompatible Materials	: Iı	ncompatible with strong a	cids and oxidizing agents.	



### MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 10/15/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	1		
Persistence and degrad	ability : Not readily b	iodegradable.			
Environmental Toxicit	y : Chemicals are of the polyme		s they are bound within the matri		
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able.			
	13. DISPOSAL	CONSIDERATIONS			
Product	recycling is p waste materia transportatior state/provinci	referred to disposal or al has the responsibility and disposal in accord al and local regulations			
Contaminated packagin	has the response and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	<b>RT INFORMATION</b>			
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	U	l for transportation.			
ICAO/IATA	: Not regulated	l for transportation.			
IMO / IMDG	: Not regulated	l for transportation.			
	15 DECULATO	ORY INFORMATION	T		

### MATERIAL SAFETY DATA SHEET



# RED

Version Number 1.0 Revision Date 10/15/2001	Page 5 of 5 Print Date 11/1/2011
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	D2B
WHMIS Ingredient Disclosu	ire List
CAS-No. 1333-86-4	
DSL :	Listed.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Listed.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.