

MATERIAL SAFETY DATA SHEET

SILVER W/ EFFECTS

Version Number 1.0 Revision Date 10/15/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER W/ EFFECTS
Product code	:	CC10003536
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

SILVER W/ EFFECTS

sion Date 10/15/2001	Print Date 11/1/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

VER W/ EFFEC	13					
ion Number 1.0 sion Date 10/15/2001			Print [Page 3 Date 11/1/2		
Storage :		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.			equired.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P:	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		fety practice		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
	5 mg/m3	Time Weighted Average (TWA):	Welding fume. as Al	ACGIH		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1		
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Pellets : GREY : Very faint : Not determined. : Not applicable : Insoluble

: Solid

- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- : Not applicable. Not determined. : Not established : Not applicable : : Not applicable : Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.



MATERIAL SAFETY DATA SHEET

SILVER W/ EFFECTS

Version Number 1.0 Revision Date 10/15/2001		Page 4 of 6 Print Date 11/1/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

D 1 1 1 1 1 1 1 1	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

SILVER W/ EFFECTS

sion Number 1.0 ision Date 10/15/2001				Print Da	Page 5 ate 11/1/2
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for	transportation.		
ICAO/IATA	:	Not regulated for	transportation.		
IMO / IMDG	:	Not regulated for	transportation.		
	15	. REGULATORY	INFORMATIO	N	
US Regulations:					
OSHA Status	:	Classified as haza	ardous based on co	omponents.	
TSCA Status		All components of this product are listed on the TSCA inventory or are exempt.			
California Proposition 65	:	This product does	s not contain a sub	stance listed by Califor	nia Prop 65.
SARA Title III Section 313 Tox	cic (Chemicals:			
Chemical Name			CAS-No.	Weight %	
ALUMINUM (F	UM	E OR DUST)	7429-90-5	17.63	
Canadian Regulations:					
WHMIS Classification	:	D2B			
WHMIS Ingredient Disc	losu	re List			
CAS-No.					
7429-90-5 1333-86-4					
	:	Listed.			
1333-86-4	:	Listed.			
1333-86-4 DSL	:	Listed. Listed.			
DSL National Inventories:	•				
1333-86-4 DSL National Inventories: Australia AICS	:	Listed.			
1333-86-4 DSL National Inventories: Australia AICS China IECS	:	Listed. Listed.			
1333-86-4DSLNational Inventories:Australia AICSChina IECSEurope EINECS	:	Listed. Listed. Not determined.			



MATERIAL SAFETY DATA SHEET

SILVER W/ EFFECTS

Version Number 1.0 Revision Date 10/15/2001 Page 6 of 6 Print Date 11/1/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.