

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 10/19/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10003570
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

sion Number 1.0	Page 2
sion Date 10/19/2001	Print Date 11/1/2
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET



BLUE		
Version Number 1.0 Revision Date 10/19/2001		Page 3 of 6 Print Date 11/1/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9	. PHYSICAL AND CHEN	MICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets BLUE Very faint Not determined. Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable Not applicable
Stability	10. STABILITY AN : Stable.	D REACTIVITY	
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o	xidizing agents and open f	lame. To avoid thermal



MATERIAL SAFETY DATA SHEET

BLUE

ision Date 10/19/2	001		Pi	Page 4 rint Date <u>11/1/2</u>
	decomposition,	do not overheat.		
Incompatible Mater	ials : Incompatible w	vith strong acids a	nd oxidizing agents	
Hazardous decompo products			onoxide (CO), oxic s, and smoke are all	
	11. TOXICOLOGIO	CAL INFORMA	TION	
	t been evaluated as a whole for h ndividual components which con			are based on exis
Toxicity Overview This product contain	ns the following components whi	ich in their pure fo	orm have the follow	ring characteristics
CAS-No.	Chemical Name	Effect Target Organ		get Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Highly Toxic	Refer to MSI Data	DS for Toxicity
13463-67-7	Titanium dioxide	Systemic effect	s Respiratory s	ystem.
This product contain CAS-No. 70624-18-9	Chemical Name 1,6-Hexanediamine, N N' bis(2.2.6.6 tatrameth	ich in their pure fo Route LC50 Oral LD50	Value 112 mgm34H	Species rat
	N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with	Oral LD50	9,910 mg/kg	rat
	2,4,6-trichloro-1,3,5-triazi ne, reaction products			
	ne, reaction products			
		L INFORMATI	ION	
Persistence and deg	ne, reaction products 12. ECOLOGICA		ION	
Persistence and deg Environmental Tox	ne, reaction products 12. ECOLOGICA radability : Not readily biod	degradable. 10t readily availab	ON le as they are bound	l within the matrix
-	ne, reaction products 12. ECOLOGICA radability : Not readily biod icity : Chemicals are r of the polymer.	degradable. not readily availab not readily availab		
Environmental Tox	ne, reaction products 12. ECOLOGICA radability : Not readily biodicity icity : Chemicals are r of the polymer. otential : Chemicals are r	degradable. not readily availab not readily availab	le as they are bound	
Environmental Tox Bioaccumulation Po	ne, reaction products 12. ECOLOGICA radability Not readily biod icity : Chemicals are r of the polymer. otential : Chemicals are r of the polymer.	degradable. not readily availab not readily availab ple.	le as they are bound	
Environmental Tox Bioaccumulation Po	ne, reaction products 12. ECOLOGICA radability Not readily biodication radability Chemicals are readily biodication icity Chemicals are readily biodication Chemicals are readily biodication Chemicals are readily biodication Chemicals are readily biodication Chemicals are readi	degradable. not readily availab not readily availab ble. CONSIDERATIO	le as they are bound	l within the matrix

MATERIAL SAFETY DATA SHEET



BLUE	
ersion Number 1.0 Revision Date 10/19/2001	Page 5 of Print Date 11/1/201
	recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D1A
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
	: Not determined.
Korea KECI	. Not determined.



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 10/19/2001 Page 6 of 6 Print Date 11/1/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.