

MATERIAL SAFETY DATA SHEET

CHERRY BLAST

Version Number 1.0 Revision Date 10/13/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	::	CHERRY BLAST CC10003671 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

CHERRY BLAST

sion Date 10/13/2001	Page 2 Print Date 11/1/
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

CHERRY BLAST

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	OSURE : N : Sa : Pr : L : Sa : H W : H ap	afety glasses with si rotective gloves. ong sleeved clothing afety shoes. Iandle in accordance Vash hands before bi	RSONAL I ory protectiv de-shields. g. e with good reaks and a th appropria	PROTECTION ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	: N : S: : Pr : L : S: : H W : H ap	lo personal respirato afety glasses with si rotective gloves. ong sleeved clothing afety shoes. Iandle in accordance Vash hands before bi Ieat only in areas wit	ory protectiv de-shields. g. with good reaks and a th appropris	ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s)	: Sa : Pr : L : Sa : H W : H ap	afety glasses with si rotective gloves. ong sleeved clothing afety shoes. Iandle in accordance Vash hands before bi Ieat only in areas wit	g. with good reaks and a th appropria	industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components	: Pr : L : Sa : H W : H ap	rotective gloves. ong sleeved clothing afety shoes. Iandle in accordance Vash hands before bu Ieat only in areas wit	g. e with good reaks and a th appropria	industrial hygiene and sa t the end of workday. ate exhaust ventilation.	• •
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components	: L : Sa : H W : H ap	ong sleeved clothing afety shoes. Iandle in accordance Vash hands before bu Ieat only in areas wit	with good reaks and a th appropria	t the end of workday. ate exhaust ventilation.	• •
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components	: Sa : H W : H ap	afety shoes. Iandle in accordance Vash hands before bi Ieat only in areas wit	with good reaks and a th appropria	t the end of workday. ate exhaust ventilation.	• •
Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components	: H W : H ap	landle in accordance Vash hands before bu leat only in areas wit	reaks and a th appropria	t the end of workday. ate exhaust ventilation.	• •
Considerations Engineering measures Exposure limit(s) Components	W : H aı	Vash hands before bi leat only in areas wit	reaks and a th appropria	t the end of workday. ate exhaust ventilation.	• •
Exposure limit(s) Components	ar				Provide
Components V					
	Value	Exposure tir	me	Exposure type	List:
Titanium dioxide 10	mg/m3	Time Weighted A (TWA):		Total dust.	ACGIH
15	mg/m3	PEL:		Total dust.	OSHA Z
9.	PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES	
Form Appearance Color	: Solid : Pelle : RED	ets)	Specifi Bulk de	c Gravity : Not ensity : Not	applicable. determined. established
Odor Melting point/range Boiling Point: Water solubility	: Not c	v faint determined. applicable luble		density : Not	applicable applicable applicable
	10.5	STABILITY AND I	PEACTIV	ITV	
a					
Stability		table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		Leep away from oxid ecomposition, do no		ts and open flame. To a	void therma
Incompatible Materials	: Ir	ncompatible with str	ong acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

CHERRY BLAST

Version Number 1.0 Revision Date 10/13/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals are of the polyme		is they are bound within the matri			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packagin	recycling is p waste materia transportation state/provinci g : Recycling is p has the respon and disposal	 Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	G. : Not regulated	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15 REGULATO	ORY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



CHERRY BLAST

Version Number 1.0 Revision Date 10/13/2001		Page 5 of 5 Print Date 11/1/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.