

MATERIAL SAFETY DATA SHEET

ALTERNA RED SAN

Version Number 1.0 Revision Date 10/15/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ALTERNA RED SAN
Product code	:	CC10003707
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

ALTERNA RED SAN

Version Number 1.0 Page 2 of 5 Revision Date 10/15/2001 Print Date 11/1/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media Carbon dioxide blanket, water spray, dry powder, foam. : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

ALTERNA RED SAN

Version Number 1.0 Revision Date 10/15/2001 Page 3 of 5 Print Date 11/1/2011

8. E	XPOSUR	E CONTROLS / P	ERSONAL PROT	TECTION	
					· 1 XC
Respiratory protection		No personal respira dusty conditions oc	• • •		-
Eye/Face Protection	:	Safety glasses with	side-shields.		
Hand protection	:	Protective gloves.			
Skin and body protection	:	Long sleeved clothi	ng.		
Additional Protective Measures	:	Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygier Wash hands before breaks and at the end of work			afety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide	
Exposure limit(s)					
Components	Value	Exposure	time E	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:		Total dust.	OSHA
	20 mppcf	PEL:		Total dust.	Z3
	9. PHYS	ICAL AND CHEM	IICAL PROPER	LIES	
F errer		. 1	E		
Form Appearance	: Sol	wder, granular	Evaporation Specific Grav		applicable. determined.
Color	: RED		Bulk density		determined.
Odor	: Very faint		Vapor pressu		applicable
Melting point/range	: Not determined.		Vapor densit		applicable
Boiling Point:		t applicable	pH	•	applicable
Water solubility		oluble	pm	. 1101	applicable
water solubility	. 1115	oluble			
	10.	STABILITY AND	REACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	n :	Will not occur.			
Conditions to avoid		To avoid thermal do oxidizing agents an		ot overheat. Keep	away from
Incompatible Materials	:	Incompatible with s	strong acids and ox	idizing agents.	



MATERIAL SAFETY DATA SHEET

ALTERNA RED SAN

Version Number 1.0 Revision Date 10/15/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO				
Persistence and degradabilit	y : Not readily bi	odegradable.			
Environmental Toxicity	: Adverse ecolo	ogical impact is not k	nown or expected under normal use		
Bioaccumulation Potential	: Not inherently	y biodegradable.			
Additional advice	: No data avail	: No data available.			
	13. DISPOSAL	CONSIDERATION	NS		
Product	generator of v classification,	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	has the respon and disposal i	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	RT INFORMATIO	N		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.			
ICAO/IATA	: Not regulated	for transportation.			
IMO / IMDG	: Not regulated	for transportation.			
	15. REGULATO)RY INFORMATI(DN		



MATERIAL SAFETY DATA SHEET

ALTERNA RED SAN

Version Number 1.0 Revision Date 10/15/2001		Page 5 of 5 Print Date 11/1/2011		
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	Not controlled.		
WHMIS Ingredient Disclo	osu	re List		
CAS-No. 7631-86-9				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Listed.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.