

MATERIAL SAFETY DATA SHEET

AQUA 15-5218TP

Version Number 1.0 Revision Date 10/19/2001 Page 1 of 5 Print Date 11/1/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AQUA 15-5218TP
Product code	:	CC10003793
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# AQUA 15-5218TP

sion Date 10/19/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

# AQUA 15-5218TP

ision Date 10/19/2001			Print	Page 3 ( Date 11/1/2)	
and contamination. Keep in a dry, cool place.					
<b>8.</b> E	XPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally i	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
<u> </u>	10 / 2		Total dust.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	• •	Total dust.	OSHA Z1	
Titanium dioxide	15 mg/m3	(TWA):	Total dust.		
	15 mg/m3 9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL PR	Total dust.	OSHA Z1	
Form	15 mg/m3 9. PHYSIC : Solic	(TWA): PEL: CAL AND CHEMICAL PR	Total dust. OPERTIES oration rate : Not	OSHA Z1	
Form Appearance	15 mg/m3 9. PHYSIC : Solic : Pelle	(TWA): PEL: CAL AND CHEMICAL PR E Evap Ets Spec	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not	OSHA Z1 applicable. determined.	
Form Appearance Color	15 mg/m3 9. PHYSIC : Solic : Pelle : AQU	(TWA): PEL: CAL AND CHEMICAL PR the Evap ets Spec JA Bulk	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not	applicable. determined. established	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solic : Pelle : AQU : Very	(TWA):         PEL:         CAL AND CHEMICAL PR         I       Evap         ets       Spec         JA       Bulk         r faint       Vapo	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not	applicable. determined. established applicable	
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIO : Solid : Pelle : AQU : Very : Not of	(TWA):         PEL:         CAL AND CHEMICAL PR         I       Evap         ets       Spec         JA       Bulk         v faint       Vapo         determined.       Vapo	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         or density       : Not	applicable. determined. established applicable applicable	
Form Appearance Color Odor	15 mg/m3 9. PHYSIO : Solid : Pelle : AQU : Very : Not of	(TWA):         PEL:         CAL AND CHEMICAL PR         I       Evap         ets       Spec         JA       Bulk         v faint       Vapo         determined.       Vapo         applicable       pH	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         or density       : Not	applicable. determined. established applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solic : Pelle : AQU : Very : Not a : Insol	(TWA):         PEL:         CAL AND CHEMICAL PR         I       Evap         ets       Spec         JA       Bulk         v faint       Vapo         determined.       Vapo         applicable       pH	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         : Not	applicable. determined. established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIO : Solid : Pelle : AQU : Very : Not a : Insol 10. S	(TWA):         PEL:         CAL AND CHEMICAL PR         th       Evap         th       Bulk         th       Vapo         th       Vapo         th       pH         uble       PH	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         : Not	applicable. determined. established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIO : Solid : Pelle : AQU : Very : Not a : Insol 10. S : S	(TWA):         PEL:         CAL AND CHEMICAL PR         1       Evap         ets       Spec         JA       Bulk         faint       Vapo         determined.       Vapo         applicable       pH         bubbe       STABILITY AND REACT	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         : Not	applicable. determined. established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 9. PHYSIO : Solid : Pelle : AQU : Very : Not a : Insol 10. S : S : W : W : K	(TWA):         PEL:         CAL AND CHEMICAL PR         I       Evap         ts       Spec         JA       Bulk         faint       Vapo         determined.       Vapo         applicable       pH         buble       STABILITY AND REACT         table.       Example 1	Total dust.         OPERTIES         oration rate       : Not         ific Gravity       : Not         density       : Not         or pressure       : Not         or density       : Not         vir density       : Not         VITY	applicable. determined. established applicable applicable	



#### MATERIAL SAFETY DATA SHEET

# AQUA 15-5218TP

Version Number 1.0 Revision Date 10/19/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION


This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals are of the polyme		s they are bound within the matri			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is p waste materia transportation state/provinci g : Recycling is p has the respon and disposal i	<ul> <li>Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	G. : Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15 RECHLATO	ORY INFORMATION	J			

#### MATERIAL SAFETY DATA SHEET





Version Number 1.0 Revision Date 10/19/2001		Page 5 of 5 Print Date 11/1/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.