

MATERIAL SAFETY DATA SHEET

# FL. PINK B-8

Version Number 1.0 Revision Date 10/24/2001 Page 1 of 5 Print Date 11/1/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FL. PINK B-8
Product code	:	CC10004116
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion Eyes	<ul><li>May be harmful if swallowed.</li><li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li></ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





PINK B-8	
sion Number 1.0 /ision Date 10/24/2001	Page 2 o Print Date 11/1/20
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

### MATERIAL SAFETY DATA SHEET



sion Number 1.0				Page 3 of
ision Date 10/24/2001			Print I	Date 11/1/20
Storage		Leep containers dry and tightly nd contamination. Keep in a d		absorption
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and a		afety practice.
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
		(1,111):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	Ŭ			OSHA Z1
Eorm	9. PHYSIC	PEL: CAL AND CHEMICAL PRO	PERTIES	
Form	9. PHYSIC : Solid	PEL: CAL AND CHEMICAL PRO	PERTIES ration rate : Not	applicable.
Appearance	9. PHYSIC : Solic : Pelle	PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi	PERTIES ration rate : Not c Gravity : Not	applicable. determined.
Appearance Color	9. PHYSIC : Solic : Pelle : PINI	PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi K Bulk d	PERTIES ration rate : Not c Gravity : Not ensity : Not	applicable. determined. established
Appearance Color Odor	9. PHYSIC : Solic : Pelle : PINH : Very	PEL: CAL AND CHEMICAL PRO the Evapor ets Specifi K Bulk d y faint Vapor	<b>OPERTIES</b> ration rate: Notc Gravity: Notensity: Notpressure: Not	applicable. determined. established applicable
Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : PINH : Very : Not o	PEL: CAL AND CHEMICAL PRO End Evapor ets Specific K Bulk d v faint Vapor determined. Vapor	PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	applicable. determined. established applicable applicable
Appearance Color Odor	9. PHYSIC : Solic : Pelle : PINH : Very : Not o	PEL: CAL AND CHEMICAL PRO the Evapor ets Specific K Bulk d v faint Vapor determined. Vapor applicable pH	PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	applicable. determined. established applicable

# **10. STABILITY AND REACTIVITY**

- Stability : Stable.
- Hazardous Polymerization : Will not occur.
- Conditions to avoid

will not occur.

: Keep away from oxidizing agents and open flame. To avoid thermal



# MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 10/24/2	2001			Page 4 Print Date 11/1/2	
		decompositio	n, do not overheat.		
Incompatible Mater	rials	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomp products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.	
		11. TOXICOLOG	ICAL INFORMATIO	ON	
health data for the i			health effects. Exposition prise the mixture.	ure effects listed are based on exi	
Toxicity Overview This product contai	ns the follo	wing components w	hich in their pure form	have the following characteristic	
CAS-No.		Chemical Name	Effect	Target Organ	
7631-86-9	Silica,	amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Titaniu	um dioxide	Systemic effects	Respiratory system.	
		12. ECOLOGIO	CAL INFORMATION	1	
Persistence and deg	radability	: Not readily bi	iodegradable.		
Environmental Tox	icity	: Chemicals are of the polyme		as they are bound within the matrix	
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice		: No data avail	able.		
		13. DISPOSAL	CONSIDERATIONS	8	
Product		recycling is p waste materia transportation	referred to disposal or a last the responsibility	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.	
Contaminated pack	aging	has the respon	nsibility for proper was in accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial	
		14. TRANSPO	<b>RT INFORMATION</b>		
		111 1111 (01 0			



### MATERIAL SAFETY DATA SHEET

L. PINK B-8			
ersion Number 1.0 evision Date 10/24/2001	Page Print Date 11/1/		
ICAO/IATA	Not regulated for transportation.		
IMO / IMDG	Not regulated for transportation.		
	5. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.		
California Proposition 65	This product does not contain a substance listed by California Prop 6	<u>5</u> 5.	
Canadian Regulations:			
WHMIS Classification	D2B		
WHMIS Ingredient Disc	ure List		
CAS-No. 7631-86-9			
DSL	Listed.		
National Inventories:			
Australia AICS	Not determined.		
China IECS	Not determined.		
Europe EINECS	Not determined.		
Japan ENCS	Not determined.		
Korea KECI	Not determined.		
Philippines PICCS	Not determined.		
	16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.