

MATERIAL SAFETY DATA SHEET

TRANS PURPLE

Version Number 1.0 Revision Date 10/23/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS PURPLE
Product code	:	CC10004122
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TRANS PURPLE

ision Date 10/23/2001	Page 2 Print Date 11/1/2
	4. FIRST AID MEASURES
	- TINGT AND MERSONES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



Page 3 of 5

MATERIAL SAFETY DATA SHEET

TRANS PURPLE

Version Number 1.0 Revision Date 10/23/2001

rision Date 10/23/2001 Print Date 11/1/2011					
	and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection		o personal respiratory protect usty conditions occur wear ap			
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Le	: Long sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	es : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	37.1		T		
	Value	Hynosiire fime	Exposure type	I ict.	
Barium sulfate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH	
*		Time Weighted Average			
<u> </u>	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
<u> </u>	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. Respirable fraction.	ACGIH OSHA Z1	
*	10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. Respirable fraction. Total dust.	ACGIH OSHA Z1	
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust. Respirable fraction. Total dust. DPERTIES	ACGIH OSHA Z1 OSHA Z1	
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not	ACGIH OSHA Z1 OSHA Z1 applicable.	
Barium sulfate Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Evapo ler, granular Specif	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined.	
Barium sulfate Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PUR	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined.	
Barium sulfate Barium sulfate Form Appearance Color Odor	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PUR : Very	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PUR : Very : Not d : Not a	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor upplicable pH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor upplicable pH	Total dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d : Not a : Insola	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor upplicable pH	Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not Tic Gravity : Not pressure : Not of density : Not : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d : Insolut 10. S	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor upplicable pH uble	Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not Tic Gravity : Not pressure : Not of density : Not : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable	
Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d : Insolut 10. S : St	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor letermined. Vapor upplicable pH uble	Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not Tic Gravity : Not pressure : Not of density : Not : Not	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable	
Barium sulfate Barium sulfate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : PURI : Very : Not d : Not a : Insolu 10. S 10. S 10. S	Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif PLE Bulk of faint Vapor letermined. Vapor letermined. Vapor upplicable pH uble	Total dust. Respirable fraction. Total dust. DPERTIES oration rate : Not Tic Gravity : Not or pressure : Not of density : Not VITY n, do not overheat. Keep	ACGIH OSHA Z1 OSHA Z1 applicable. determined. determined. applicable applicable applicable	



MATERIAL SAFETY DATA SHEET

TRANS PURPLE

sion Date 10/23/200	1			Print Date 11/1/2
Incompatible Materials	; :	Incompatible w	ith strong acids and o	oxidizing agents.
Hazardous decomposit products	ion :			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11.	TOXICOLOGI	CAL INFORMATIO	DN
health data for the indi Toxicity Overview	vidual comp	ponents which con	prise the mixture.	ure effects listed are based on ex
•			-	have the following characteristi
CAS-No.		mical Name	Effect	Target Organ
7727-43-7	Barium su	ilfate	Irritant Systemic effects	Respiratory system.Eyes, Respiratory system.
			Systemic effects	Eyes, Respiratory system.
]	12. ECOLOGICA	L INFORMATION	I
Persistence and degrad	ability :	Not readily bio	degradable.	
Environmental Toxicit	у :	Adverse ecolog	ical impact is not kno	own or expected under normal us
Bioaccumulation Poter	ntial :	Not inherently	biodegradable.	
Additional advice	:	No data availab	le.	
		13. DISPOSAL C	ONSIDERATIONS	
Product	:	generator of wa classification, t	ste material has the r	d to disposal or incineration. Th esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagin	ng :	has the respons	ibility for proper was accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
		14. TRANSPOR	T INFORMATION	
U.S. D.O.T. / CA T.D. Classification (Non-bu		Not regulated for	or transportation.	
ground)				
	:	Not regulated for	or transportation.	
ground)	:	-	or transportation.	

MATERIAL SAFETY DATA SHEET



TRANS PURPLE

Version Number 1.0 Revision Date 10/23/2001		Page 5 of 5 Print Date 11/1/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	lost	ıre List
CAS-No. 1333-86-4		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
	—	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.