

MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.0 Revision Date 10/29/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10004191
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 10/29/2001	Page Print Date <i>11/1.</i>
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



ORANGE

ion Number 1.0 sion Date 10/29/2001				Print	Page 3 Date 11/1/	
Storage		eep containers dry and tight ad contamination. Keep in a		l moistur	e absorption	
8. F	EXPOSURE	CONTROLS / PERSONA	L PROTECTIO	N		
Respiratory protection	: N	o personal respiratory protection	ctive equipment r	normally	required.	
Eye/Face Protection	: S	afety glasses with side-shiel	ds.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with go /ash hands before breaks and			afety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure	type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total du		ACGIH	
	15 mg/m3	PEL:	Total du		OSHA Z	
Zinc stearate	5 mg/m3	PEL:	Respirable f		OSHA Z	
	15 mg/m3	PEL:	Total du	ist.	OSHA Z	
	10 mg/m3	Time Weighted Average (TWA):	as stear	ates	ACGIH	
	9. PHYSIC	CAL AND CHEMICAL PR	ROPERTIES			
Form	: Solid	1	poration rate	: Not	applicable.	
Appearance	: Pelle	1	Specific Gravity :		Not determined.	
Color			2		established	
Odor					applicable	
Melting point/range		-	or density		applicable	
Boiling Point:		applicable pH		: Not	applicable	
Water solubility	: Insol	uble				
	10. S	TABILITY AND REACT	IVITY			
Stability	: S	table.				
Stability						



MATERIAL SAFETY DATA SHEET

DRANGE					
ersion Number 1.0 evision Date 10/29/200	1			Pri	Page 4 of nt Date <u>11/1/201</u>
Conditions to avoid	:		m oxidizing agents ar , do not overheat.	d open flame. T	o avoid thermal
Incompatible Materials	:	Incompatible v	with strong acids and o	oxidizing agents.	
Hazardous decomposit	ion :		e (CO2), carbon mono azardous materials, ar		
	11.	TOXICOLOGI	CAL INFORMATIO)N	
Toxicity Overview This product contains t	_	_			
CAS-No.	Chem	nical Name	Effect	Target Organ	
557-05-1	Zinc stearate		Systemic effects	Eyes, Skin, Respiratory system	
13463-67-7	Titanium d	ioxide	Systemic effects	Respiratory sy	stem.
LC50 / LD50 This product contains t				have the followi	
CAS-No. 557-05-1	Zinc steara	nical Name	RouteOral LD50	> 10 gm/kg	Species rat
557 05 1	Zille steard			10 511/ 16	Tat
	12	2. ECOLOGIC	AL INFORMATION	I	
Persistence and degrad	ability :	Not readily bio	odegradable.		
Environmental Toxicit	y :	Chemicals are of the polymer	not readily available a	s they are bound	within the matrix
Bioaccumulation Poten	itial :	Chemicals are of the polymer	not readily available a	s they are bound	within the matrix
Additional advice	:	No data availa	ble.		

13. DISPOSAL CONSIDERATIONS

Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial



MATERIAL SAFETY DATA SHEET

ORANGE

sion Date 10/29/2001	Print Date 11/1/2
	and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 63
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 557-05-1	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION

MATERIAL SAFETY DATA SHEET



ORANGE

Version Number 1.0 Revision Date 10/29/2001 Page 6 of 6 Print Date 11/1/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.