

MATERIAL SAFETY DATA SHEET

155 ORANGE FDA

Version Number 1.1 Revision Date 10/31/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	155 ORANGE FDA
Product code	:	CC10004565
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: No known effects.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

155 ORANGE FDA

Version Number 1.1 Page 2 of 5 Revision Date 10/31/2001 Print Date 11/1/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. Seek medical attention after significant exposure. Ingestion Do not induce vomiting without medical advice. Seek medical : attention if necessary. Eyes Rinse immediately with plenty of water for at least 15 minutes. If eye : irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Greater than 200 Deg F : Flammable Limits Upper explosion limit Not applicable. : Lower explosion limit Not applicable. : Autoignition temperature Not applicable. : Carbon dioxide blanket, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, Methods for cleaning up : universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Heat only in areas with appropriate exhaust ventilation. ÷ Storage Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

155 ORANGE FDA

sion Number 1.1 ision Date 10/31/2001			Pri	Page 3 of nt Date <u>11/1/201</u>	
	aı	nd contamination. Store in	a cool dry place.		
8. 1	EXPOSURE	CONTROLS / PERSONA	AL PROTECTION		
Respiratory protection	: U	nder normal handling cond	itions a respirator is not	required.	
Eye/Face Protection	: S	afety glasses with side-shie	lds.		
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	e Total dust.	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: ORA : Very : Not a : Not a : immi	ous, liquid Spe NGE Bul faint Vap applicable Vap applicable pH iscible	cific Gravity : N k density : N por pressure : N por density : N : N	Vot determined. Not determined. Not applicable. Not determined. Not determined. Not applicable.	
	10. S	STABILITY AND REACT	TIVITY		
Stability	: S	table.			
Hazardous Polymerizatio	n : W	/ill not occur.			
Conditions to avoid	d : Keep away from oxidizing agents and open flame.				
	Incompatible Materials : Incompatible with strong acids and oxidizing agents.				
Incompatible Materials	: Ir	acompatible with strong aci-	ds and oxidizing agents.		



MATERIAL SAFETY DATA SHEET

155 ORANGE FDA

Version Number 1.1 Revision Date 10/31/2001

Page 4 of 5 Print Date 11/1/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.



MATERIAL SAFETY DATA SHEET

155 ORANGE FDA

Version Number 1.1 Revision Date 10/31/2001		Page 5 of 5 Print Date 11/1/2011
TSCA Status :	All components of this product are listed on the 7	TSCA inventory or ore
ISCA Status	All components of this product are listed on the T exempt.	SCA inventory of are
California Proposition : 65	This product does not contain a substance listed l	by California Prop 65.
Canadian Regulations:		
WHMIS Classification :	D2B	
WHMIS Ingredient Disclosu	re List	
CAS-No. 150-13-0		
DSL :	Listed.	
National Inventories:		
Australia AICS :	Not determined.	
China IECS :	Not determined.	
Europe EINECS :	Not determined.	
Japan ENCS :	Not determined.	
Korea KECI :	Not determined.	
Philippines PICCS :	Not determined.	
	16. OTHER INFORMATION	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.