

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.1 Revision Date 01/14/2003 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10004641
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.
88	



MATERIAL SAFETY DATA SHEET

BLUE

sion Date 01/14/2003	Print Date 11/7/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLUE

and contamination. Keep in a dry, cool place.					
8. F	EXPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	lo personal respiratory pro	tective equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		Iandle in accordance with g Vash hands before breaks a	good industrial hygiene and and at the end of workday.	safety practice.	
Engineering measures		Ieat only in areas with app ppropriate exhaust ventilat	ropriate exhaust ventilation ion at machinery.	. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3Time Weighted Average (TWA):Dust.ACC				
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not : Inso	ets Sp JE Bu / faint Va determined Va applicable pH luble	ecific Gravity : No ilk density : No apor pressure : No apor density : No I : No	ot applicable. ot determined ot established ot applicable ot applicable ot applicable	
	10. 1	STABILITY AND REAC			
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid		Keep away from oxidizing a ecomposition, do not over	agents and open flame. To heat.	avoid thermal	
Incompatible Materials	· 1	ncompatible with strong ac	vide and avidizing agants		



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.1 Revision Date 01/14/2003 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

12. ECOLOGICAL INFORMATION 12. ECOLOGICAL INFORMATION Persistence and degradability Environmental Toxicity Chemicals are not readily available as they are bound within the matr of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matr of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	15105 07 7		Systemic effects	Respiratory system.		
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the matr of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matr of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materin has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.		Thuman around	Systemic effects	Respiratory system.		
Environmental Toxicity : Chemicals are not readily available as they are bound within the matr of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matr of the polymer. Additional advice : No data available. I JISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. III. TRANSPORT INFORMATION U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.		12. ECOLOGI	CAL INFORMATION	N		
of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matr of the polymer. Additional advice : No data available. IIII DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.	Persistence and degrad	ability : Not readily b	viodegradable.			
Additional advice i No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.	Environmental Toxicit			as they are bound within the matrix		
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Like most the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Like most the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.	Bioaccumulation Poten			as they are bound within the matrix		
Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.	Additional advice	: No data avail	lable.			
possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.		13. DISPOSAL	CONSIDERATIONS	5		
U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation.		ng : Recycling is has the respo and disposal	 possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
ICAO/IATA : Refer to specific regulation.		14. TRANSPO	ORT INFORMATION			
ICAO/IATA : Refer to specific regulation.						
	U.S. DOT Classification	on : Refer to spec	ific regulation.			
IMO / IMDG: Refer to specific regulation.	ICAO/IATA	: Refer to spec	ific regulation.			
	IMO / IMDG	: Refer to spec	fic regulation.			
15. REGULATORY INFORMATION		15. REGULAT	ORY INFORMATIO	N		

4/6

MATERIAL SAFETY DATA SHEET



BLUE		
Version Number 1.1 Revision Date 01/14/2003		Page 5 of 6 Print Date 11/7/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	ubs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.1 Revision Date 01/14/2003



Page 6 of 6 Print Date 11/7/2011