

MATERIAL SAFETY DATA SHEET

BROWN SUEDE

Version Number 1.0 Revision Date 11/03/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN SUEDE
Product code	:	CC10004695
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Mica 12001-26-2 1 - 5	Components	CAS-No.	Weight %
12001 20 2 1 3	Mica		1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.		



MATERIAL SAFETY DATA SHEET

BROWN SUEDE

ion Number 1.0 sion Date 11/03/2001	Page 2 Print Date 11/1/2		
	A FIDET AD MEASUDES		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

BROWN SUEDE

ision Date 11/03/2001			Print	Page 3 0 Date 11/1/20
and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ctive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shiel	ds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with go Vash hands before breaks an		safety practice.
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
eomponento				
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	3 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH OSHA
Mica	20 mppcf	(TWA):	Total dust.	
	20 mppcf 9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL P	Total dust.	OSHA
Form	20 mppcf	(TWA): PEL: CAL AND CHEMICAL PI	Total dust. ROPERTIES poration rate : Not	
	20 mppcf 9. PHYSIC : Solic	(TWA): PEL: CAL AND CHEMICAL PL I Eva sts Spece	Total dust. ROPERTIES poration rate : Not cific Gravity : Not	OSHA
Form Appearance	20 mppcf 9. PHYSIC : Solic : Pelle : BRO	(TWA): PEL: CAL AND CHEMICAL PI t Eva ts Spec WN Bull	Total dust. ROPERTIES poration rate : Not cific Gravity : Not c density : Not	t applicable. t determined. t established
Form Appearance Color	20 mppcf 9. PHYSIC : Solic : Pelle : BRO : Very	(TWA): PEL: CAL AND CHEMICAL PI I Eva ots Spec WN Bull faint Vap	Total dust. ROPERTIES poration rate : Not cific Gravity : Not c density : Not or pressure : Not	OSHA applicable.
Form Appearance Color Odor	20 mppcf 9. PHYSIC : Solid : Pelle : BRO : Very : Not d	(TWA): PEL: CAL AND CHEMICAL PI I Eva ots Spec WN Bull faint Vap	Total dust. ROPERTIES coration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not	applicable. t determined. t established t applicable
Form Appearance Color Odor Melting point/range	20 mppcf 9. PHYSIC : Solid : Pelle : BRO : Very : Not d	(TWA): PEL: CAL AND CHEMICAL P t Eva ts Spec WN Bull faint Vap determined. Vap applicable pH	Total dust. ROPERTIES coration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not	applicable. t determined. t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Solid : Pelle : BRO : Very : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL P t Eva ts Spec WN Bull faint Vap determined. Vap applicable pH	Total dust. ROPERTIES poration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not : Not : Not	applicable. t determined. t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 9. PHYSIC : Solid : Pelle : BRO : Very : Not d : Insol 10. S	(TWA): PEL: CAL AND CHEMICAL PI I Eva ets Spec VWN Bull r faint Vap determined. Vap applicable pH	Total dust. ROPERTIES poration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not : Not : Not	applicable. t determined. t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 9. PHYSIC : Solid : Pelle : BRO : Very : Not a : Insol 10. S : S	(TWA): PEL: CAL AND CHEMICAL PI I Eva ets Spec WN Bull faint Vap determined. Vap applicable pH uble STABILITY AND REACT	Total dust. ROPERTIES poration rate : Not cific Gravity : Not c density : Not or pressure : Not or density : Not : Not : Not	applicable. t determined. t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	20 mppcf 9. PHYSIC : Solic : Pelle : BRO : Very : Not a : Insol 10. S n : W : K	(TWA): PEL: CAL AND CHEMICAL PI I Eva its Spece WN Bull faint Vap determined. Vap applicable pH uble STABILITY AND REACT table. Example	Total dust.	OSHA applicable. t determined. t established t applicable t applicable



MATERIAL SAFETY DATA SHEET

BROWN SUEDE

Version Number 1.0 Revision Date 11/03/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	I
Persistence and degrada			
Environmental Toxicity	Chemicals are of the polyme		s they are bound within the matri
Bioaccumulation Poten	tial : Chemicals are of the polyme		s they are bound within the matri
Additional advice	: No data avail	able.	
	13. DISPOSAL	CONSIDERATIONS	
Product	recycling is p waste materia transportatior	referred to disposal or a laboration of the second se	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packagir	has the respon	nsibility for proper was in accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	U	l for transportation.	
ICAO/IATA	: Not regulated	l for transportation.	
IMO / IMDG	: Not regulated	l for transportation.	
	15 DECHI ATO	ORY INFORMATION	T

MATERIAL SAFETY DATA SHEET



BROWN SUEDE

/ersion Number 1.0		Page 5 of 5
Revision Date 11/03/2001		Print Date 11/1/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
WHMIS Ingredient Disc	closu	ire List
CAS-No. 1333-86-4 1309-37-1 12001-26-2		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.