FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022



Page 1 of 17 Print Date 04/23/2022

SAFETY DATA SHEET

FL. SATURN YELLOW

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	FL. SATURN YELLOW Mixture Mixture CC10004798 solid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number	:	1 (440) 930-1000 or 1 (844) 4AVIENT CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

AVIENT

Page 2 of 17 Print Date 04/23/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10004798

CAS number/other identifiers

Ingredient name	%	CAS number
Styrene-Butadiene polymer	>= 10 - <= 25	9003-55-8
Petroleum distillates, hydrotreated heavy naphthenic	>= 10 - <= 25	64742-52-5
Titanium dioxide	>= 1 - <= 3	13463-67-7
Talc	> 0 - <= 0.3	14807-96-6
Talc	> 0 - <= 0.3	14807-96-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

FL. SATURN YELLOW

🔆 AVIENT

/ersion Number 1.10	Page 3 of 17
Revision Date 04/22/2022	Print Date 04/23/2022

Eye contact Inhalation Skin contact Ingestion	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects,	acute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical	attentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂. :

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022



Page 4 of 17 Print Date 04/23/2022

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	No specific fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: nt a	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	id cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 5 of 17 Print Date 04/23/2022

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Styrene-Butadiene polymer	None.
Petroleum distillates, hydrotreated heavy naphthenic	OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Mist STEL 10 mg/m3 Form: Mist ACGIH TLV (2009-11-30) TWA 5 mg/m3 Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Talc	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 6 of 17 Print Date 04/23/2022

1	
	ACGIH TLV (1998-09-01)
	TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>
	5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the
	membrane filter method at 400 - 450 x magnification (4mm objective)
	using illumination of phase contrast.
	OSHA PEL 1989 (1989-03-01) TWA 2 mg/m ² Form: Despirable dust
	TWA 2 mg/m3 Form: Respirable dust
	NIOSH REL (1994-06-01) TWA 2 mg/m ² Form: Respirable fraction
	TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03)
	TWA 20 million particles per 1 cubic foot Form: not/asb
	OSHA PEL Z3 (1997-09-03)
	STEL 1 fibers per cubic centimeter Form: not/asb
	•
	TWA 0.1 fibers per cubic centimeter Form: con/asb
	STEL 1 fibers per cubic centimeter Form: con/asb
	NIOSH REL (1994-06-01)
	TWA 6 mg/m3 Form: Total
	TWA 3 mg/m3 Form: Respirable fraction
Talc	OSHA PEL Z3 (1997-09-03)
	TWA 20 million particles per 1 cubic foot Form: not/asb
	OSHA PEL Z3 (1997-09-03)
	STEL 1 fibers per cubic centimeter Form: not/asb
	TWA 0.1 fibers per cubic centimeter Form: con/asb
	STEL 1 fibers per cubic centimeter Form: con/asb
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1996-05-18)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast.
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be		
6/17				

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 7 of 17 Print Date 04/23/2022

		checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Granular solid.]
Color	:	YELLOW
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 8 of 17 Print Date 04/23/2022

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	-	Not available.
equivalent	•	Not available.
-		Not available.
Enclosed space ignition -	:	mot available.
Deflagration density		Not available.
Flame height	•	
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.		
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.		
Incompatible materials	:	Keep away from strong acids. Oxidizer.		
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition		
8/17				

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022



Page 9 of 17 Print Date 04/23/2022

products

products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity	
----------------	--

Product/ingredient name	Result	Species	Dose	Exposure		
Distillates (petroleum), hydrotreated heavy naphthenic						
	LD50 Oral	Rat	5,000 mg/kg	-		
Titanium oxide (TiO2)						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	Dusts and mists					
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Benzene, ethenyl-, polymer with 1,3-butadiene	Eyes - Mild irritant	Rabbit	-	24 hrs	-
Distillates (petroleum), hydrotreated heavy naphthenic	Skin - Severe irritant	Rabbit	-		-
	Skin - Severe irritant	Rabbit	-		-
Talc	Skin - Mild irritant	Human	-	72 hrs	-
	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary Skin Eyes Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
<u>Sensitization</u> Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
Mutagenicity	
Conclusion/Summary	: Mixture.Not fully tested.

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

AVIENT

Page 10 of 17 Print Date 04/23/2022

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Benzene, ethenyl-,	-	3	-
polymer with 1,3-			
butadiene			
Titanium oxide (TiO2)	-	2B	-
Talc	-	312B	-
	-	132B	-

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

:

Teratogenicity

Conclusion/Summary

Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
	10/17	,

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 11 of 17 Print Date 04/23/2022

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		No known significant effects or critical hazards. No known significant effects or critical hazards.
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 12 of 17 Print Date 04/23/2022

	A anta T (C50 (5 Ma/l Engla	Denhais Denhais autor	401
	water	C50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
FL. SATURN YELLOW			I	
Remarks - Acute - Aquatic invertebrates.:	Chemica	lls are not readily availa	ble as they are bound within the p	olymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not re polymer matrix.	adily available as they are bound	within the
Conclusion/Summary	:	Chemicals are not re polymer matrix.	adily available as they are bound	within the
<u>Bioaccumulative potential</u> Not available.				
Mobility in soil				
Soil/water partition coefficien (KOC)	t :	Not available.		
Other adverse effects	:	No known significar	at effects or critical hazards.	
Section 13. Disposal	cons	siderations		
Disposal methods	:	possible. Disposal of should at all times co protection and waste authority requiremen products via a licens disposed of untreated requirements of all a	aste should be avoided or minimiz f this product, solutions and any by omply with the requirements of en e disposal legislation and any region the dispose of surplus and non-re- ed waste disposal contractor. Wasted to the sewer unless fully complia- uthorities with jurisdiction. Wasted funcineration or landfill should only	y-products vironmental onal local cyclable te should not be ant with the packaging

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022



Page 13 of 17 Print Date 04/23/2022

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not lis United States - TSCA 4(f) - Priority risk review: Not lis	l ited
United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not lis	l ited
United States - TSCA 4(a) - Proposed test rules: Not lis	ted
	sted
United States - TSCA 5(a)2 - Final significant new use r	
listed	
United States - TSCA 5(a)2 - Proposed significant new t	use rules:
Not listed	Not listed
United States - TSCA 5(e) - Substances consent order:	
United States - TSCA 6 - Final risk management: Not 1 United States - TSCA 6 - Proposed risk management: 1	
Lead	
Leau	
United States - TSCA 8(a) - Chemical risk rules: Not list	sted
United States - TSCA 8(a) - Dioxin/Furane precusor: N	lot listed
United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
determined	
United States - TSCA 8(a) - Preliminary assessment rep	oort
(PAIR): Not listed	
United States - TSCA 8(c) - Significant adverse reaction	ı (SAR):
Not listed	
United States - TSCA 8(d) - Health and safety studies:	
United States - EPA Clean water act (CWA) section 307	7 - Priority
pollutants: Listed Zinc stearate	
Lead	

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022



Page 14 of 17 Print Date 04/23/2022

Dimethyl phthalate 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester Zinc Arsenic Selenium

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	1 tot listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification		
Benzene, ethenyl-, polymer	>= 10 - <= 25	EYE IRRITATION - Category 2B		
with 1,3-butadiene				
Distillates (petroleum),	>= 10 - <= 25	SKIN IRRITATION - Category 2		
hydrotreated heavy		EYE IRRITATION - Category 2A		
naphthenic				
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2		
Talc	> 0 - <= 0.3	CARCINOGENICITY - Category 2		

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÄVIENT"

Page 15 of 17 Print Date 04/23/2022

Talc	> 0 - <= 0.3	CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
Lead	7439-92-1	> 0 - <= 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Petroleum distillates, hydrotreated heavy naphthenic Calcium carbonate Silica, amorphous, precipitated and gel Titanium dioxide Talc
		Talc
Pennsylvania	:	The following components are listed: Calcium carbonate
		Silica, amorphous, precipitated and gel
		Titanium dioxide
		Talc
		Talc

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Talc	-	-
Talc	-	-

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 16 of 17 Print Date 04/23/2022

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	04/23/2022
Date of issue/Date of revision	:	04/22/2022

FL. SATURN YELLOW

Version Number 1.10 Revision Date 04/22/2022

ÀVIENT

Page 17 of 17 Print Date 04/23/2022

Date of previous issue	:	06/24/2021
Version	:	1.10
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.