

MATERIAL SAFETY DATA SHEET

10094262 BEIGE

Version Number 1.0 Revision Date 11/05/2001 Page 1 of 7 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10094262 BEIGE
Product code	:	CC10004938
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products		
Carbon black	1333-86-4	0.1 - 1
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

10094262 BEIGE

ion Number 1.0 sion Date 11/05/2001	Page 2 Print Date 11/1/
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET



10094262 BEIGE

sion Date 11/05/2001			Print	Page 2 Date 11/1/		
Handling		ake measures to prevent the b nly in areas with appropriate e		harge. Heat		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shields	5.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		safety practic		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
·	Value	Exposure time	F and and and			
Components			Exposure type	List [.]		
Components Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH		
Carbon black		Time Weighted Average		ACGIH OSHA Z		
<u> </u>	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. Total dust. Total dust.	ACGIH OSHA Z		
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust. Total dust.	ACGIH OSHA Z ACGIH		
Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA Z ACGIH		
Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not of	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE Specific Speci	Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES Description rate : No Fic Gravity : No lensity : No pressure : No density : No	ACGIH OSHA Z ACGIH OSHA Z t applicable.		
Carbon black Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not c : Insol	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE Specific Speci	Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No ic Gravity : No oration rate : No of density : No : No : No	ACGIH OSHA Z ACGIH OSHA Z OSHA Z t applicable. t determined. t established t applicable t applicable		



MATERIAL SAFETY DATA SHEET

10094262 BEIGE

Version Number 1.0 Revision Date 11/05/2001		Page 4 of 7 Print Date 11/1/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine,	Highly Toxic	Refer to MSDS for Toxicity
	N,N'-bis(2,2,6,6-tetrameth		Data
	yl-4-piperidinyl)-,polymer		
	with		
	2,4,6-trichloro-1,3,5-triazi		
	ne, reaction products		
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	LC50	112 mgm34H	rat
	N,N'-bis(2,2,6,6-tetrameth	Oral LD50	9,910 mg/kg	rat
	yl-4-piperidinyl)-,polymer			
	with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.



MATERIAL SAFETY DATA SHEET

10094262 BEIGE

Version Number 1.0 Revision Date 11/05/2001 Page 5 of 7 Print Date 11/1/2011

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possibl recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	5/7



MATERIAL SAFETY DATA SHEET

10094262 BEIGE

Version Number 1.0 Revision Date 11/05/2001 Page 6 of 7 Print Date 11/1/2011

US Regi	ulations:					
(
	OSHA Status	:	Classified as haza	rdous based on co	omponents.	
]	ΓSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
	California Proposition 55	:	This product does	not contain a subs	stance listed by Califor	rnia Prop 65.
SARA T	Title III Section 313 Toxic	c C	hemicals:			
	Chemical Name			CAS-No.	Weight %	1
	ZINC COMPOUN	٧D	S	68187-51-9	10.71]
	WHMIS Classification WHMIS Ingredient Disclo CAS-No. 1333-86-4					
Ι	DSL	:	Listed.			
National	Inventories:					
I	Australia AICS	:	Listed.			
(China IECS	:	Listed.			
Η	Europe EINECS	:	Not determined.			
J	apan ENCS	:	Not determined.			
ł	Korea KECI	:	Not determined.			
Ι	Philippines PICCS	:	Not determined.			
			16. OTHER IN	FORMATION		



MATERIAL SAFETY DATA SHEET

10094262 BEIGE

Version Number 1.0 Revision Date 11/05/2001 Page 7 of 7 Print Date 11/1/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.