

MATERIAL SAFETY DATA SHEET

PEACH

Version Number 1.1 Revision Date 02/02/2004 Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	РЕАСН
Product code	:	CC10004993
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PEACH**

Version Number 1.1 Revision Date 02/02/2004 Page 2 of 6 Print Date 11/13/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **PEACH**

Version Number 1.1 Revision Date 02/02/2004 Page 3 of 6 Print Date 11/13/2011

 No personal Safety glasse Protective gl Long sleevee Safety shoes Handle in ac Wash hands Heat only in appropriate e 	respiratory protect es with side-shield loves. d clothing. s. ccordance with goo before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	od industrial hygiene an at the end of workday. priate exhaust ventilatio	d safety practice.
 Safety glasse Protective gl Long sleeved Safety shoes Handle in ac Wash hands Heat only in appropriate of 	es with side-shield loves. d clothing. s. cordance with goo before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	d industrial hygiene and at the end of workday. priate exhaust ventilation at machinery.	d safety practice. n. Provide List: ACGIH
 Protective gl Long sleeved Safety shoes Handle in ac Wash hands Heat only in appropriate of 	loves. d clothing. s. ecordance with goo before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	od industrial hygiene and at the end of workday. priate exhaust ventilation at machinery. Exposure type	n. Provide List: ACGIH
 Long sleeved Safety shoes Handle in ac Wash hands Heat only in appropriate of 	d clothing. s. coordance with goo before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	at the end of workday. oriate exhaust ventilation at machinery. Exposure type	n. Provide List: ACGIH
 Safety shoes Handle in ac Wash hands Heat only in appropriate of e Ex /m3 Time W 	s. coordance with goo before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	at the end of workday. oriate exhaust ventilation at machinery. Exposure type	n. Provide List: ACGIH
 Handle in ac Wash hands Heat only in appropriate of e Ex /m3 Time W /m3 	cordance with good before breaks and a areas with approprese exhaust ventilation posure time /eighted Average (TWA): PEL:	at the end of workday. oriate exhaust ventilation at machinery. Exposure type	n. Provide List: ACGIH
Wash hands : Heat only in appropriate of e Ex /m3 Time W /m3	before breaks and a areas with approp exhaust ventilation posure time /eighted Average (TWA): PEL:	at the end of workday. oriate exhaust ventilation at machinery. Exposure type	n. Provide List: ACGIH
e Ex /m3 Time W /m3	exhaust ventilation posure time /eighted Average (TWA): PEL:	at machinery.	List: ACGIH
/m3 Time W /m3	Veighted Average (TWA): PEL:		ACGIH
/m3 Time W /m3	Veighted Average (TWA): PEL:		ACGIH
/m3 Time W /m3	Veighted Average (TWA): PEL:		ACGIH
/m3	PEL:	Total dust.	OSHA Z1
YSICAL AND			
	CHEMICAL PR	OPERTIES	
Solid Pellets ORANGE Very faint Not determined Not applicable Insoluble	Spec Bulk Vapo	ific Gravity::Ndensity:Nr pressure:Nur density:N	lot applicable lot determined lot established lot applicable lot applicable lot applicable
10. STABILIT	Y AND REACT	VITY	
: Stable.			
: Will not occ	cur.		
			o avoid thermal
: Incompatible	e with strong acid	s and oxidizing agents.	
	Insoluble 10. STABILIT : Stable. : Will not occ : Keep away decompositi	 Insoluble 10. STABILITY AND REACTI Stable. Will not occur. Keep away from oxidizing age decomposition, do not overheat 	Insoluble 10. STABILITY AND REACTIVITY : Stable.



MATERIAL SAFETY DATA SHEET

PEACH

Version Number 1.1

Revision Date 02/02/2004

Page 4 of 6 Print Date *11/13/2011*

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	I		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	lable			
	13. DISPOSAL	CONSIDERATIONS	}		
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial		
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	Ň		



MATERIAL SAFETY DATA SHEET **PEACH**

ersion Number 1.1 evision Date 02/02/2004		Page 5 c Print Date 11/13/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 To:	xic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se I	nventory (NPRI)
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed



MATERIAL SAFETY DATA SHEET

PEACH

Version Number 1.1 Revision Date 02/02/2004 Page 6 of 6 Print Date *11/13/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.