

MATERIAL SAFETY DATA SHEET

# **TERRA COTTA**

Version Number 1.0 Revision Date 11/20/2001 Page 1 of 6 Print Date 11/2/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TERRA COTTA
Product code	:	CC10005221
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Rutile, antimony chromium buff	68186-90-3	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



## MATERIAL SAFETY DATA SHEET

# TERRA COTTA

ion Number 1.0 sion Date 11/20/2001	Page 2 Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



#### MATERIAL SAFETY DATA SHEET

# DDA COTTA

ision Date 11/20/2001			Print	Page 3 Date 11/2/2		
	an	d contamination. Keep in a d	ry, cool place.			
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	required.		
Eye/Face Protection	: Sa	afety glasses with side-shields				
Hand protection	: P1	rotective gloves.				
Skin and body protection	: Lo	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	Value	Exposure time	Exposure type	List:		
Exposure limit(s) Components Rutile, antimony chromium buff	Value 0.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as Cr	List: ACGIH		
Components Rutile, antimony		<u> </u>	· · · ·	ACGIH		
Components Rutile, antimony	0.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust. as Cr	ACGIH		
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. as Cr Total dust. as Cr	ACGIH OSHA Z1		
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. as Cr Total dust. as Cr as Sb Total dust. as Sb	ACGIH OSHA Z1 ACGIH		
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pellet : BRO : Very : Not d	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif WN Bulk d faint Vapor letermined. Vapor pplicable pH	Total dust. as Cr         Total dust. as Cr         as Sb         Total dust. as Sb         Total dust. as Sb         OPERTIES         ration rate       : Not         ensity       : Not         pressure       : Not         density       : Not	ACGIH OSHA Z1 ACGIH		
Components Rutile, antimony chromium buff Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : Pellet : BRO : Very : Not d : Not a : Insolu	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif WN Bulk d faint Vapor letermined. Vapor pplicable pH	Total dust. as Cr         Total dust. as Cr         as Sb         Total dust. as Sb         Total dust. as Sb         OPERTIES         ration rate       : Not         ic Gravity       : Not         pressure       : Not         density       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1 applicable. determined. established applicable applicable		

Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

# TERRA COTTA

Version Number 1.0		Page 4 of 6
Revision Date 11/20/2001		Print Date 11/2/2011
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
products		(NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin.
	chromium buff		

### Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION
: Not readily biodegradable.
: Chemicals are not readily available as they are bound within the matri of the polymer.
: Chemicals are not readily available as they are bound within the matri of the polymer.
: No data available.
13. DISPOSAL CONSIDERATIONS
: Like most thermoplastics the product can be recycled. Where possibl recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION



## MATERIAL SAFETY DATA SHEET

TERRA	COTTA

ersion Number 1.0 evision Date 11/20/2001			Print	Page 5 of Date 11/2/201
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated f	or transportation.		
ICAO/IATA	: Not regulated f	or transportation.		
IMO / IMDG	: Not regulated f	or transportation.		
	15. REGULATO	RY INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as ha	azardous based on co	omponents.	
TSCA Status	: All component exempt.	s of this product are l	listed on the TSCA in	ventory or are
California Proposition 65	: This product do	bes not contain a sub	stance listed by Calif	ornia Prop 65.
SARA Title III Section 313 Toy	tic Chemicals:			
Chemical Name		CAS-No.	Weight %	
	I COMPOUNDS OMPOUNDS	68186-90-3	26.45	

Canadian Regulations:

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
68186-90-3	

DSL

: Listed.

National Inventories:

Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.



MATERIAL SAFETY DATA SHEET

# TERRA COTTA

Version Number 1.0 Revision Date 11/20/2001 Page 6 of 6 Print Date 11/2/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.