

# MATERIAL SAFETY DATA SHEET

# SILVER

Version Number 1.0 Revision Date 11/08/2001 Page 1 of 6 Print Date 11/2/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER
Product code	:	CC10005277
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 11/08/2001	Pa Print Date 1	age 2 1/2/2
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	ses o
Ingestion	: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persist medical attention.	s see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in post pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>	itive
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.	d no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	Ieat

# MATERIAL SAFETY DATA SHEET



# SILVER

Storage		eep containers dry and tind contamination. Keep		moistu	re absorption
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	N	
Respiratory protection	: N	o personal respiratory pr	otective equipment no	ormally	required.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			safety practic
Engineering measures		eat only in areas with appropriate exhaust ventile		tilation	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	type	List:
Mica	3 mg/m3	Time Weighted Avera (TWA):			ACGIH
	20 mppcf	PEL:	Total du		OSHA
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ige Total du	st.	ACGIH
	15 mg/m3	PEL:	Total du	st.	OSHA ZI
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid		evaporation rate		t applicable.
Appearance	: Pelle		pecific Gravity		t determined.
Color Odor	: GRE		Bulk density		t established
Melting point/range			apor pressure apor density		t applicable t applicable
Boiling Point:			H		t applicable
Water solubility	: Insol	11 1		. 110	e applicable
, 			~		
	10. 5	TABILITY AND REA			
Stability	: S	table.			
Hazardous Polymerization		/ill not occur.			



# MATERIAL SAFETY DATA SHEET

Version Number 1.0 Revision Date 11/08/2001		Page 4 of 6 Print Date 11/2/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Chemicals are not readily available as they are bound within the matrix of the polymer.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the matrix of the polymer.         Additional advice       : No data available.         ISPOSAL CONSIDERATIONS         Product       : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		12. ECOLOGICAL INFORMATION
of the polymer.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the matrix of the polymer.         Additional advice       : No data available. <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial	Persistence and degradability	: Not readily biodegradable.
of the polymer.         Additional advice       : No data available.         13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial	Environmental Toxicity	
<b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial	Bioaccumulation Potential	
Product       : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial	Additional advice	: No data available.
<ul> <li>recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial</li> </ul>		13. DISPOSAL CONSIDERATIONS
		<ul> <li>recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial</li> </ul>
	U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.



# MATERIAL SAFETY DATA SHEET

sion Number 1.0 /ision Date 11/08/2001	Pag Print Date 11/	
ICAO/IATA	: Not regulated for transportation.	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventory or exempt.	r ar
California Proposition 65	: This product does not contain a substance listed by California Prop	o 65
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Disc	osure List	
CAS-No. 1333-86-4 12001-26-2		
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# MATERIAL SAFETY DATA SHEET

# SILVER

Version Number 1.0 Revision Date 11/08/2001



Page 6 of 6 Print Date 11/2/2011