

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 11/15/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10005510
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





sion Number 1.0 ision Date 11/15/2001	Page 2 Print Date 11/2/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat

MATERIAL SAFETY DATA SHEET



GREEN

sion Date 11/15/2001					Print	Date 11/2/2
Storage		eep containers dry an do contamination. Kee			moistur	e absorption
8. E	XPOSURE	CONTROLS / PER	SONAL PR	OTECTION	N	
Respiratory protection	: N	o personal respiratory	protective	equipment no	ormally	required.
Eye/Face Protection	: S	afety glasses with side	e-shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure tim	e	Exposure t	vne	List:
Calcium carbonate	10 mg/m3	Time Weighted Av (TWA):		Total dus		ACGIH
	5 mg/m3	PEL:		Respirable	dust.	OSHA Z
	15 mg/m3	PEL:		Total due	st.	OSHA ZI
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):	verage	Total dus	st.	ACGIH
	15 mg/m3	PEL:		Total dus	st.	OSHA ZI
	9. PHYSIC	CAL AND CHEMIC	AL PROPI	ERTIES		
Form	: Solid	l	Evaporati	on rate	: Not	applicable.
Appearance	: Pelle	ts	Specific Gravity		: Not determined.	
Color	: GRE		Bulk density			established
Odor		faint	Vapor pre			applicable
Melting point/range		letermined.	Vapor dei	nsity		applicable
Boiling Point:		applicable	pН		: Not	applicable
Water solubility	: Insol	uble				
	10. S	TABILITY AND R	EACTIVIT	Y		
Stability	: S	table.				
Hazardous Polymerization		/ill not occur.				



MATERIAL SAFETY DATA SHEET

GREEN

sion Number 1.0 ision Date 11/15/20)01		Page / Print Date 11/2/2	
Conditions to avoid		ay from oxidizing agents a sition, do not overheat.	nd open flame. To avoid thermal	
Incompatible Materia	als : Incompat	ible with strong acids and	oxidizing agents.	
Hazardous decompos products			oxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOL	OGICAL INFORMATI	ON	
health data for the in Toxicity Overview	dividual components whic	ch comprise the mixture.	sure effects listed are based on ex	
CAS-No.	Chemical Name		Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
1517 05 5		Systemic effects	Eyes, Skin, Respiratory syster	
	12. ECOLO	GICAL INFORMATIO	N	
Persistence and degra	adability : Not readi	ly biodegradable.		
Environmental Toxic	city : Chemical of the pol		as they are bound within the matri	
Bioaccumulation Pot	tential : Chemical of the pol		as they are bound within the matri	
Additional advice	: No data a	wailable.		
	13. DISPOS	SAL CONSIDERATION	S	
Product	recycling waste ma transporta	Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated package	has the re	sponsibility for proper wa sal in accordance with app	le. The generator of waste materials the classification, transportation plicable federal, state/provincial	
	and local	regulations.		
		SPORT INFORMATION	1	

MATERIAL SAFETY DATA SHEET



GREEN	
Version Number 1.0 Revision Date 11/15/2001	Page 5 of Print Date 11/2/201
Classification (Non-bulk ground)	
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.