

## MATERIAL SAFETY DATA SHEET

# **RED 202C**

Version Number 1.0 Revision Date 11/19/2001 Page 1 of 5 Print Date 11/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 202C
Product code	:	CC10005698
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	es of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	





ion Number 1.0	Page 2	
sion Date 11/19/2001	Print Date 11/2/	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.	

#### MATERIAL SAFETY DATA SHEET



#### **RED 202C** Version Number 1.0 Page 3 of 5 Print Date 11/2/2011 Revision Date 11/19/2001 Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Safety glasses with side-shields. **Eye/Face Protection** : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): 5 mg/m3 PEL: Respirable dust. OSHA Z1 15 mg/m3 PEL: Total dust. OSHA Z1 Titanium dioxide Time Weighted Average Total dust. ACGIH 10 mg/m3 (TWA): Total dust. 15 mg/m3 PEL: OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range **Boiling Point:** Water solubility
- : Solid : Pellets RED : Very faint : : Not determined. : Not applicable : Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- Not applicable. : Not determined. : Not established : : Not applicable : Not applicable : Not applicable
- **10. STABILITY AND REACTIVITY**

Stability

Stable.

Hazardous Polymerization

Will not occur. :

3/5



# MATERIAL SAFETY DATA SHEET

# **RED 202C**

ion Number 1.0 sion Date 11/19/2	001			Page Print Date 11/2/
Conditions to avoid			om oxidizing agents an n, do not overheat.	d open flame. To avoid therma
Incompatible Materi	als	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen nd smoke are all possible.
		11. TOXICOLOG	ICAL INFORMATIO	ON
This mixture has not health data for the ir				ure effects listed are based on ex
<u>Toxicity Overview</u> This product contair	is the follo	wing components w	hich in their pure form	have the following characterist
CAS-No.	(	Chemical Name	Effect	Target Organ
13463-67-7	Titani	um dioxide	Systemic effects	Respiratory system.
1317-65-3	Calciu	m carbonate	Irritant	Eyes, Skin.
			Systemic effects	Eyes, Skin, Respiratory syste
				<del>.</del>
		12. ECOLOGIC	CAL INFORMATION	N
Persistence and degr	adability	: Not readily bi	odegradable.	
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matri of the polymer.		
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matri of the polymer.		
Additional advice		: No data availa	able.	
		13. DISPOSAL	CONSIDERATIONS	
Product		recycling is pr waste materia transportation	referred to disposal or a last the responsibility	et can be recycled. Where possib incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packaging		: Recycling is preferred when possible. The generator of waste materi- has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
		14. TRANSPO	<b>RT INFORMATION</b>	

#### MATERIAL SAFETY DATA SHEET



RED 202C	
Version Number 1.0 Revision Date 11/19/2001	Page 5 of 5 Print Date 11/2/2011
Classification (Non-bulk ground)	
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.