

MATERIAL SAFETY DATA SHEET

# SWAG AMBER

Version Number 1.0 Revision Date 11/27/2001 Page 1 of 6 Print Date 11/2/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SWAG AMBER
Product code	:	CC10005835
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: No known effects.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



# MATERIAL SAFETY DATA SHEET

# SWAG AMBER

ion Number 1.0 sion Date 11/27/2001	Page 2 Print Date 11/2/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If exirct irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 Deg F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# SWAG AMBER

ion Number 1.0 sion Date 11/27/2001				Print	Page 3 Date 11/2/2
	a	nd contamination	. Store in a c	ool dry place.	
8. 1	XPOSURE	CONTROLS / P	PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal hand	dling conditio	ns a respirator is not rec	quired.
Eye/Face Protection	: S	afety glasses with	n side-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved cloth	ning.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene and s t the end of workday.	safety practice
Engineering measures		leat only in areas ppropriate exhaus		ate exhaust ventilation. at machinery.	Provide
Exposure limit(s)				P	
Components	Value	Exposure		Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighte (TWA	A):	Total dust.	ACGIH
	3.5 mg/m3	PEL	i.	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEN	MICAL PRO	PERTIES	
Form	: liqui	d	Evapor	ration rate : Not	t determined.
Form Appearance	: liqui : visco	d ous, liquid			t determined. t determined.
		ous, liquid		c Gravity : No	
Appearance Color Odor	: visco : BRO : Very	ous, liquid DWN 7 faint	Specifi Bulk d Vapor	c Gravity : Not ensity : Not pressure : Not	t determined. t applicable. t determined.
Appearance Color Odor Melting point/range	: visco : BRO : Very : Not a	ous, liquid DWN 7 faint applicable	Specifi Bulk d Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point:	: visco : BRO : Very : Not a : Not a	ous, liquid DWN 7 faint applicable applicable	Specifi Bulk d Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	t determined. t applicable. t determined.
Appearance Color Odor Melting point/range	: visco : BRO : Very : Not a	ous, liquid DWN 7 faint applicable applicable	Specifi Bulk d Vapor Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point:	: visco : BRO : Very : Not a : Not a : immi	ous, liquid DWN 7 faint applicable applicable	Specifi Bulk d Vapor Vapor pH	c Gravity : Noi ensity : Noi pressure : Noi density : Noi : Noi	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point:	: visco : BRO : Very : Not a : Not a : immi <b>10. S</b>	ous, liquid DWN 7 faint applicable applicable iscible	Specifi Bulk d Vapor Vapor pH	c Gravity : Noi ensity : Noi pressure : Noi density : Noi : Noi	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: visco : BRO : Very : Not a : Not a : immi <b>10. S</b> : S	ous, liquid OWN 7 faint applicable applicable iscible STABILITY AN	Specifi Bulk d Vapor Vapor pH	c Gravity : Noi ensity : Noi pressure : Noi density : Noi : Noi	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: visco : BRO : Very : Not a : Not a : immi 10. S : S n : W	ous, liquid OWN 7 faint applicable iscible STABILITY AN table. Vill not occur.	Specifi Bulk d Vapor Vapor pH <b>D REACTIV</b>	c Gravity : Noi ensity : Noi pressure : Noi density : Noi : Noi	t determined. t applicable. t determined. t determined.
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: visec : BRO : Very : Not a : Not a : immi 10. S : S n : W : K	ous, liquid WN applicable applicable iscible STABILITY AN table. Vill not occur.	Specifi Bulk d Vapor PH <b>D REACTIV</b> xidizing agen	c Gravity : Noi ensity : Noi pressure : Noi density : Noi : Noi	t determined. t applicable. t determined. t determined.



#### MATERIAL SAFETY DATA SHEET

# SWAG AMBER

# Version Number 1.0

Revision Date 11/27/2001

Page 4 of 6 Print Date 11/2/2011

products

(NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

## Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

# **12. ECOLOGICAL INFORMATION**



# MATERIAL SAFETY DATA SHEET

rsion Number 1.0 vision Date 11/27/2001	Page 5 o Print Date 11/2/20
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2A
WHMIS Ingredient Disc	losure List
CAS-No.	

# MATERIAL SAFETY DATA SHEET

# SWAG AMBER

Version Number 1.0 Revision Date 11/27/2001 Page 6 of 6 Print Date 11/2/2011

DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

