

MATERIAL SAFETY DATA SHEET

YELLOW 102C

Version Number 1.0 Revision Date 11/21/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW 102C
Product code	:	CC10006000
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

YELLOW 102C

ision Date 11/21/2001	Print Date 11/2/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

Y

YELLOW 102C					
Version Number 1.0 Revision Date 11/21/2001				Print	Page 3 of 5 Date 11/2/2011
	aı	nd contamination. Keep	in a dry, cool place	2.	
8.	EXPOSURE	CONTROLS / PERSO	NAL PROTECTI	ON	
Respiratory protection	: N	o personal respiratory pr	otective equipment	normally	required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	1 : L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practice.
Engineering measures		eat only in areas with ap			Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposu	e type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera			ACGIH
	15 mg/m3	PEL:	Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES		
Form	: Solid		Evaporation rate		applicable.
Appearance	: Pelle		Specific Gravity		determined.
Color			Bulk density		established
Odor			apor pressure		applicable
Melting point/range			apor density		applicable
Boiling Point:			θH	: Not	applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerizatio	on : W	/ill not occur.			
Conditions to avoid		eep away from oxidizing ecomposition, do not ove		lame. To a	woid thermal
Incompatible Materials	: Ir	acompatible with strong	acids and oxidizing	agents.	



MATERIAL SAFETY DATA SHEET

YELLOW 102C

Version Number 1.0 Revision Date 11/21/2001 Page 4 of 5 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7 Persistence and degrada	Titanium dioxide 12. ECOLOGIO	Systemic effects	Respiratory system.		
Persistence and degrada	12. ECOLOGIO	TAL INFORMATION			
Persistence and degrada		LAL INFORMATION	I		
	ability : Not readily b				
Environmental Toxicity	Chemicals are of the polyme		s they are bound within the matri		
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able.			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagin	 Like most thermoplastics the product can be recycled. Where p recycling is preferred to disposal or incineration. The generato waste material has the responsibility for proper waste classifica transportation and disposal in accordance with applicable feder state/provincial and local regulations. Recycling is preferred when possible. The generator of waste n has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations. 				
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground)					
ICAO/IATA	: Not regulated	: Not regulated for transportation.			
IMO / IMDG	: Not regulated	l for transportation.			
	15. REGULATO	ORY INFORMATION	J		

MATERIAL SAFETY DATA SHEET



YELLOW 102C Version Number 1.0 Page 5 of 5 Print Date 11/2/2011 Revision Date 11/21/2001 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B DSL Listed. National Inventories: Australia AICS : Not determined. China IECS Not determined. : **Europe EINECS** Not determined. : Japan ENCS Not determined. : Korea KECI Not determined. · **Philippines PICCS** Not determined. :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.