

MATERIAL SAFETY DATA SHEET

## 019GY135 CM- 01-48

Version Number 1.0 Revision Date 11/30/2001 Page 1 of 6 Print Date 11/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	019GY135 CM- 01-48
Product code	:	CC10006334
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

# 019GY135 CM- 01-48

sion Date 11/30/2001	Print Date 11/2/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

# 010CV125 CM\_ 01\_48

ision Date 11/30/2001			Print	Page 3 Date 11/2/2
Storage		eep containers dry and tightly nd contamination. Keep in a d		e absorption
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
	Value	Exposure time	Exposure type	List:
Exposure limit(s) Components Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH
Components		Time Weighted Average		
Components	3.5 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Components Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust. Total dust.	ACGIH OSHA Z1
Components Carbon black	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA Z1 ACGIH
Components Carbon black Titanium dioxide	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA Z1 ACGIH OSHA Z1
Components Carbon black Titanium dioxide	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 t applicable.
Components Carbon black Titanium dioxide Form Appearance	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 t applicable. t determined.
Components Carbon black Titanium dioxide Form Appearance Color	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specifi Y Bulk d	Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       : Notic Gravity         ic Gravity       : Notic Gravity         ensity       : Notic Gravity	ACGIH OSHA Z1 ACGIH OSHA Z1 t applicable. t determined. t established
Components Carbon black Titanium dioxide Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specifi Y Bulk d faint Vapor	Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       : Notic Gravity         ic Gravity       : Notic Gravity         pressure       : Notic Gravity	ACGIH OSHA Z1 ACGIH OSHA Z1 t applicable. t determined. t established t applicable
Components Carbon black Titanium dioxide Form Appearance Color	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specifi Y Bulk d faint Vapor	Total dust. Total dust. Total dust. Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 t applicable. t determined. t established
Components Carbon black Titanium dioxide Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         ZAL AND CHEMICAL PRO         I       Evapor         ts       Specified Y         Y       Bulk d         faint       Vapor         determined.       Vapor         applicable       pH	Total dust. Total dust. Total dust. Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1 t applicable. t determined. t applicable t applicable t applicable
Components Carbon black Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol	Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         PEL:         ZAL AND CHEMICAL PRO         I       Evapor         ts       Specified Y         Y       Bulk d         faint       Vapor         determined.       Vapor         applicable       pH	Total dust.         Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         density       : Not         : Not       : Not	ACGIH OSHA Z1 ACGIH OSHA Z1 OSHA Z1 t applicable. t determined. t established t applicable t applicable

Hazardous Polymerization : Will not occur.



#### MATERIAL SAFETY DATA SHEET

## 019GY135 CM- 01-48

Version Number 1.0 Revision Date 11/30/2001		Page 4 of 6 Print Date 11/2/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

## Additional Health Hazard Information:



Page 5 of 6

Print Date 11/2/2011

MATERIAL SAFETY DATA SHEET

## 019GY135 CM- 01-48

Version Number 1.0 Revision Date 11/30/2001

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
C C	



### MATERIAL SAFETY DATA SHEET

## 019GY135 CM- 01-48

Version Number 1.0 Revision Date 11/30/2001	Page 6 of 6 Print Date 11/2/2011
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	D2A
WHMIS Ingredient Disclosu	ire List
CAS-No. 1333-86-4 68186-90-3	
DSL :	Listed.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Not determined.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.