

### MATERIAL SAFETY DATA SHEET

# ORANGE

Version Number 1.0 Revision Date 12/02/2001 Page 1 of 5 Print Date 11/2/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10006335
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# ORANGE

sion Date 12/02/2001	Print Date 11/2/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





# ORANGE

					nt Date 11/2/
	a	nd contamination. k	Keep in a d	ry, cool place.	
8. F	XPOSURE	CONTROLS / PEI	RSONAL	PROTECTION	
Respiratory protection	: N	o personal respirato	ry protecti	ve equipment normall	y required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations				industrial hygiene and t the end of workday.	l safety practic
Engineering measures		leat only in areas wit		iate exhaust ventilatior at machinery.	n. Provide
Exposure limit(s)					
<u>2posure(5)</u>					
Components	Value	Exposure tir	ne	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted A		Total dust.	ACGIH
		(TWA):			
	15 mg/m3	PEL:		Total dust.	OSHA Z
	9 PHVSIC	CAL AND CHEMI	CAL PRC	PFRTIFS	
	<i></i>				
				ration rate : N	ot applicable.
Form	: Solid				
Appearance	: Pelle	ets	Specifi	ic Gravity : N	ot determined.
	: Pelle : ORA	ets NGE	Specifi Bulk d	c Gravity : N ensity : N	ot determined. ot established
Appearance	: Pelle	ets NGE	Specifi Bulk d	ic Gravity : N ensity : N pressure : N	ot determined ot established ot applicable
Appearance Color	: Pelle : ORA : Very	ets NGE	Specifi Bulk d Vapor	ic Gravity : N ensity : N pressure : N	ot determined. ot established
Appearance Color Odor	: Pelle : ORA : Very : Not o	ets NGE faint	Specifi Bulk d Vapor	ic Gravity : N ensity : N pressure : N density : N	ot determined. ot established ot applicable
Appearance Color Odor Melting point/range	: Pelle : ORA : Very : Not o	ts NGE faint determined. applicable	Specifi Bulk d Vapor Vapor	ic Gravity : N ensity : N pressure : N density : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : ORA : Very : Not o : Not a : Insol	ts NGE faint determined. applicable	Specifi Bulk d Vapor Vapor pH	ic Gravity : N ensity : N pressure : N density : N : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : ORA : Very : Not o : Not a : Insol	ts NGE faint determined. applicable uble	Specifi Bulk d Vapor Vapor pH	ic Gravity : N ensity : N pressure : N density : N : N	ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : ORA : Very : Not c : Not a : Insol <b>10. S</b> : S	ts NGE faint determined. applicable uble STABILITY AND I	Specifi Bulk d Vapor Vapor pH	ic Gravity : N ensity : N pressure : N density : N : N	ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : ORA : Very : Not a : Not a : Insol	tts NGE faint determined. applicable uble <b>STABILITY AND I</b> table. Vill not occur.	Specifi Bulk d Vapor Vapor pH <b>REACTIV</b> izing agen	ts and open flame. To	ot determined. ot established ot applicable ot applicable ot applicable



## MATERIAL SAFETY DATA SHEET

# ORANGE

Version Number 1.0 Revision Date 12/02/2001 Page 4 of 5 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.			
13403-07-7	Thanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrad	ability : Not readily b	oiodegradable.				
Environmental Toxicit	y : Chemicals ar of the polym		s they are bound within the matri			
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAL	<b>CONSIDERATIONS</b>	}			
Product Contaminated packagi	recycling is p waste materi transportation state/provinc	preferred to disposal or al has the responsibility n and disposal in accord ial and local regulations preferred when possible	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s. e. The generator of waste materia te classification, transportation			
		in accordance with app	licable federal, state/provincial			
	14. TRANSPO	ORT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	e	d for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				
	15. REGULAT	ORY INFORMATION	J			

## MATERIAL SAFETY DATA SHEET



	Page 5 of 5 Print Date 11/2/2011
:	Classified as hazardous based on components.
:	All components of this product are listed on the TSCA inventory or are exempt.
:	This product does not contain a substance listed by California Prop 65.
:	D2B
su	re List
:	Listed.
:	Listed.
:	Listed.
:	Not determined.
:	Not determined.
:	Listed.
:	Listed.
::	5 <b>u</b>

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.