

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 01/15/2002 Page 1 of 5 Print Date 11/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10006345
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	outes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

YELLOW

ion Number 1.0 sion Date 01/15/2002	Page 2 Print Date 11/3/2			
4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
-	11			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not relevant			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.			
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive			
Procedures	pressure mode should be worn to prevent inhalation of airborne			
Tibeedules	contaminants.			
Unusual Fire/Explosion Hazards	: None			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET

YELLOW

sion Date 01/15/2002		Page Print Date 11/3		
	and contamination.	Keep in a dry, cool place.		
8. EXI	OSURE CONTROLS / P	ERSONAL PROTECTION		
Respiratory protection	: No personal respira	atory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
There are no known hazardou	us ingredients in this produce.			
Form	: Solid	Evaporation rate : Not applicable.		
Appearance	: Pellets	Specific Gravity : Not determined		
Color	: YELLOW	Bulk density : Not established		
Odor	: Very faint	Vapor pressure : Not applicable		
Melting point/range	: Not determined	Vapor density : Not applicable		
	: Not applicable			
	: Insoluble			
Boiling Point: Water solubility		pH : Not applicable		
Boiling Point:				
Boiling Point:	: Insoluble			
Boiling Point: Water solubility	: Insoluble 10. STABILITY ANI			
Boiling Point: Water solubility Stability	 : Insoluble 10. STABILITY AND : Stable. : Will not occur. 	D REACTIVITY xidizing agents and open flame. To avoid therm		
Boiling Point: Water solubility Stability Hazardous Polymerization	 : Insoluble 10. STABILITY AND : Stable. : Will not occur. : Keep away from or decomposition, do 	D REACTIVITY xidizing agents and open flame. To avoid therm		
Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 : Insoluble 10. STABILITY ANI : Stable. : Will not occur. : Keep away from or decomposition, do : Incompatible with : Carbon dioxide (Composition) 	D REACTIVITY stidizing agents and open flame. To avoid thermore the state of the s		



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 01/15/2002 Page 4 of 5 Print Date 11/3/2011

There are no known hazardous ingredients in this product. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. Environmental Toxicity Chemicals are not readily available as they are bound within the matrix : of the polymer. **Bioaccumulation Potential** : Chemicals are not readily available as they are bound within the matrix of the polymer. Additional advice : No data available. **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material Contaminated packaging : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground) ICAO/IATA Not regulated for transportation. : IMO / IMDG Not regulated for transportation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** Product is non-hazardous **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : This product does not contain a substance listed by California Prop 65. 65



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 01/15/2002		Page 5 of 5 Print Date 11/3/2011	
Canadian Regulations:			
WHMIS Classification	:	Not controlled.	
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Not determined.	
China IECS	:	Not determined.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Not determined.	
Philippines PICCS	:	Not determined.	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.