

MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001 Page 1 of 6 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DRY BLEND (VERSION 1)
Product code	:	CC10006587
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001 Page 2 of 6 Print Date 11/2/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001 Page 3 of 6 Print Date 11/2/2011

8. E	EXPOSURE	CONTROLS / PE	RSONAL	PROTECTION	
Respiratory protection	: N	lo personal respirat	ory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with s	side-shields		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothin	ıg.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene and at the end of workday.	safety practice
Engineering measures		leat only in areas w ppropriate exhaust		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure t	ime	Exposure type	List:
Zinc stearate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	10 mg/m3	Time Weighted (TWA):	-	as stearates	ACGIH
	9. PHYSI	CAL AND CHEM	ICAL PRO	PERTIES	
_	~ 4	_	-		
Form	: Solic				t applicable.
Appearance	: Pelle	ets PIGMENT		5	t determined.
Color			Bulk d	•	t established
Odor Malting point/range	•	/ faint determined.			t applicable
Melting point/range		applicable			t applicable
Boiling Point: Water solubility	: Insol		рН	: NO	t applicable
water solubility	. 111501	luoie			
	10. 5	STABILITY AND	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid		Keep away from oxi ecomposition, do n		ts and open flame. To	avoid thermal



MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001 Page 4 of 6 Print Date 11/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001				Page 5 of 6 Print Date 11/2/2011
ground)				
ICAO/IATA	:	Not regulated for	transportation.	
IMO / IMDG	:	Not regulated for	ransportation.	
	15	. REGULATORY	INFORMATIO	N
US Regulations:				
OSHA Status	:	Classified as haza	rdous based on co	omponents.
TSCA Status	:	All components of exempt.	this product are l	isted on the TSCA inventory or are
California Proposition 65	:	This product does	not contain a subs	stance listed by California Prop 65.
SARA Title III Section 313 To	xic C	Chemicals:		
Chemical Name			CAS-No.	Weight %
ZINC COMPO		S	557-05-1	1.25
Canadian Regulations: WHMIS Classification	:	D2B		
WHMIS Ingredient Disc	closu	re List		
CAS-No. 557-05-1				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INF	ORMATION	



MATERIAL SAFETY DATA SHEET

DRY BLEND (VERSION 1)

Version Number 1.0 Revision Date 12/02/2001 Page 6 of 6 Print Date 11/2/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.