

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/12/2001 Page 1 of 5 Print Date 11/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure			
	or accident).			
:	RED			
:	CC10006733			
:	Mixture			
:	Mixture			
:	Industrial Applications			
	:			

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

RED

sion Date 12/12/2001	Print Date 11/2/2					
	4. FIRST AID MEASURES					
Inhalation	ion : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.					
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.					
	5. FIRE-FIGHTING MEASURES					
Flash point	: Not applicable					
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 					
Hazards						
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.					
Storage	: Keep containers dry and tightly closed to avoid moisture absorption					



MATERIAL SAFETY DATA SHEET

RED

sion Date 12/12/2001				Prir	nt Date 11/2/2
	a	nd contamination. Ke	ep in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PERS	SONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory	r protecti	ve equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side	e-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations				industrial hygiene and at the end of workday.	l safety practice
Engineering measures		leat only in areas with ppropriate exhaust ver		iate exhaust ventilation at machinery.	n. Provide
Exposure limit(s)					
Components	Value	Exposure time	e	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Av		Total dust.	ACGIH
		(TWA):			
	5 mg/m3	PEL:		Respirable dust.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PRC	PERTIES	
Form	: Solid	1	Evano	ration rate : N	ot applicable.
Appearance	: Pelle				ot determined
Color	: RED				ot established
Odor	: Very faint			•	ot applicable
Melting point/range	: Not determined				ot applicable
Boiling Point:	: Not applicable		pH		ot applicable
Water solubility	: Insol		I		TT TT
	10. 5	STABILITY AND R	EACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		Leep away from oxidiz ecomposition, do not		its and open flame. To	avoid thermal
Incompatible Materials	: Iı	ncompatible with stron	ng acids	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

DED

RED				
Version Number 1.0 Revision Date 12/12/2001				Page 4 of 5 Print Date 11/2/2011
Hazardous decomposition products	:			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. 1	FOXICOLOGI	CAL INFORMATIO	DN
health data for the individual of <u>Toxicity Overview</u>	compo	onents which con	prise the mixture.	are effects listed are based on existing have the following characteristics:
CAS-No.	Chem	ical Name	Effect	Target Organ
		rbonate	Irritant	Eyes, Skin.
			Systemic effects	Eyes, Skin, Respiratory system.
	12		L INFORMATION	
	14			
Persistence and degradability	:	Not readily bio	degradable.	
Environmental Toxicity	:	Chemicals are r of the polymer.		s they are bound within the matrix
Bioaccumulation Potential	:	Chemicals are r of the polymer.		s they are bound within the matrix
Additional advice	:	No data availab	le.	
	13	3. DISPOSAL C	ONSIDERATIONS	
Product	:	recycling is pre waste material l transportation a	ferred to disposal or i has the responsibility	t can be recycled. Where possible ncineration. The generator of for proper waste classification, ance with applicable federal,
Contaminated packaging	:	has the response	ibility for proper was accordance with appl	 The generator of waste material te classification, transportation licable federal, state/provincial
	1	4. TRANSPOR	T INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for	or transportation.	
ICAO/IATA	:	Not regulated for	or transportation.	
IMO / IMDG	:	Not regulated for	or transportation.	



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 12/12/2001 Page 5 of 5 Print Date 11/2/2011

	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on the TSCA inventory or a exempt.	are
California Proposition 65	This product does not contain a substance listed by California Prop 6	55.
Canadian Regulations:		
WHMIS Classification	D2B	
WHMIS Ingredient Discl	ure List	
CAS-No. 150-13-0		
DSL	Listed.	
National Inventories:		
Australia AICS	Listed.	
China IECS	Listed.	
Europe EINECS	Not determined.	
Japan ENCS	Not determined.	
Korea KECI	Listed.	
Philippines PICCS	Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.